



NORTHERN CALIF APCO LOG FOR AUGUST-SEPT 2003

Actions taken from July 10 to Spetember 11.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
PUBLIC SAFETY POOL (ALL COORDINATORS)					
1	mar 03	app pend	sanger	sanger	requests 2 pair vhf to replace 800
2	mar 03	app pend	co merced	atwater	requests uhf chnl
3	mar 03	app pend	co tuolumne	co tuolumne	listening 453.1000 .5000 .5250 to determine co-channel interfrnce issues.
4	mar 03	app pend	gilroy	gilroy	requests two pairs vhf.
5	mar 03	app pend	yuba city	yuba city	requests uhf pair and simplex chnl for pd
6	apr 03	app pend	ST CA: DOT	redding area	453.93750 2 w fxo/mo. Irrigation system. New.
7	jul 03	app pend	berkeley	berkeley	453.5250 fb/fb2/fx1/mo ?? Erp ?? Aat ?? Msl ?? Agl. Relocate existing stn.
8	sept 03	app pend	lower lake water dist 1	lower lake	154.0250 fb/mo 149 w erp -121.5 aat 419 msl 10 agl. Pw/ap. Relocate.
9	122431	APP INF	MERCED	MERCED	155.5200 FB/FB2/MO 155.9550 MO 159.8250 MO 80 W ERP 24 AAT 52 MSL 31 AGL. CHNG INPUT. PW/AP
10	155729	AFC OFF	CO YUBA	CO YUBA	154.2500 FB2/MO 155.8650 FX1/MO 84 W ERP 16.7 AAT 30 MSL 33 AGL. ADD SITE. PW/LS
11	157308	PEND	FARMERSVILLE FPD	FARMERSVILLE	???????? FB/FB2 ???????? FX1/MO 100 W ERP 463 AAT 463 MSL 27.4 AGL. NEW. PW/AP.
12	158061	PEND	CO SISKIYOU	CO SISKIYOU	155.3100 FB/FB2 85 W ERP 955 AAT 2256 MSL 150 AGL. ADDS SITES TO EXIST. PW/AP.
13	158845	APPD	CONCORD	CONCORD	453/458.78750 FXOT 15 W ERP ?? AAT ?? MSL ?? AGL. 11K0F3D. PW/AP
14	159031	PEND	YUBA CITY USD	YUBA CITY	155.92500 FB/MO 270 W ERP ?? AAT 18 MSL 26 AGL. PW/LS. ADDS 2ND FREQ
15	159743	APPD	CO LASSEN	SUSANVILLE	460/465.4750 MO 100 W ERP. PW/AP.
16	160137	APPD	CO LASSEN	SUSANVILLE	460.1750 FB2/FX1/MO 16.1 W ERP 695 AAT 2053 MSL 15 AGL. PW/AP.
17	160176	PEND	CO SIERRA	CO SIERRA	153.7850 FB2/MO 155.730 FX1/MO 460.???? FXO 100 W ERP 268.5 AAT 2164 MSL 18.2 AGL. PW/AP NEW.
18	160535	APPD	CO LASSEN	SUSANVILLE	460.4750 156.1650 FB2 155.7150 FB 16/12 W ERP 695 AAT 2053 MSL 15 AGL. PW/AP
19	160601	new 3/1	SANTA CLARA	SANTA CLARA	458.???? MO 2 W ERP. 11K0 F3E AND F2D EMISSIONS. ADD FREQ.
20	160615	PEND	CO SANTA CLARA	CO SANTA CLARA	151.1450 FB/FB2 159.1200 FX1/MO 151.4900 MO 400 W ERP ?? AAT 1307 MSL 24.4 AGL. Add 11K2 EMISSION. PW/AP
21	160881	PEND	CO YUBA	OREGON PK	453.2250 FB2/FX1/MO 89 W ERP 438 AAT 1035 MSL 62.5 AGL. RELOCATE. PW/LS.
22	161033	WDRN	CO MONO	CO MONO	154.8000 FB2 155.1900 FX1/MO 100 W ERP 768 AAT 1035 MSL 5 AGL. ADDS 2 SITES. PW/AP
23	161037	WDRN	CO MONO	CO MONO	153.8600 FB2 50 W ERP -172 AAT 2357 MSL 9 AGL. ADD NEW SITE. PW/AP
24	161875	AFC OFF	SIERRA LIFE SUPPORT	SUSANVILLE	155.1000 FB/MO 453.1500 FB2/FX1/MO 60 W ERP 225 AAT 1675 MSL 12 AGL. NEW. PW/AP
25	162826	COMPLETED	BI-COUNTY AMBULANCE	OREGON PK	154.3850 FB2 150.8050 FX1/MO 18 ERP 445 AAT 1035 MSL 48 AGL. ADDS TO EXIST SYS. PW/AP
26	164733	freq hold	CO PLACER	AUBURN	155.5200 FB/FB2 156.1500 FX1/MO 155.6400 MO 50 W ERP 135 AAT 436 MSL 30 AGL. PW/AP.
27	164883	PEND	CO SANTA CLARA	CO SANTA CLARA	??? .???? FB/MO 100 W ERP 8 AAT 128 MSL 33 AGL. PW/AP.
28	165174	DENY	ST NV: NHP	BROCKWAY SUMMIT	154.79250 FB2 158.03750 158.79750 MO 132 W ERP 208 AAT 2276 MSL 23 AGL. PW/AH.
29	165265	APPD	GRATON FF ASSN	GRATON (SON)	155.9850 FB/MO 60 W ERP -58 AAT 10 MSL 17 AGL. PW/IM. NEW.
30	165301	APPD	NAPA	NAPA	154.2800 FB 108 W ERP -104.5 AAT 4.9 MSL 22.3 AGL. PW/LS. CORRECT COORDS.
31	165317	APPD	ROSEVILLE	ROSEVILLE	453/458.11250 FXO/FXOT 6 w ERP 2.4 AAT 43 MSL 5 AGL. Irrigation system. PW/AP
32	165318	APPD	LAKEPORT	LAKEPORT	155.8950 FB/FB2 158.7600 FX1/MO 113 W ERP -57.5 AAT 472 MSL 11 AGL. PW/AP. NEW.
33	165312	APPD	NAPA	NAPA	154.4150 FB 350 W ERP -113.8 AAT 4.9 MSL 22.3 AGL. CORRECT CORDS. PW/LS
34	165321	APPD	NAPA	NAPA	153.9800 FB 158.8800 FX1 110 W ERP -111.8 AAT 4.9 MSL 15 AGL. CONSOL LIC&RELOCATE PW/LS
35	165322	APPD	NAPA	NAPA	155.4300 FB 158.9700 FB 350 W ERP -108.8 AAT 4.9 MSL 18 AGL. CORRECT COORDS. PW/LS
36	165334	APPD	BODEGA BAY FPD	BODEGA BAY (SON)	154.1750 ,2800 .3100 FB 60 W ERP -28.5 AAT 27 MSL 12 AGL. RESTORE. PW/IMSA.
37	165388	APPD	ST NV: NHP	BROCKWAY SUMMIT	154.79250 FB2 159.0075 MO 135.2 W ERP 208 AAT 2276 MSL 10 AGL. PW/AH.

38	165409	APPD	CO CONTRA COSTA	PINOLE	220/221 FB2/FX1/MO 15 CH 200 W ERP -24.6 AAT 19 MSL 20 AGL. QM/IMSA. NON-TRUNKED.
39	165410	APPD	CO CONTRA COSTA	CO CONTRA COSTA	220/221 FB2 15 CH 60 W ERP 585 AAT 786 MSL 43 AGL. QM/IMSA. NON-TRUNKED. (MULTIPLE SITES)
40	165411	APPD	CO CONTRA COSTA	CO CONTRA COSTA	220/221 FB2 15 CH 200 W ERP 133.5 AAT 221 MSL 10 AGL. QM/IMSA. NON-TRUNKED. (MULTIPLE SITES)
41	165558	APPD	NAPA	NAPA	485.48750 FX1 35 W ERP ?? AAT 6.1 MSL 5.8 AGL. PW/AP. ADD TO EXIST SYSTEM.
42	165588	PEND	ST CA: DOT	SACRAMENTO	453/458.08750 .11250 MO 2 W ERP 11K2F1D. NEW. PW/AASHTO. MANY IRREGULARITIES.
43	165608	APPD	CO CONTRA COSTA	CO CONTRA COSTA	220/221 FB2/FX1/MO 15 CH 60 W ERP 585 AAT 786 MSL 43 AGL. QM/IMSA. NON-TRUNKED.
44	165619	PEND	ST CA: B&G	SACRAMENTO	453.3000 FB2/MO 60 W ERP 49 AAT 8 MSL 46 AGL. PW/APCO.
45	165649	APPD	ST CA: DOT	STOCKTON	453.91250 FXO/FXOT 6 W ERP 2.0 AAT 3.7 MSL 7.0 AGL. PW/AASHTO.
46	165708	APPD	MARINA	MARINA	453.93750 FXO 5.6 W ERP H ?? AAT 54 MSL 6.8 AGL. RX LINK 11K2, PW/AP
47	165804	APPD	CO CONTRA COSTA	CO CONTRA COSTA	220/221 FB2/FX1/MO 15 CH 60 W ERP 585 AAT 786 MSL 43 AGL. QM/IMSA. NON-TRUNKED.
48	165903	WDRN	CO MARIPOSA	CO MARIPOSA	???????? MO ?? ERP ?? AAT ?? MSL ?? AGL. MG/UTC. INCOMPLETE DATA.
49	165917	APPD	CO CALAVERAS	CO CALAVERAS	155.5500 .7600 FB/FB2/MO 159.04500 FX1/MO 200 W ERP 166 AAT 1996 MSL 30 AGL. PW/AP
50	165917	PEND	CO CALAVERAS	CO CALAVERAS	155.5500 .7600 FB/FB2/MO ????.???? FX1/MO 200 W ERP 166 AAT 1996 MSL 30 AGL. PW/AP
51	165987	APPD	DON PEDRO REC AREA	MOCCASIN-LAGRANGE	151.4750 FB 159.2850 FX1 100 W ERP 75 AAT 293 MSL 12 AGL. HQ & ENTRY KIOSKS. ADD STNS. PW/IMSA
52	165987	APPD	DON PEDRO REC AREA	MOCCASIN	155.0850 FB2 151.0550 5 W ERP 100 W ERP 393 AAT 293 MSL 12 AGL. ADD 2ND CHNL. PW/IMSA
53	166001	APPD	CO INYO	CO INYO & VICINITY	151.0250 FB2/MO 156.0600 FX1/MO 155.4150 FX1 2.1 W ERP 1708 AAT 3238.9 MSL 17 AGL. MULTI SITES.
54	166001	APPD	CO INYO	CO INYO & VICINITY	453.3375 .9500 .2500 .8125 FX2 458.3375 .9500 .2500 .8125 FX1 28.8 W ERP VARIOUS AAT MSL AGL. PW/AASHTO
55	166059	APPD	SAN FRANCISCO	SAN FRANCISCO	155.3400 FB 100 W ERP 226 AAT 259.1 MSL 54.9 AGL. ADD STNS. PW/AP
56	166061	APPD	NAPA	NAPA	155.4300 FB/FB2 110 W ERP -18.9 AAT 15 AGL. PW/AP. ADD NEW SITE TO EXIST.
57	166063	APPD	NAPA	NAPA	153.9800 FB/FB2 110 W ERP -18.9 AAT 15 AGL. PW/AP. ADD NEW SITE TO EXIST.
58	165987	APPD	DON PEDRO REC AREA	MOCCASIN-LAGRANGE	151.4750 FB 159.2850 FX1 100 W ERP 75 AAT 293 MSL 12 AGL. HQ & ENTRY KIOSKS. ADD STNS. PW/IMSA
59	165987	APPD	DON PEDRO REC AREA	MOCCASIN	155.0850 FB2 151.0550 MO 5 W ERP 100 W ERP 393 AAT 293 MSL 12 AGL. ADD 2ND CHNL. PW/IMSA
60	166300	APPD	PALM DRIVE HOSPITAL	SEBASTOPOL	155.4300 .355 FB/MO 157.4500 FB 100 W ERP -25.5 AAT 32 MSL 23 AGL. PW/IMSA. RESTORE.
61	166460	APPD	SAN FRANCISCO, CI/CO	SAN FRANCISCO	155.3400 FB 100 W ERP -41.2 AAT 72 MSL 19.1 AGL. ADD STNS. PW/AP
62	166748	APPD	CO MONO	CO MONO	153.8600 .9200 154.0250 FB2/MO 30 W ERP 927 AAT 3039 MSL 40 AGL. PW/AP. RESTORE.
63	166753	APPD	CO MONO	CO MONO	153.8600 154.8000 FB2/MO 75 W ERP 392.9 AAT 3064 MSL 4 AGL. PW/AP. ADDS SITES TO EXIST.
64	166754	APPD	CO PLUMAS	CO PLUMAS	154.1900 155.0850 FB2/MO 155.30250 FB2T 150.78250 FX1T 28 W ERP 708.4 AAT 2229 MSL 9 AGL. MODS/ADDS PW/IMSA
65	166762	APPD	CORCORAN	CORCORAN	453/458.16250 FB2/MO 60 W ERP 12 AAT 61 MSL 6 AGL. NEW TRANSIT. PW/AASHTO.
66	167028	APPD	CO CONTRA COSTA	LIVERMORE	153.8300 .2050 .2650 .2800 .2950 .3850 MO 100 W ADDS 20K0F2D EMISSION. PW/AASHTO
67	167029	APPD	CO CONTRA COSTA	CONCORD	151.0250 156.0450 MO 100 W ERP 0 AAT 0 MSL 0 AGL. 20K0F2D ONLY. PW/AASHTO
68	167030	DENY	CO CONTRA COSTA	VARIOUS	151.0250 FX1T 153.8150 .8300 154.2050 .2800 .3850 FB/FBT 300 W ERP V AAT V MSL V AGL ALL EMISSIONS. PW/AASHTO
69	167031	DENY	CO CONTRA COSTA	PLEASANT HILL	153.8150 FB 300 W ERP -104 AAT 37 MSL 31 AGL. ALL EMISSIONS. PW/AASHTO
70	167031	DENY	CO CONTRA COSTA	CROCKETT	153.8150 .8300 154.2800 .3850 156.0450 FB 133 W ERP 213 AAT 273 MSL 36.6 AGL. ALL EMISSIONS. PW/AASHTO.
71	167031	DENY	CO CONTRA COSTA	RICHMOND	153.8150 154.2800 .3850 156.0450 FB 86 AAT 113 MSL 19 AGL. ALL EMISSIONS. PW/AASHTO
72	167283	APPD	CO SANTA CLARA	CO SANTA CLARA	155.790 FB/FB2 10 W ERP -21 AAT 26.5 MSL 15.9 AGL. 8K3F1E. COURTS. PW/AP.
73	167309	APPD	SAN MATEO	SAN MATEO	482.9875 FB2 287 W ERP ? AAT 221 MSL 9 AGL. MODS EXISTING. PW/AP.
74	167372	APPD	DON PEDRO REC AREA	MOCCASIN	155.0500 FB2/MO 159.0150 MO 35 W ERP 393.8 AAT 899 MSL 18 AGL. PW/IMSA.
75	167376	DENY	CO CONTRA COSTA	PLEASANT HILL	153.8150 FB 300 W ERP -104 AAT 37 MSL 31 AGL. ALL EMISSIONS. PW/AASHTO
76	167376	DENY	CO CONTRA COSTA	CROCKETT	153.8150 .8300 154.2800 .3850 133 W ERP 213 AAT 273 MSL 36.6 AGL. ALL EMISSIONS. PW/AASHTO.
77	167376	DENY	CO CONTRA COSTA	RICHMOND	153.8150 154.2800 .3850 FB 86 AAT 113 MSL 19 AGL. ALL EMISSIONS. PW/AASHTO
78	167378	DENY	CO CONTRA COSTA	HIGHLAND PK (LIVERMORE)	151.1000 153.8150 154.3850 FB 9 W ERP 155.8200 300 W ERP 798 AAT 786 MSL 12 AGL. ALL EMSNS. PW/AASHTO
79	167378	DENY	CO CONTRA COSTA	BALD PK (ORINDA)	151.1000 153.8150 154.3850 FB 45 W ERP 155.8200 300 W ERP 485 AAT 583 MSL 32 AGL. ALL EMSNS. PW/AASHTO
80	167378	DENY	CO CONTRA COSTA	KRAGOR PK (CLAYTON)	151.1000 153.8150 154.3850 FB 45 W ERP 155.8200 300 W ERP 409 AAT 577 MSL 27 AGL. ALL EMSNS. PW/AASHTO
81	167553	PEND	CO YUBA	MARYSVILLE	458.8750 FX1 65 W ERP 0 AAT 19 MSL 6.1 AGL. PW/AP. STATE P TO P NET.

470-512 MHz POOL

82	nov 02	app pend	st ca: oes	bay area (coord chnl)	??? ????? Fb/fb2/fx1/mo ?? W erp ?? Aat ??msl ??agl. Bay inter-agency intercom.
83	aug 03	app pend	san mateo	san mateo	482.98750 fb2/mo 274 w erp 85 aat 221 msl 9 agl. Pw. Add freq to exist system.
84	165374	new 6/18	SKIP MAY	MT VACA	489.51250 FB6/MO6 22 W ERP 619 AAT 823 MSL 52 AGL. IG/ITA.
85	165564	APPD	CHAMPION	DALY CITY	483.73750 FB6 250 W ERP 410 AAT 368.8 MSL 85 AGL. RELOCATE. IG/AM.
86	165565	APPD	CHAMPION	DALY CITY	483.78750 FB6 250 W ERP 410 AAT 368.8 MSL 85 AGL. RELOCATE. IG/AM.
87	165603	APPD	CHAMPION	DALY CITY	483.78750 FB6 250 W ERP 410 AAT 368.8 MSL 85 AGL. RELOCATE. IG/AM.
88	165629	APPD	CHAMPION	DALY CITY	483.78750 FB6 250 W ERP 410 AAT 368.8 MSL 85 AGL. RELOCATE. IG/AM.
89	165654	PEND	JOSY THOMAS	SAN JOSE	482.6750 FB6/MO 15 W ERP ??? AAT ????? MSL ?? AGL. IG/PCIA.
90	165674	APPD	CHAMPION	DALY CITY	483.78750 FB6 250 W ERP 410 AAT 368.8 MSL 85 AGL. RELOCATE. IG/AM.

800 MHz PUBLIC SAFETY (GP, YP, GF, YF)

91	156156	APP INF	CHABOT-LOS POSADAS	HAYWARD	858.96250 FB2/MO 65 W ERP ?? AAT 12.1 MSL 10.5 AGL. NEW GP/AP.
92	158667	PEND	CO SAN JOAQUIN	CO SAN JOAQUIN	855.23750 FB/MO 250 W ERP 34 AAT 14 MSL 36 AGL. MODS. PW/AP. MDT.
93	165285	APPD	REDDING	REDDING - SO MTN	856/857/858/859.43750 FB/FB2/FX1/MO 125 ERP 975.9 AAT 975.9 MSL 72.5 AGL. YP/AP. NEW SYS.
94	165713	APPD	NEXTEL	VOLMER PK	854.21250 FB6C/MO 500 W ERP 467 AAT 553 MSL 61 AGL. YX/AM. ADD TO EXIST.
95	165714	APPD	NEXTEL	FRESNO	852.26250 FB2C/MO 62 W ERP 336 AAT 490 MSL 41 AGL. YX/AM. ADD TO EXIST.
96	165716	APPD	NEXTEL	BEAR MTN (TUL)	852.7375 .78750 FB2C/MO 250 W ERP 633 AAT 1015 MSL 24 AGL. YX/AM. ADD TO EXIST.
97	165717	APPD	NEXTEL	DANVILLE	854.21250 FB2C/MO 500 W ERP 900 AAT 1019 MSL 37 AGL. YX/AM. ADD TO EXIST.
98	165720	APPD	NEXTEL	FREMONT	852.58750 FB2C/MO 125 W ERP 604 AAT 792 MSL 35 AGL. YX/AM. ADD TO EXIST.
99	165721	APPD	NEXTEL	SAN MATEO	854.21250 FB2C/MO 250 W ERP 262 AAT 337 MSL 31 AGL. YX/AM. ADD TO EXIST.
100	165741	APPD	NEXTEL	SALINAS	851.41250 FB2C/MO 1KW ERP -107.3 AAT 23.3 MSL 18.3 AGL. YX/AM. ADD TO EXIST.
101	165742	APPD	NEXTEL	SANGER	852.03750 FB2C/MO 1 KW ERP -11 AAT 117 MSL 24 AGL. YX/AM. ADD TO EXIST.
102	166461	APPD	CO SACRAMENTO	SACRAMENTO	859.96250 FB2 75 W ERP 5 AAT 9 MSL ??AGL. GP/AP. MOVING FREQ IN EXIST SYSTEM.
103	166946	APPD	CO KERN	MOJAVE/SOLEDAD MTN	858/859/860.48750 FB2/FX1/MO 300 W ERP 358 AAT 1264 MSL 15.2 AGL. ADD TO EXIST. GP/AASHTO
104	167463	PEND	CO NAPA	ST HELENA	856.96250 FB 135 W ERP -191.5 AAT 73 MSL 27.4 AGL. GP/AP. ADDS TO EXIST SYSTEM.

SHOWING THE AOP >40 KM IN HIGH-BAND OR >32 KM UHF REQUIRES FILING FOR A RULE WAIVER.

Fourteen channels have been adopted by the Commission for low power usage.

New systems must use 11K25 emission and show class of station used (FB/FB2/FX0/FX1/MO/FBT).

They are: 453/458 .0375, .0625, .0875, .1125, .1375, .8875, .9125, .9375, .9625, .9875 MHz and 460/465 .4875, .5125, .5375, .5625 MHz.

***** All "pend app" pre-coordinations will expire 90 days after appearing in the LOG *****

ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact appropriate advisor immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting notice publication date. Violet - Added after publication date.

IMPORTANT NOTE:

Please note the new e-mail address and telephone numbers for Preston Thomson. They are: ncapco@surewest.net. The new telephone numbers are: (916) 797-5395 (v) and (916) 797-5396 (fax).