



NORTHERN CALIF APCO LOG FOR DECEMBER 2003

Actions taken from November 13 to December 11.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
PUBLIC SAFETY POOL (ALL COORDINATORS)					
1	sept 03	app pend	sacramento	sacramento	458.9875 fxo 8 w erp ?aat 5 msl 7 agl. Simplex irrigation system.
2	sept 03	app pend	st ca: dmh	coalinga	vhf paging channel
3	sept 03	app pend	st ca: dph	richmond	(453.950 ?) uhf pair. Building ops/security
4	nov 03	app pend	pike city vfd	pike city (sierra)	158.8050 fb/fb2/mo 153.8750 fx1/mo 100 w erp 104 aat 1058 msl 8 agl. Pw
5	dec 03	app pend	co lake	clearlake	158.8050 fb 153.8750 fx1 250 w erp -73.6 aat 438 msl 50 agl. Add to exist system. Pw
6	dec 03	app pend	co lake	anderson springs	155.9700 158.8050 fb2 155.0700 fb 61.2 w erp 714.3 aat 1291 msl 50 agl. Add to exist sys. Pw
7	122431	APP INF	MERCED	MERCED	155.5200 FB/FB2/MO 155.9550 MO 159.8250 MO 80 W ERP 24 AAT 52 MSL 31 AGL. CHNG INPUT. PW/AP
8	157308	PEND	FARMERSVILLE FPD	FARMERSVILLE	???????? FB/FB2 ??????? FX1/MO 100 W ERP 463 AAT 463 MSL 27.4 AGL. NEW. PW/AP.
9	158061	APPD	CO SISKIYOU	CO SISKIYOU	155.3100 FB/FB2 85 W ERP 955 AAT 2256 MSL 150 AGL. ADDS SITES TO EXIST. PW/AP.
10	158845	APPD	CONCORD	CONCORD	453/458.78750 FXO/FBT 8 W ERP -62.5 AAT 49 MSL 7 AGL. 11K0F2D. NEW. PW/AP.
11	159031	PEND	YUBA CITY USD	YUBA CITY	155.92500 FB/MO 270 W ERP ?? AAT 18 MSL 26 AGL. PW/LS. ADDS 2ND FREQ
12	160176	PEND	CO SIERRA	CO SIERRA	153.7850 FB2/MO 155.730 FX1/MO 460.???? FXO 100 W ERP 268.5 AAT 2164 MSL 18.2 AGL. PW/AP NEW.
13	160601	new 3/1	SANTA CLARA	SANTA CLARA	453 or 458.8875 MO 2 W ERP. 11K0 F3E AND F2D EMISSIONS. ADD FREQ.
14	160615	PEND	CO SANTA CLARA	CO SANTA CLARA	151.1450 FB/FB2 159.1200 FX1/MO 151.4900 MO 400 W ERP ?? AAT 1307 MSL 24.4 AGL. Add 11K2 EMISSION. PW/AP
15	160881	PEND	CO YUBA	OREGON PK	453.2250 FB2/FX1/MO 89 W ERP 438 AAT 1035 MSL 62.5 AGL. RELOCATE. PW/LS.
16	164733	office hold	CO PLACER	AUBURN	155.5200 FB/FB2 155.6400FX1/MO 156.1500 MO 50 W ERP 135 AAT 436 MSL 30 AGL. PW/AP.
17	164883	PEND	CO SANTA CLARA	CO SANTA CLARA	???.???? FB/MO 100 W ERP 8 AAT 128 MSL 33 AGL. PW/AP.
18	165619	PEND	ST CA: B&G	SACRAMENTO	453.3000 FB2/MO 60 W ERP 49 AAT 8 MSL 46 AGL. PW/APCO.
19	167376	DENY	CO CONTRA COSTA	PLEASANT HILL	153.8150 FB 300 W ERP -104 AAT 37 MSL 31 AGL. ALL EMISSIONS. PW/AASHTO
20	167376	DENY	CO CONTRA COSTA	CROCKETT	153.8150 154.2800 .3850 133 W ERP 213 AAT 273 MSL 36.6 AGL. ALL EMISSIONS. PW/AASHTO.
21	167376	DENY	CO CONTRA COSTA	RICHMOND	153.8150 154.2800 .3850 FB 86 AAT 113 MSL 19 AGL. ALL EMISSIONS. PW/AASHTO
22	167378	APPD	CO CONTRA COSTA	HIGHLAND PK (LIVERMORE)	153.8150 154.3850 FB 9 W ERP 798 AAT 786 MSL 12 AGL. ALL EMSNS. PW/AASHTO
23	167378	APPD	CO CONTRA COSTA	BALD PK (ORINDA)	153.8150 154.3850 FB 45 W ERP 485 AAT 583 MSL 32 AGL. ALL EMSNS. PW/AASHTO
24	167378	APPD	CO CONTRA COSTA	KRAGOR PK (CLAYTON)	153.8150 154.3850 FB 45 W ERP 409 AAT 577 MSL 27 AGL. ALL EMSNS. PW/AASHTO
25	167553	APPD	CO YUBA	MARYSVILLE	458.8750 FX1 65 W ERP 0 AAT 19 MSL 6.1 AGL. PW/AP. STATE P TO P NET.
26	167996	APPD	CO SOLANO	CO SOLANO	453.1000 .92500 FB/FB2/FX1/MO. MAKES DATA CORRECTIONS ON EXIST SYSTEM. PW/AP.
27	168374	APPD	CO PLUMAS	QUINCY	154.2500 FB2/MO 200 W ERP -215.6 AAT 1200.6 MSL 22.9 AGL. PW/IMSA. ADD TO EXIST SYSTEM.
28	168378	APPD	CO CONTRA COSTA	PLEASANT HILL	154.2050 .3850 FB 300 W ERP 151.2050 FX1 -104 AAT 37 MSL 31 AGL. ALL EMISSIONS. PW/AASHTO
29	168484	APPD	YUBA CO WATER AGCY	G VALLEY/CAMPTONVILLE	173.3375 FXO 20 W VARIOUS. TELECOMMAND SYS. ADD TO EXIST. IG/UTC.
30	168486	APPD	YUBA CO WATER AGCY	G VALLEY/CAMPVILLE/OREGON PK	173.3375 FXO 20 W VARIOUS. TELECOMMAND SYS. ADD TO EXIST. IG/UTC.
31	168591	APPD	CO CONTRA COSTA	PLEASANT HILL	154.2050 .3850 FB 300 W ERP 151.2050 FX1 -104 AAT 37 MSL 31 AGL. ALL EMISSIONS. PW/AASHTO
32	168591	APPD	CO CONTRA COSTA	HIGHLAND PK (LIVERMORE)	153.8150 154.3850 FB 9 W ERP798 AAT 786 MSL 12 AGL. ALL EMSNS. PW/AASHTO
33	168591	APPD	CO CONTRA COSTA	BALD PK (ORINDA)	153.8150 154.3850 FB 45 W ERP 485 AAT 583 MSL 32 AGL. ALL EMSNS. PW/AASHTO
34	168591	APPD	CO CONTRA COSTA	KRAGOR PK (CLAYTON)	153.8150 154.3850 FB 45 W ERP 409 AAT 577 MSL 27 AGL. ALL EMSNS. PW/AASHTO
35	168599	APPD	CO SANTA CLARA	SAN JOSE	155.7600 FB/FB2 10 W ERP -39 AAT 25.9 MSL 14.9 AGL. PW/AP. ADDS TO EXIST 8K10F1E SYSTEM.
36	168635	APPD	CO SUTTER	PL GROVE/YUBA CI	154.0850 MO 100 W ERP. FIRE TACTICAL. PW/AP.
37	168656	APPD	CO MONTEREY	SALINAS	452/457.2250 FXO/FX1 200 W ERP -54.5 AAT 21 MSL 38.7 AGL. RELOCATE EXIST. PW/AP

38	168658	APPD	CO MONTEREY	SALINAS	156.060 FX1 280 W ERP -54.5 AAT 21 MSL 38.7 AGL. RELOCATE EXIST. PW/AP
39	168681	APPD	CO MONTEREY	SALINAS	155.5950 155.7300 FX1 158.8500 159.0900 fb 280 W ERP -54.5 AAT 21 MSL 38.7 AGL. RELOCATE EXIST. PW/AP
40	168703	APPD	CO MONTEREY	SALINAS	458.5250 FX1 150 W ERP -54.5 AAT 21 MSL 38.7 AGL. RELOCATE EXIST. PW/AP
41	168704	APPD	CO MONTEREY	SALINAS	458.4000 FX1 110 W ERP -54.5 AAT 21 MSL 38.7 AGL. RELOCATE EXIST. PW/AP
42	168705	APPD	CO MONTEREY	SALINAS	156.0150 FX1 170 W ERP -54.5 AAT 21 MSL 38.7 AGL. RELOCATE EXIST. PW/AP
43	168710	APPD	CO BUTTE	FOR RNCH/BLOOMER/SUNSET	154.7250 FB/FB2 40 W ERP 462.9 AAT 1049 MSL 47.2 AGL. ADDS TO EXIST SYSTEM. PW/AP
44	168711	APPD	CO BUTTE	FOR RNCH/BLOOMER/SUNSET	151.4900 FB/FB2/MO 155.1150 FX1/MO 40 W ERP 462.9 AAT 1049 MSL 47.2 AGL. NEW. PW/AP
45	168713	PEND	CO BUTTE	FOREST RANCH	153.9200 FB/FB2 40 W ERP 237.6 AAT 1049 MSL 47.2 AGL. ADDS TO EXIST SYSTEM. PW/AP.
46	168722	PEND	CO BUTTE	BLOOMER/SUNSET	155.9400 FB/MO 48 W ERP 353.5 AAT 1010 MSL 49 AGL. ADDS TO EXIST SYSTEM. PW/AP
47	168728	APPD	OAKDALE	OAKDALE	154.2350 153.7700 FB/MO 45 W ERP 11.9 AAT 49 MSL 28 AGL. PW/IIMSA.
48	168729	APPD	ESCALON	ESCALON	155.1000 FB2 158.9400 MO 50 W ERP 13.3 AAT 37 MSL 12 AGL. PW/IIMSA.
49	168730	APPD	CO STANISLAUS	PATTERSON	153.7700 FB 154.4300 FB/FB2 35 W ERP -0.6 AAT 335 MSL 20.4 AGL. ADDS TO EXIST SYS. PW/IIMSA
50	168731	APPD	CO STANISLAUS	PATTERSON	154.9950 155.1150 158.7300 158.8650 FB2 35 W ERP -0.6 AAT 335 MSL 20.4 AGL. ADDS TO EXIST SYS. PW/IIMSA
51	168752	APPD	MARINA	SALINAS	155.7750 FX1 140 W ERP -54.5 AAT 21 MSL 38.7 AGL. RELOCATE. PW/AP.
52	168753	APPD	CO MONTEREY	SALINAS	154.7250 .7850 .8150 FX1 320 W ERP -54.5 AAT 21 MSL 38.7 AGL. RELOCATE EXIST. PW/AP
53	168758	DENY	CO STANISLAUS	PATTERSON	453.1750 154.1000 FB2/FX1/MO 159.0150 FX1 100 W ERP 556.8 AAT 982 MSL 28.3 AGL. ADDS TO EXIST SYS. PW/IIMSA
54	168765	APPD	OROVILLE	OROVILLE	158.8650 FB2 -5.6 AAT 105 MSL 27.5 AGL. DEL 155.7600. PW/AASHTO. NOTE BUTTE CO IMPACT.
55	168782	APPD	CO MONTEREY	SALINAS	MED 1-10 FX1 300 W ERP -54.5 AAT 21 MSL 38.7 AGL. RELOCATE EXIST. PW/AP
56	168818	DENY	OROVILLE	OROVILLE	156.0750 FX1/MO 153.8150 FB2 154.28 153.8900 155.8200 MO 50 W ERP -14 AAT 105 MSL 27 AGL. PW/IIMSA
57	168863	APPD	ST CA: CDF	FRESNO	159.1350 FX1 158 W ERP 23.1 AAT 101.8 MSL 23.1 AGL. PW/IIMSA.
58	168893	APPD	ST CA: CDF	SAN ANDREAS	159.1350 FX1 120 W ERP -84.4 AAT 329 MSL 36.6 AGL. MOD. DEL 33.66 & .98. PW/IIMSA.
59	168985	APPD	BERKELEY	BERKELEY	453.5250 FB/FB2 200 W ERP ?? AAT 2 MSL 24 AGL. ADD STN TO EXIST. PW/AP.
60	168951	APPD	STOCKTON	STOCKTON	460.0500 MO. 4 W ERP. PW/AP.
61	168964	APPD	OROVILLE	OROVILLE	156.1200 FX1/MO 153.8150 FB2 154.28 153.8900 155.8200 MO 50 W ERP -14 AAT 105 MSL 27 AGL. PW/IIMSA
62	168965	NEW 10/30	CO SANTA CLARA	SAN JOSE	151.1450 FB/FB2 159.1200 FX1/MO 151.4900 MO 220 W ERP -56 AAT 86.9 MSL 40.2 AGL. Add 11K2 . PW/AP
63	168984	APPD	CO SANTA CLARA	CUPERTINO/SAN JOSE	151.1450 FB/FB2/FB2/FB2T 159.1200 FX1/FX1T/MO 151.4900 MO 100 W ERP 385 AAT 710 MSL 13 AGL. Add 11K2 . PW/AP
64	168994	APPD	SANTA CLARA	SANTA CLARA	458.91250 FXO/FBT 2 W ERP. IRRIGATION SYSTEM. PW/AP.
65	169070	APPD	CO SANTA CLARA	SAN JOSE	155.7600 FB 158.820 FX1. Adding NB emissiions only. PW/AP.
66	169071	PEND	CO TUOLUMNE	TELEGRAPH/DUCKWALL	453.1000 .5250 FB2/FX1/MO 38 W ERP 624 AAT 1771 MSL 57.9 AGL. PW/AP
67	168072	APPD	CO TUOLUMNE	TELEGRAPH	453.5000 FB2/FX1/MO 36.6 W ERP 462 AAT 1139 MSL 57.9 AGL. PW/AP
68	169106	APPD	CO SUTTER	CO SUTTER	158.8950 MO 100 W ERP. ADD NB, DEL SITE. PW/AP.
69	169127	APPD	CO STANISLAUS	MT OSO	453.1750 154.1000 FB2/FX1/MO 159.0150 FX1 100 W ERP 556.8 AAT 982 MSL 28.3 AGL. ADDS TO EXIST SYS. PW/IIMSA
70	169225	APPD	OROVILLE	OROVILLE	159.2250 MO/FB2 75 W ERP -5.6 AAT 105.5 MSL 27.5 AGL. FREQ CHANGE. PW/AASHTO.
71	169343	APPD	YUBA CITY	YUBA CITY	460.6250 FB/FB2/MO 460.5500 MO 178 W ERP 55.4 AAT 17 MSL 60 AGL. PW/LS.
72	169346	APPD	ST CA: DOT	BANNER MTN	857.76250 FB/FB2/FX1 159 W ERP 371 AAT 1189 MSL 43.3 AGL. GP/AP. ADD FREQ.
73	169370	APPD	CO CONTRA COSTA	CO CONTRA COSTA	159.1500 MO 100 W ERP. PW/AP. NOT TO DUPLICATE OES FIRE SYSTEM TONES.
74	169373	APPD	BERKELEY	BERKELEY	464.6000 464.7000 FB/MO 50 W ERP -200 AAT 50 MSL 83.3 AGL. GPS/RTK. PW/AP. NEW.
75	169520	APPD	TURLOCK UHSD	TURLOCK	155.1750 FB/MO 25 W ERP 23 AAT 30 MSL 27 AGL. CHNG FREQ. PW/PCIA.
76	169529	FYI ONLY	BAKERSFIELD	BAKERSFIELD	151.0700 FB 156.2400 MO 160 W ERP 74.1 AAT 282 MSL 107 AGL. NEW. PW/AP
77	169540	APP INF	YOLO CO AIRPORT	WOODLAND	453.96250 FXO 1.5 W ERP 30 AAT 30 MSL 7 AGL. NB DATA. NEW. PW/AP.
78	169804	APPD	ST CA: CDF	FAIRFIELD	159.1950 FX1 52 W ERP -13.4 AAT 741.5 MSL 48.8 AGL. ADDS OES FIRE FREQ & RELOCATES. PW/IIMSA
79	169906	APPD	ST CA: CDF	WILLITS	DEL 33.66 .98 MOD153.950 154.280 .385 FB 50 W 159.135 .195 FX1 89 W ERP 98.9 AAT 585.2 MSL 25.9 AGL. MOVE. PW/IIMSA
80	169924	APPD	MAMMOTH LAKES	MAMMOTH LAKES	159.01500 FB/FX1/MO 200 W ERP -202 AAT 2397 MSL 8 AGL. ADDS FREQ. PW/APCO
81	169961	PEND	CONCORD	CONCORD	453.3000 .5250 FB2 76 W ERP -50 AAT 21 MSL 61 AGL. PW/AP. ADDS SITES TO EXSIST.
82	170007	APPD	OROVILLE	OROVILLE	156.1200 FX1/MO 153.8150 FB2 154.28 153.8900 155.8200 MO 50 W ERP -14 AAT 105 MSL 27 AGL. PW/IIMSA

83	170038	APPD	MORGAN HILL	MORGAN HILL	155.1150 FB 110 ERP 105.1 AAT 341 MSL 21 AGL. ADD DATA & INCR ERP TO EXIST. PW/AP.
84	170063	APPD	SIERRA CO FPD	SIERRAVILLE/PORTOLA	154.3850 FB2/MO 153.8900 FX1/MO 154.1750 MO 47 W ERP 608 AAT 2210 MSL 6 AGL. REESTABLISH. PW/IMSA
85	170234	APPD	CO MONO	CO MONO	158.8800 MO 100 W ERP PW/AP
86	170251	APPD	CO STANISLAUS	MT OSO	155.3700 FB2/MO ?? FX1 240 W ERP (WAIVER) 982 MSL 28.3 AGL. PW/IMSA.
87	170266	APPD	ST CA: TD	PINEGROVE	153.7550 FB 154.9800 FX1 70 W ERP 24.7 AAT 714.8 MSL 12.2 AGL. EXIST SYSTEM. PW/AP
88	170340	PEND	GILROY	GILROY	156.0900 FB2 159.1800? MO 100 W ERP 61 MSL 23 AGL. ADD FB2 MODE & NEW MO. PW/AP.
89	170362	APPD	BERKELEY	BERKELEY	155.670 FX1 288 W ERP -11.9 AAT 58 MSL 30.5 AGL. RELOCATE. PW/AP. NET 3.
90	170364	PEND	CHICO	CHICO	453.7500 FB2 453.4000 .4500 .7000 MO 100 W ERP -4.9 AAT 72.1 MSL 35.7 AGL. MODS & ADD SIMPLEX CHNLS. PW/AP
91	170381	APPD	BERKELEY	BERKELEY	460.0500 .1750 .2500 FB/FB2/FX1 100 W ERP 143.7 AAT 249 MSL 6.2 AGL. MODS. PW/AP
92	170409	APPD	YUBA CO RURAL FIRE JPA	CHALLENGE/LAPORTE	155.9850 FB2 25 W ERP 461 AAT 1035 MSL 60.6 AGL. PW/IMSA. DEL SITE ADD 2 TO EXIST SYS.
93	170412	APPD	CO CONTRA COSTA	OAKLEY	154.7550 FB/FB2 125 W ERP -23 AAT 5 MSL 18 AGL. MINOR MODS. PW/AP.

470-512 MHz POOL

94	nov 02	app pend	st ca: oes	bay area (coord chnl)	????.???? Fb/fb2/fx1/mo ?? W erp ?? Aat ??msl ??agl. Bay inter-agency intercom.
95	aug 03	app pend	san mateo	san mateo	482.98750 fb2/mo 274 w erp 85 aat 221 msl 9 agl. Pw. Add freq to exist system.
96	168553	APPD	SKIP MAY	VACAVILLE (MT VACA)	490.53750 FB6/MO6 22 W ERP 619 AAT 823 MSL 52 AGL. IG/TIA.
97	168554	APPD	SKIP MAY	VACAVILLE (MT VACA)	490.31250 FB6/MO6 22 W ERP 619 AAT 823 MSL 52 AGL. IG/TIA.
98	169484	new 11/18	BRISBANE	BRISBANE	488.38750 FB/FB2 75 W ERP 155.6 AAT 187 MSL 13 AGL. PW/AP. ADD SITE TO EXIST.
99	169860	APPD	SAN BRUNO	SAN BRUNO	488.78750 FB/FB2 137 W ERP -15.9 AAT 12 MSL 38.6 AGL. ADD TO EXIST SYSTEM. PW/AP

800 MHz PUBLIC SAFETY (GP, YP, GF, YF)

100	sept 03	app pend	st ca:dmh	coalinga	3 of following: 855,856,857,859,860.4625 GP channels. 112 w erp @ 135°/3° down, 574' msl ? Aat ? Agl
101	oct 03	APPD	co contra costa	clayton	867.18750 fb/fb2/mo 50 w erp -92 aat 69 agl 7 agl. Gf
102	oct 03	APPD	co contra costa	martinez	867.87500 fb/fb2/mo 50 w erp -51 aat 2 msl 8 agl. Gf.
103	oct 03	APPD	co contra costa	richmond	866.66250 fb/fb2/mo 50 w erp -27 aat 6.6 msl 6 agl. Gf.
104	dec 03	app pend	antioch	antioch	856.48750 fb2 100 w erp 39.0 aat 126.6 msl 55.1 agl.
105	156156	APP INF	CHABOT-LOS POSADAS	HAYWARD	858.96250 FB2/MO 65 W ERP ?? AAT 12.1 MSL 10.5 AGL. NEW GP/AP.
106	167463	PEND	CO NAPA	ST HELENA	856.96250 FB 135 W ERP -191.5 AAT 73 MSL 27.4 AGL. GP/AP. ADDS TO EXIST SYSTEM.
107	168702	APPD	CO MONTEREY	SALINAS	855.98750 FB/FX1 250 W ERP -54.5 AAT 21 MSL 38.7 AGL. GP/AP. RELOCATE.
108	168743	APPD	SANTA ROSA	SALT POINT	858.43750 FB/FB2 160 W ERP 49 AAT 116 MSL 38 AGL. ADDS TO EXSIST. GP/AP.
109	168759	APPD	CO STANISLAUS	PATTERSON (MT OSO)	857.21250 FB2/MO/FX1 16 W ERP 582.7 AAT 1005 MSL 28.3 AGL. NEW. GP/IMSA.
110	168782	APPD	NEXTEL	FREMONT PK	854.26250 FB2C 250 W ERP 683 AAT 938 MSL 35 AGL. ADD FREQ TO SITE. YX/ITA.
111	168782	APPD	NEXTEL	MONTEREY	854.26250 FB2C 1000 W ERP 143 AAT 370 MSL 20 AGL. ADD FREQ TO SITE. YX/ITA.
112	168787	APPD	NEXTEL	SALINAS	854.28750 FB2C 1000 W ERP -86 AAT 16 MSL 33 AGL. ADD FREQ TO SITE. YX/ITA.
113	168795	APPD	NEXTEL	SALINAS	854.28750 FB2C 1000 W ERP -107.3 AAT 23.2 MSL 18.3 AGL. ADD FREQ TO SITE. YX/ITA.
114	169075	APPD	CO SANTA CLARA	SAN JOSE	856.43750 FB 200 W ERP -53 AAT 18.3 MSL 30 AGL. ADD BACK-UP STN TO EXIST SYS. GP/AP
115	169454	APPD	CO TULARE	CUTLER	855.96250 FB 140 W ERP 338 AAT 548 MSL 19.8 AGL. ADD SITE TO EXIST. GP/AP
116	169619	APPD	CO TULARE	PORTERVILLE	855.96250 FB 160 W ERP 172.7 AAT 348 MSL 15.8 AGL. ADD SITE TO EXIST. GP/AP
117	various	APPD	NEXTEL	VARIOUS	REVIEWED 14 APPS WITH 300-500 FREQUENCY LINES EACH. NO IMPACT SEEN.
118	169965	APPD	ST CA: P&R	OROVILLE	857.93750 FB/FX1 55 W ERP 17 AAT 288 MSL 4.6 AGL. MINOR CORRECTIONS. GP/AP.
119	169880	PEND	ST NV: DOT	OLYMPIC VALLEY	856.23750 856.96250 857.96250 FB2C 55 W ERP 325 AAT 2499 MSL 18 AGL. YP/AASHTO.
120	170339	APPD	BERKELEY	BERKELEY	856.9625 FB2 100 W ERP 16.8 AAT 58 MSL 55 AGL. MINOR MODS. GP/AP.

SHOWING THE AOP >40 KM IN HIGH-BAND OR >32 KM UHF REQUIRES ADDITIONAL JUSTIFICATION.

Fourteen channels have been adopted by the Commission for low power usage.

New systems must use 11K25 emission and show class of station used (FB/FB2/FX0/FX1/MO/FBT).

They are: 453/458 .0375, .0625, .0875, .1125, .1375, .8875, .9125, .9375, .9625, .9875 MHz and 460/465 .4875, .5125, .5375, .5625 MHz;

***** All "pend app" pre-coordinations will expire 90 days after appearing in the LOG *****

ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact appropriate advisor immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting notice publication date. Violet - Added after publication date.

IMPORTANT NOTE:

**Please note the new e-mail address and telephone numbers effective 6/1/03
for Preston Thomson. They are: thomsonp@apco911.org.**

The new telephone numbers are: (916) 797-5395 (v) and (916) 797-5396 (fax).

The new mailing address is: 6860 Country Court, Granite Bay, CA 95746-8817