



NORTHERN CALIF APCO LOG FOR JUNE 2004

Actions taken from May 10 to May 21.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
PUBLIC SAFETY POOL (ALL COORDINATORS)					
jan 04	app pend	yuba city	yuba city	154.3400 fb/fb2/mo 158.7300 fx1/mo 195 w erp 54 aat 16 msl 59 agl.	Conv to fb2 use. Pw. (fire)
jan 04	app pend	discovery bay	discovery bay (CCC)	458.0625 fxo/fxot 6 w erp ??aat ??msl 7 agl.	Irrigation system
jan 04	app pend	bi county ambulance svc	MARYSVILLE & OREGON PK	155.2500 Fb/fb2/mo 150.8050 fx1/mo 31 W erp 443.1 Aat 1035 Msl 60.6 Agl.	Change output chnl. Pw
jan 04	app pend	clovis usd	clovis	453.5000 fb/fb2/fx1/mo ?? Erp ?? Aat ?? Msl ?? Agl.	New.
may 04	app pend	co nevada	grass valley		high-band pair for fb/fb2 at jail. Pw/ap. New
may 04	app pend	co san benito	co san benito	458.5875 mo/mo3 2 w.	Water agency.
154748	APPD	CO SHASTA	REDDING	458.6500 FX0 125 W ERP 25.3 AAT 242 MSL 24 AGL.	PW/IMSA.
157308	PEND	FARMERSVILLE FPD	FARMERSVILLE	???????? FB/FB2 ???????? FX1/MO 100 W ERP 463 AAT 463 MSL 27.4 AGL.	NEW. PW/AP.
160601	APP INF	SANTA CLARA	SANTA CLARA	453 or 458.8875 MO 2 W ERP. 11K0 F3E AND F2D EMISSIONS.	ADD FREQ.
160615	PEND	CO SANTA CLARA	CO SANTA CLARA	151.1450 FB/FB2 159.1200 FX1/MO 151.4900 MO 400 W ERP ?? AAT 1307 MSL 24.4 AGL.	Add 11K2 EMISSION. PW/AP
169540	APP INF	YOLO CO AIRPORT	WOODLAND	453.96250 FXO 1.5 W ERP 30 AAT 30 MSL 7 AGL.	NB DATA. NEW. PW/AP.
169961	PEND	CONCORD	CONCORD	453.3000 .5250 FB2 76 W ERP -50 AAT 21 MSL 61 AGL.	PW/AP. ADDS SITES TO EXSIST.
170335	PEND	CO SANTA CLARA	SAN JOSE	33.960 153.905 154.145/.205/.175 155.985 FB 158.355/.995 FX1 100 W ERP -50 AAT 18 MSL 23 AGL.	ADD FRQS&EMISS. PW/AP
170340	PEND	GILROY	GILROY	156.0900 FB2 ? FX1/MO 100 W ERP 61 MSL 23 AGL.	ADD FB2 MODE & NEW MO. PW/AP.
170830	PEND	CO CONTRA COSTA	BALD	155.1150 FB/FB2 131 W ERP 487 AAT 583 MSL 40 AGL.	PW/AP. NEW.
170830	APPD	CO CONTRA COSTA	CUMMINGS/NICHOL	155.3100 FB/FB2 200 W ERP 239 AAT 273 MSL 41 AGL.	PW/AP. ADD TO EXIST SYSTEM.
171027	APPD	BERKELEY	BERKELEY	156.1650 FB/FB2/MO 159.1650 FX1/MO 100 W ERP -46.9 61 MSL 20 AGL.	ADDS BACK-UP SITE. PW/AP
171029	APPD	BERKELEY	BERKELEY	453.8000 FB/FB2/FX1/MO 100 W ERP -41.4 AAT 25 MSL 18 AGL.	ADDS BACK UP STN. PW/AP.
171052	APP INF	CO KINGS	JOAQUIN RIDGE (FRS)	460.0750 FB2 450 W ERP (FAILS 90.205) 640.4 AAT 1083 MSL 23 AGL.	ADD TO EXIST SYS. PW/AP
171061	APPD	SO OREGON COMM AUTH	MEDFORD	153.8450 155.4300 FB/FB2/MO 200 W ERP 748 AAT 945 MSL 18 AGL.	MULT SITES. NEW. PW/AP
172372	APPD	SEASIDE	SEASIDE (MON)	458.0625 FXO/FXOT 2 W ERP ?? AAT 9 MSL 12.1 AGL.	Irrigation system. NOTE AGL. PW/AP.
172522	FCCA denial	ST CA: CDF	STATEWIDE	151.1525 .1675 .1875 .2575 .3025 .3175 3325 .3475 .3625 .3775 .3925 .4525 .4675 MO 100 W ERP.NB. PW/AP	
172522	FCCA denial	ST CA: CDF	STATEWIDE	159.2175 .2775 .2925 .3075 .3225 .3375 .3525 .3675 .3825 .3975 MO 100 W ERP. NB. PW/AP.	7020 UNITS
172849	PEND	BERKELEY	BERKELEY	460.3000 .4000 .4750 FB/FB2/FB2S/FX1/MO 200 W ERP -40.4 AAT 2 MSL 24.4 AGL.	ADD FREQS. PW/AP
173167	ADJ STATE	CO KINGS	CO KINGS	460.0750 .1250 .5500 FB2/FX1/MO 50 W ERP 690 AAT 672 MSL 18.2 AGL.	WB DATA. MULTI SITES. PW/AP
173292	APPD	TURLOCK	TURLOCK	458.0875 FXO/FXOT 7 W ERP ?? AAT ?? MSL ?? AGL.	NB F1D. NEW. SPRINKLERS. PW/AP
173387	APPD	CORTE MADERA	CORTE MADERA	159.0750 FB/FBS/MO 92 W ERP 28 AAT 49 MSL 64 AGL.	NEW. PW/AP. RESTORATION
173421	APPD	CO DEL NORTE	CRESCENT CITY	153.9800 FB2 155.0850 MO 300 W ERP -9.0 HAAT 17.1 MSL 39 AGL.	ADDED STN. PW/AP
173577	FREQ HOLD	ROCKLIN	ROCKLIN	455.6250 FB/FB2/MO 156.1500 FX1/MO 45 W ERP 11.3 AAT 87 MSL 8.8 AGL.	Del 155.5650. Conv to fb2. PW/AP
173819	FYI	CO KERN	BAKERSFIELD	453.26250 .56250 FB/FB2/FX1/MO 200 W ERP 610 AAT 1336 MSL 24 AGL.	NB. NEW. PW/AASHTO
173974	DENIED	ESCALON	ESCALON	155.6475 FB/FB2/MO 150.7750 FX1/MO 182 W ERP 31 AAT 36 MSL 32 AGL.	NEW. PW/IMSA
168309	FYI	ASHLAND, OR	ASHLAND, OR	159.1500 FB2/MO 154.8450 FX1/MO 300 W ERP -312 AAT 683 MSL 15 AGL.	PW/AP.
174087	APPD	ESCALON	ESCALON	155.5650 FB/FB2/MO 150.7750 FX1/MO 182 W ERP 31 AAT 36 MSL 32 AGL.	NEW. PW/IMSA
174430	APPD OBJECTION	CO STANISLAUS	MT OSO	453.1750 151.1150 FB/FB2 500 W ERP 548 AAT 982 MSL 28.3 AGL.	ADD TO SYSTEM. PW/IMSA
172522	PEND	ST CA: CDF	STATEWIDE	151.1525 .1675 .1875 .2575 .3025 .3175 3325 .3475 .3625 .3775 .3925 .4525 .4675 MO 100 W ERP.NB. PW/AP	
172522	PEND	ST CA: CDF	STATEWIDE	159.2175 .2775 .2925 .3075 .3225 .3375 .3525 .3675 .3825 .3975 MO 100 W ERP. NB. PW/AP.	7020 UNITS
173767	APPD	CLR LK OAKS WAT DIST	CLEAR LAKE OAKS	154.0250 FB/FB2 158.9700 MO 60 W ERP -152 AAT 398 MSL 12.1 AGL	ADD FB2 MODE. PW/AP

174474	APPD	ST CA: CHP	SACRAMENTO	42.12 .34 .46 .54 FB 159.030 FX1 110 W ERP 10.7 AAT ?? MSL ?? AGL. RELOCATE-AUBURN TO SAC. PW/AP
174577	APPD	FOLSOM	FOLSOM	153.8450 5 W ERP MO ONLY. NB. PW/AP
174477	APPD	ST CA: P&R	PIERCY (HUM)	151.0100 FB 158.970 FX1 25 W ERP -244 AAT 140 MSL 18.9 AGL. ADD TO EXIST. PW/AP
174488	APPD	ST CA: P&R	WHITEHORN (MEND)	151.0100 FB 158.970 FX1 25 W ERP -37.4 AAT 57.9 MSL 12.2 AGL. ADD TO EXIST. PW/AP
174509	APPD	ST CA: P&R	TRINIDAD (HUM)	151.0100 FB 158.970 FX1 25 W ERP -24.7 AAT 73.2 MSL 15.2 AGL. ADD TO EXIST. PW/AP
174513	APPD	ST CA: P&R	EUREKA	DEL 44 MHZ FREQS ONLY.
174535	APPD	PALO ALTO	PALO ALTO	153.8450 FB -48 AAT 16 MSL 47 AGL. ADD TO AN EXISTING SYSTEM. PW/AP
174685	APPD	DALY CITY	DALY CITY	460/465.5375 MO 2 W ERP. PW/I/MSA. NB ADD TO EXISTING.
174710	FREQ HOLD	VALLEJO	VALLEJO	158.7300 OR 158.8500 OR 159.060 MO 100 W ERP. PW/AP. TAC CHANL.
175019	APP INF	ST CA: OES	TOLLHOUSE (FRS)	153.7550 FB/FB2 235 W ERP 513.6 AAT 1103.7 MSL 45.7 AGL. MOD EXIST. PW/AP.
175020	APP INF	ST CA: OES	SUSANVILLE	153.7550 FB/FB2 141 W ERP 694.6 AAT 2052 MSL 36.6 AGL. MOD EXIST. PW/AP.
175022	APPD	ST CA: DOT	OAKLAND	453.9500 FB/FB2/FX1/MO 4 W ERP -50.9 AAT 9.1 MSL 73.8 AGL. MINOR CORRECTS. PW/AP
175106	APPD	DEL NORTE CO SCHOOLS	KLAMATH	155.7150 FB/FB2 158.7450 FX1/MO 10 W ERP 759 AAT 1299 MSL 21 AGL. PW/I/MSA. NEW.
175113	APPD	CO SANTA CLARA	REDWOOD ESTATES	154.2500 FB 158.3550 FX1 82 W ERP 106 AAT 454 MSL 7 AGL. ADD NB/CORRECT SITE DATA. PW/AP
175145	APPD	CO SANTA CLARA	REDWOOD ESTATES	154.2500 FB 158.3550 FX1 82 W ERP 106 AAT 454 MSL 7 AGL. ADD NB/CORRECT SITE DATA. PW/AP
175167	APPD	GILROY	GILROY	453.9000 FB2/MO 80 W ERP -112.7 AAT 61 MSL 23 AGL. RESTORE. PW/I/MSA.
175200	APPD	CO YOLO	BROOKS (YOLO)	154.4450 FB 159.5250 FX1 175 W ERP -76 AAT 156 MSL 36.6 AGL. ADDS TO EXIST. PW/AP.
175265	APPD	ST CA: OES	FELTON	159.1350 FX1 80 W ERP -149 AAT 87 MSL 41 AGL. DEL 33 MHz. MINOR CHG TO EXIST. PW/AP
175274	APPD	ST CA: CHP	ATWATER	155.6700 FX1 398 W ERP 24.7 AAT 44.2 MSL 28.3 AGL. ADD LAW 3 OTHR MODS. PW/AP

470-512 MHz POOL

nov 02	app pend	st ca: oes	bay area (coord chnl)	???.???? Fb/fb2/fx1/mo ?? W erp ?? Aat ??msl ??agl. Bay inter-agency intercom.
175131	APPD	MOBILE RELAY ASSOC	SAN FRANCISCO	490.71250 FB6/FX1T/MO 1000 W ERP 114 AAT 23 MSL 117 AGL. IG/PCIA.
175168	APPD	MOBILE RELAY ASSOC	SAN FRANCISCO	484.9625 FB6/FX1T/MO 150 W ERP 114 AAT 23 MSL 117 AGL. IG/PCIA.

800 MHz PUBLIC SAFETY (GP, YP, GF, YF)

sept 03	app pend	st ca:dmh	coalinga	3 of following: 855,856,857,859,860.4625 GP channels. 112 w erp @ 135°/3° down, 574' msl ? Aat ? Agl
mar 04	app pend	co contra costa	pittsburg	868.41250 fb/fb2 170 w erp 133.5 aat 221 msl 10 agl. Adds to existing sys. Gf/ap
apr 04	app pend	davis	davis	??
156156	APP INF	CHABOT-LOS POSADAS	HAYWARD	858.96250 FB2/MO 65 W ERP ?? AAT 12.1 MSL 10.5 AGL. NEW GP/AP.
169880	WDRN	ST NV: DOT	OLYMPIC VALLEY	856.23750 856.96250 857.96250 FB2C 55 W ERP 325 AAT 2499 MSL 18 AGL. YP/AASHTO.
174517	APPD	ST CA: P&R	TORO/LOBOS RDG	855.96250 FB/FB2 176 W ERP 740 AAT 1033 MSL 29 AGL. ADD TO EXIST SYS. GP/PW.
174739	APPD	CO CONTRA COSTA	PITTSBURG	855.98750 FB/FB2 170 W ERP 133.5 AAT 221 MSL 10 AGL. ADD TO SYSTE. GP/AP.

SHOWING THE AOP >40 KM IN HIGH-BAND OR >32 KM UHF REQUIRES ADDITIONAL JUSTIFICATION.

Fourteen channels have been adopted by the Commission for low power usage.

New systems must use 11K25 emission and show class of station used (FB/FB2/FX0/FX1/MO/FBT).

They are: 453/458 .0375, .0625, .0875, .1125, .1375, .8875, .9125, .9375, .9625, .9875 MHz and 460/465 .4875, .5125, .5375, .5625 MHz;

*** All "pend app" pre-coordinations will expire 90 days after appearing in the LOG ***

ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact appropriate advisor immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting notice publication date. Violet - Added after publication date.

IMPORTANT NOTE:

Please note the new e-mail address and telephone numbers for Preston Thomson. They are: thomsonp@apco911.org.

The new telephone numbers are: (916) 797-5395 (v) and (916) 797-5396 (fax).

The new mailing address is: 6860 Country Court, Granite Bay, CA 95746-8817