



# NORTHERN CALIF APCO LOG FOR MAY-JUNE 2006

Actions taken from April 12. **NOTE NO CHAPTER MEETING WILL BE HELD IN MAY.**

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
------	-------	--------	--------	---------	--

**PUBLIC SAFETY POOL (ALL COORDINATORS)**

april 06	app pend	porterville	porterville	porterville	453.5000 or 453.9500 mo. 3rd pair.
157308	PEND	FARMERSVILLE FPD	FARMERSVILLE	FARMERSVILLE	???????? FB/FB2 ???????? FX1/MO 100 W ERP 463 AAT 463 MSL 27.4 AGL. NEW. PW/AP.
160601	APP INF	SANTA CLARA	SANTA CLARA	SANTA CLARA	453 or 458.8875 MO 2 W ERP. 11K0 F3E AND F2D EMISSIONS. ADD FREQ.
170332	APP INF	CO SANTA CLARA	SAN JOSE	SAN JOSE	MULTIPLE IB FREQS. MOD/EXIST. PW/AP
170335	PEND	CO SANTA CLARA	SAN JOSE	SAN JOSE	33.960 153.905 154.145/.205/.175 155.985 FB 158.355/.995 FX1 100 W ERP -50 AAT 18 MSL 23 AGL. ADD FRQS&EMISS. PW/AP
170340	PEND	GILROY	GILROY	GILROY	156.0900 FB2 158.9850 FX1/MO 100 W ERP 61 MSL 23 AGL. ADD FB2 MODE & NEW MO. PW/AP.
172522	PEND	ST CA: CDF	STATEWIDE	STATEWIDE	151.1525 .1675 .1875 .2575 .3025 .3175 3325 .3475 .3625 .3775 .3925 .4525 .4675 MO 100 W ERP.NB. PW/AP
172522	PEND	ST CA: CDF	STATEWIDE	STATEWIDE	159.2175 .2775 .2925 .3075 .3225 .3375 .3525 .3675 .3825 .3975 MO 100 W ERP. NB. PW/AP. 7020 UNITS
173577	WDRN	ROCKLIN	ROCKLIN	ROCKLIN	155.7000 FB/FB2/MO 153.9050 FX1/MO 45 W ERP 11.3 AAT 87 MSL 8.8 AGL. Del 155.5650. Conv to fb2. PW/AP
176404	FREQ HOLD	CO PLACER	LK TAHOE AREA	LK TAHOE AREA	154.0400-151.1150 FB/FB2 155.9100 156.2100 MO 250 W ERP 227 AAT 2283 MSL 27 AGL. YP/AP
176415	APP INF	ST CA: CDF	PINE GROVE (ZION)	PINE GROVE (ZION)	151.4300 FB/FB2 135 W ERP 304 AAT
176516	PEND	ST CA: CDF	PINE GROVE (AMA) ZION	PINE GROVE (AMA) ZION	151.1900 151.2650 FB/FB2 170 W ERP 304 AAT 902.2 MSL 43.3 AGL. PW/AP
176523	APP INF	ST CA: OES	VISALIA	VISALIA	159.1350 159.1950 FX1 89 W ERP 36.6 AAT 103.6 MSL 30.5 AGL. DEL 33 MHZ. PW/AP.
176915	PEND	ST CA: CDF	SUSANVILLE	SUSANVILLE	151.1900 .2500 FB/FB2 200 W ERP 627 AAT 2316 MSL 17 AGL. PW/AP.
178117	APP INF	VACAVILLE	VACAVILLE	VACAVILLE	453.0750 FBT 20 W ERP 0 AAT 0 MSL 0 AGL. EXPAND AOP=35 KM. MOD. NB. PW/AP.
179711	IN PROG	OROVILLE	OROVILLE	OROVILLE	154.1000 FB2/MO 158.9700 MO 90 W ERP -80 AAT 48 MSL 9.1 AGL. PW/AP. MOD.
180558	APPD	SANTA CLARA	SANTA CLARA	SANTA CLARA	153.9650 FB/MO 75 W ERP -21.5 AAT 17 MSL 21 AGL. PW/AP. RESTORAL/ADD FREQ.
182394	APP INF	ST CA: CDF	PILOT HILL	PILOT HILL	154.4300 FB/FB2 126 W ERP 279 AAT 569.7 MSL 24.4 AGL. MOD-EXIST SYSTEM. PW/AP
184483	PEND	ST CA: DOT	DELTA (SUGARLOAF)	DELTA (SUGARLOAF)	453/458.98750 FXO 6 W ERP 47.0200 .0800 .1000 FB 79 W ERP 406 AAT 1201.5 AAT 29.6 AGL. NEW. PW/AP
185048	APP INF	LINCOLN	LINCOLN	LINCOLN	458.9125 FXO/FXOT 2 W ERP ?? AAT 36.6 MSL 7.0 AGL. PW/AP.
185866	PEND	LONG VALLEY FPD	CAHTO PK	CAHTO PK	151.1150 FB/FB2/MO 155.4300 FX1/MO 14.5 W ERP 652.1 AAT 1219.0 MSL 59.0 AGL. NEW. PW/AASHTO
185994	APPD	SO SAN FRANCISCO	SO SAN FRANCISCO	SO SAN FRANCISCO	453/458.91250 FXO/MO4 W ERP132.8 AAT 175.9 MSL 7 AGL. IRRIGATION SYSTEM. PW/AP
186057	APPD	CO FRESNO	CO FRESNO-MULTIPLE	CO FRESNO-MULTIPLE	453.46250 .86250 FB2/FX1/MO 200 W ERP 659 AAT 1366 MSL 42 AGL. UTAC 1&3. NEW. PW/AP.
201257	IN PROG	CLOVIS	CLOVIS	CLOVIS	465.51250 MO 6 W ERP PW/AP. RELOCATE. PW/AP
201544	IN PROG	HAYWARD	HAYWARD	HAYWARD	460.0875 or .1625 OR .2625 FB/FB2/MO 8 W ERP -71.6 AAT 22 MSL 4.2 AGL. NEW. NB. VOICE. PW/AP
202049	IN PROG	ANDERSON	REDDING	REDDING	155.7450 FB2/MO 159.0300 FX1/MO 24.1 W ERP 501 AAT 975 MSL 72.5 AGL. MOD. NEW. PW/AP
202149	IN PROG	CO MONO	CO MONO	CO MONO	453/458.03750 .08750 .11250 .1650 FXO 6 W ERP 447 AAT 2553 MSL 7 AGL. PW/AP
202151	APPD	CSU: FRESNO	FRESNO	FRESNO	453.1250 FB2/FX1/MO 40 W ERP 21.2 AAT 102 MSL 15 AGL. RESTORAL. PW/AP
202268	APPD	HALF MOON BAY AIRPORT	HALF MOON BAY	HALF MOON BAY	453.06250 FXO 1.5 W ERP -45 AAT 17 MSL 6.2 AGL. PW/AP. NEW AWOS.
202292	APPD	CORCORAN	CORCORAN	CORCORAN	460.3000 FB2/FX1/MO 400 W ERP 48.6 AAT 62.5 MSL 39.6 AGL. RELOCATE. PW/AP
202327	APPD	STOCKTON	STOCKTON	STOCKTON	155.1600 FB/MO 150 W ERP 46.4 AAT 6 MSL 49 AGL. NEW. PW/AP.
202333	APPD	HUMBOLDT CO FD#1	EUREKA	EUREKA	153.9500 FB/FB2/MO (EXISTS) 159.0450 FX1/MO (NEW) 154.3250 FB (WAS FX1)/MO 200 W ERP 163 MSL 129 AAT. MOD. PW/AP
202334	APPD	ATWATER	ATWATER	ATWATER	453.4250 FB2/FX1/MO 150 W ERP 16.2 AAT 44 MSL 17 AGL. RESTORAL. PW/AP.
202372	APPD	MTN VIEW	MTN VIEW	MTN VIEW	155.6100 FB/FB2/MO 154.9300 MO 93 W ERP -66 AAT 50 MSL 31 AGL. NEW. PW/AP
202404	APPD	FRESNO	FRESNO	FRESNO	154.3700 FB/FB2 100 W ERP 79.5 AAT 89 MSL 103.6 AGL. ADD SITE. PW/AP
202496	APPD	FRESNO	FRESNO	FRESNO	453.5500 FB/FB2 70 W ERP 79.5 AAT 89 MSL 103.6 AGL. ADD SITE. PW/AP
202508	IN PROG	FRESNO	FRESNO	FRESNO	153.8450 FB/FB2 100 W ERP 79.5 AAT 89 MSL 103.6 AGL. ADD SITE. PW/AP
202602	APPD	STOCKTON	STOCKTON	STOCKTON	453.2750 MO. ADDS NB AND MO TO EXIST. PW/AP.

Actions taken from April 12. **NOTE NO CHAPTER MEETING WILL BE HELD IN MAY.**

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
202603	APPD		STOCKTON	STOCKTON	460.0500 MO 4 W. ADDS NB AND MOS TO EXIST. PW/AP
202604	APPD		STOCKTON	STOCKTON	460.3250 .4250 FB 170 W ERP. ADDS FB TO FB2, MO AND NB TO EXIST. PW/AP.
202605	APPD		STOCKTON	STOCKTON	155.05500 FB 100 W ERP 41 AAT 6 MSL 49 AGL. ADD NB & FB TO EXIST FB2. PW/AP.
202606	APPD		STOCKTON	STOCKTON	460.0750 2000 .2500 .4000 FB/FB2 500 W ERP 28 AAT 6 MSL 49 AGL. ADDS SITE & NB. PW/AP
202607	APPD		STOCKTON	STOCKTON	460.5500 .6000 FB/MO 85 W ERP 28 AAT 6 MSL 49 AGL. ADD FB TO FB2, ADD NB. PW/AP.
202608	IN PROG		STOCKTON	STOCKTON	155.4000 FB/MO 330 W ERP 30 AAT 5 MSL 25 AGL. NEW. PW/AP.
202609	APPD		STOCKTON	STOCKTON	453.7000 FB/FB2 330 W ERP 21 AAT 5 MSL 25 AGL. EXIST SYS MOD, ADD NEW STN.
202612	APPD		ST CA: DOT	YREKA/ETNA/H'BROOK	453/458.06250 .51250 .4875 FXO 5&25 W ERP V AAT MSL 620-1873 AGL 6-12. NEW. PW/AP
202697	IN PROG		BAY AREA AQMD	SAN FRANCISCO	72.1000 FXO 1 W ERP ?? AAT ?? MSL 21.3 AGL. F1D. NEW.
500249	APPD		DENAIR	DENAIR	453/458.98750 MO 2 W ERP. NB. PW/AASHTO.
202721	APPD		STOCKTON	STOCKTON	453.7500 MO 100 W ERP. ADDS NB. PW/AP.
202728	APPD		STOCKTON	STOCKTON	460.6250 FB/FB2 45 W ERP 30 AAT 5 MSL 23 AGL. ADDS NEW SITE ON EXIST FREQ. ADD NB. PW/AP
202809	APPD		SELMA KINGSBURG CO SAN DIS	KINGSBURG	72.1000 FXO 1 W ERP 3.2 AAT 87 AGL 6.1 AGL. NEW. CLOCK SYNC SYSTEM. PW/AP.
202815	APPD		SARATOGA	SARATOGA	37.0800 FB 37.9600 FX1 60 W ERP -135 AAT 144.1 MSL 18.3 AGL. RELOCATE. MUT AID SYS PW/AP.
790518	APPD		DEL TACO #129	FAIROAKS (SAC)	30.840 31.240 33.160 33.400 35.020 151.8350 151.8950 154.4900 154.5150 154.540 457.5125 .5875 468.4875 .7625 469.6375 467.7625 468.4875 MO 2W NB. IG/PCIA.
790605	APPD		DEL TACO #583	SACRAMENTO	30.840 31.240 33.160 33.400 35.020 151.8350 151.8950 154.4900 154.5150 154.540 457.5125 .5875 468.4875 .7625 469.6375 467.7625 468.4875 MO 2W NB. IG/PCIA.
790634	APPD		DEL TACO #887	SACRAMENTO	30.840 31.240 33.160 33.400 35.020 151.8350 151.8950 154.4900 154.5150 154.540 457.5125 .5875 468.4875 .7625 469.6375 467.7625 468.4875 MO 2W NB. IG/PCIA.
790649	APPD		DEL TACO 3967	ELK GROVE	30.840 31.240 33.160 33.400 35.020 151.8350 151.8950 154.4900 154.5150 154.540 457.5125 .5875 468.4875 .7625 469.6375 467.7625 468.4875 MO 2W NB. IG/PCIA.
790604	APPD		DEL TACO 3581	CITRUS HEIGHTS	30.840 31.240 33.160 33.400 35.020 151.8350 151.8950 154.4900 154.5150 154.540 457.5125 .5875 468.4875 .7625 469.6375 467.7625 468.4875 MO 2W NB. IG/PCIA.
870536	APPD		SKIP MAY	ELMIRA/FT BRAGG	160.1700 173.2250 160.2000 MO6 25 W ERP. IG/PCIA.
202920	IN PROG		ROSEVILLE	ROSEVILLE	453/458.6500 .8250 MO 2 W ERP. SCADA. PW/AP.
104830	DENIED		UNITED IND HEALTH SVC	ARCADIA	155.2650 5 W ERP MO WB. ADJ CHNL CONCERN CI FORTUNA FB2
202999	IN PROG		ST CA: P&R	AUB/WIEMAR/A'GATE	453/458.8250 460/465.2500 FXO 125 W ERP N-S AZIMUTHS 226 AAT 654 MSL 21 AGL. NB. PW/AP
340009	APPD		GARAMENDI	EXETER/VISALIA	453.01250 FB8/FX1T/MO8 12 W ERP 808 AAT 1737 MSL 20 AGL. ADDS @ MULTI SITES. YG/PCIA
203100	IN PROG		CO SONOMA	CO SONOMA	460.6000 MO/MO3 2 W ERP. PW/AP.
203176	IN PROG		ST CA: CHP	STATEWIDE	39.200 .260 .340 .360 .420 .440 .680 .720 .800 .880 MO 100 W ERP. PW/AP.
203176	IN PROG		ST CA: CHP	STATEWIDE	42.040 140 .580 .860 .900 .940 MO 100 W ERP. PW/AP.
203176	IN PROG		ST CA: CHP	STATEWIDE	44.620 .660 .700 .740 .940 .980 MO 100 W ERP. PW/AP.
203176	IN PROG		ST CA: CHP	STATEWIDE	460/465.3750 MO 50 W ERP. PW/AP.
<b>470-512 MHz POOL</b>					
nov 02	app pend		st ca: oes	bay area (coord chnl)	???.???? Fb/fb2/fx1/mo ?? W erp ?? Aat ??msl ??agl. Bay inter-agency intercom.
202214	IN PROG		CO MARIN	BODEGA	483.9500 .3750 484.8750 490.8000 488.9750 489.3250 .7000 490.1000 .7250 FB/FB2 200 W ERP 39 AAT 218 MSL 30 AGL. ADD TO EXIST. YP/AP.
202278	IN PROG		CO MARIN	CO MARIN & SONOMA	483.6255 .1750 485.6250 484.2000 489.8500 FB2/MO 200 W ERP 566 AAT 745 MSL 60.7 AGL. NEW. PW/AP
104315	APPD		MOBILE RELAY ASSOC	LOS GATOS	483.56250 FB6/FX1T/MO6 400 W ERP 707 AAT 42 AGL. IG/EWA.
175742	APPD		CRYSTAL SMR	MT VACA	488.53750 FB6/MO 100 W ERP 660 AAT 829 MSL 61 AGL. IG/EWA. NB
161724	APPD		MOBILE RELAY ASSOC	SF	483.36250 FB6/FX1T/MO 163 W ERP 114 AAT 23 MSL 117 AGL. NB. ADDS NEW SITE. IG.
<b>800 MHz PUBLIC SAFETY (GP, YP, GF, YF)</b>					
156156	APP INF		CHABOT-LOS POSADAS	HAYWARD	???.???? FB2/MO 65 W ERP ?? AAT 12.1 MSL 10.5 AGL. NEW GP/AP.
176408	FREQ HLD		ST CA: P&R	PINE GROVE (ZION)	856.7375-858.7625 FB/FB2/FX1/MO 184 W ERP 282.9 AAT 902 MSL 43.3 AGL. ADD 2N CHNL MINOR MODS. GP/AP
180044	APP INF		CO NAPA	BERRYESSA PK	856.96250 FB 280 W ERP 647.2 AAT 932 MSL 6.1 AGL. ADD TO EXIST. GP/AP. MOB DATA.

Actions taken from April 12. **NOTE NO CHAPTER MEETING WILL BE HELD IN MAY.**

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
181958	APP INF		OAKLAND	OAKLAND	858.93750 FB2/FX1/MO 105 W ERP -3 AAT 91.4 MSL 18.9 AGL. ADD NEW FREQ. PW/AP
183985	PEND		ST CA: DOT	LEE VINING (CONWAY	859.73750 FB/FB2 860.98750 FB 496 W ERP 98 AAT 2560 MSL 30.5 AGL. MOD. GP/AP.
185065	APPD		ST CA: DOT	WILLOW CREEK(HUM)	857.73750 FB/FB2/FX1/MO 35 W ERP 834 AAT 1509 MSL 46 AGL. MOD. ADD 6.1 M FX1S. GP/AP.
202471	APPD		ST CA: DOT	SHOSHONE (INYO)	811.73750 FX1 221 W ERP -168.9 AAT 480 MSL 12.2 AGL. 10 dB@152° CHNG FREQ. GP/AP
202627	IN PROG		STOCKTON	STOCKTON	856.23750 859.48750 FB/FB2/MO 75 W ERP 40.3 AAT 5.8 MSL 122 AGL. EXIST. ADD SITE. GP/AP
202713	APPD		ST CA: P&R	LOS BANOS (BASALT)	856.93750 FB/FB2 220 W ERP 296 AAT 520 MSL 21.3 AGL. CHNG ANT PATTERN. GP/AP.
180559	WDRN		CO CONTRA COSTA	RICHMOND	859.46250 FB/MO 250 W ERP 148 AAT 204 MSL 15 AGL. GP/AP
181957	APPD		CI/CO SF	@SFO	860.43750 FB2/FX1/MO 150 W ERP -30 AAT 2 MSL 23 AGL. INCR MO#. GP/AP
181766	APPD		CI/CO SF	@SFO	859.43750 FB2/FX1/MO 150 W ERP -30 AAT 2 MSL 23 AGL. INCR MO#. GP/AP
181767	APPD		CI/CO SF	@SFO	860.46250 FB2/FX1/MO 150 W ERP -30 AAT 2 MSL 23 AGL. INCR MO#. GP/AP
<i>09637</i>	<i>APPD</i>		<i>LORI OCEGUDA</i>	<i>DUNLAP(S BENITO CO</i>	<i>860.38750 FB2/MO 50 W ERP 1907 AAT 1415 MSL 15 AGL. GO/EWA</i>
<i>092708</i>	<i>APPD</i>		<i>LORI OCEGUDA</i>	<i>IDRIA (S BENITO CO)</i>	<i>856.38750 FB2/MO 50 W ERP 726 AAT 1586 MSL 48 AGL. GO/EWA.</i>
<i>093137</i>	<i>APPD</i>		<i>WM LOVELY</i>	<i>DUNLAP(S BENITO CO</i>	<i>858.31250 FB2/MO 50 W ERP 1907 AAT 1415 MSL 15 AGL. GO/EWA.</i>
<i>093541</i>	<i>APPD</i>		<i>SAM GARDALI</i>	<i>IDRIA (S BENITO CO)</i>	<i>858.38750 FB2/MO 7100 W ERP 26 AAT 1586 MSL 48 AGL. GO/EWA.</i>
<i>093208</i>	<i>APPD</i>		<i>WM LOVELY</i>	<i>IDRIA (S BENITO CO)</i>	<i>857.38750 FB2/MO 100 W ERP 726 AAT 1586 MSL 48 AGL. GB/EWA.</i>
<i>152620</i>	<i>APPD</i>		<i>SAM GARDALI</i>	<i>IDRIA (S BENITO CO)</i>	<i>855.26250 FB2/MO 100 W ERP 726 AAT 1586 MSL 48 AGL. GB/EWA</i>
<i>154342</i>	<i>APPD</i>		<i>SAM GARDALI</i>	<i>NIPINAWASSEE/COALINGA</i>	<i>854.91250 FB2/MO 100 W ERP 350 AAT 1311 MSL 12 AGL. GB/EWA.</i>

\*\*\* All "pend app" pre-coordinations will expire 90 days after appearing in the LOG \*\*\*

**ALL ELEVATIONS SHOWN ARE IN METERS.**

**SHOWING YOUR AOP >40 KM IN HIGH-BAND OR >32 KM UHF REQUIRES ADDITIONAL JUSTIFICATION.**

Use of lower case indicates an informal action. Contact appropriate advisor immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date.

WE WILL BE ADOPTING THE PHRASE "IN PROG"(RESS) TO INDICATE THE ITEM REMAINS OPEN UNTIL "APPD" STATUS IS ASSIGNED.

Item numbers in italics are applications from other coordinators and not in the APCO standard numbering sequence.