



NORTHERN CALIF APCO LOG FOR JULY 2007

THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from June 7 July 11.

ITEM COORD STATUS AGENCY TX CITY FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS

PUBLIC SAFETY POOL (ALL COORDINATORS)

| | | | | | |
|----|---------|-----------|-------------------------|------------------------|---|
| 1 | june 07 | app pend | clearlake | co lake | 155.31750 fb2/mo 25.6 w erp 485.9 aat 1125 msl 36 agl. Nb. 3 locations. New. |
| 2 | 160601 | APP INF | SANTA CLARA | SANTA CLARA | 453 or 458.8875 MO 2 W ERP. 11K0 F3E AND F2D EMISSIONS. ADD FREQ. |
| 3 | 170332 | APPD | CO SANTA CLARA | SAN JOSE | 159.6000 .97500 160.1550 MO 100 W ERP. PW/AP. THESE ARE IG FREQS. |
| 4 | 170335 | APP INF | CO SANTA CLARA | SAN JOSE | 33.960 153.905 154.145/.205/.175 155.985 FB 158.355/.995 FX1 100 W ERP -50 AAT 18 MSL 23 AGL. ADD FRQS&EMISS. PW/AP |
| 5 | 176404 | FREQ HOLD | CO PLACER | LK TAHOE AREA | 151.0400 151.1150 FB/FB2 155.9100 156.2100 MO 250 W ERP 227 AAT 2283 MSL 27 AGL. YP/AP |
| 6 | 182394 | WDRN | ST CA: CDF | PILOT HILL | 154.4300 FB/FB2 126 W ERP 279 AAT 569.7 MSL 24.4 AGL. MOD-EXIST SYSTEM. PW/AP |
| 7 | 186605 | APP INF | CO CONTRA COSTA | CCC0 | 453.7500 FB/FB2/MO 42 W ERP 431 AAT 577 MSL 36 AGL. PW/AP. |
| 8 | 201257 | IN PROG | CLOVIS | CLOVIS | 465.51250 MO 6 W ERP PW/AP. RELOCATE. PW/AP |
| 9 | 201569 | APPD | ST CA: CHP | DUBLIN | 42.480 FB 120 W ERP -78 AAT 116 MSL 29.9 AGL.. ASR ISSUE. PW/AP |
| 10 | 202049 | IN PROG | ANDERSON | REDDING | 155.7450 FB2/MO 159.0300 FX1/MO 24.1 W ERP 501 AAT 975 MSL 72.5 AGL. MOD. NEW. PW/AP |
| 11 | 202600 | IN PROG | REDDING | | |
| 12 | 203429 | APPD | CO FRESNO | CO FRESNO | 155.5650 FB2/MO 158.9250 MO 5 W ERP 16.1 AAT 90.5 MSL 3 AGL. ADD TO SYSTEM. PW/AP |
| 13 | 203535 | APPD | CO SISKIYOU | CO SISKIYOU (3 LOCS) | 154.2500 FB2 14.9 W ERP 614 AAT 1964 MSL 6 AGL. ADD TO EXIST SYS. PW/AP. |
| 14 | 203881 | IN PROG | SANTA ROSA | SANTA ROSA | 453/458.93750 FXO/FXOT 6 W ERP V AAT V MSL 7 AGL. NB. NEW. PW/AP |
| 15 | 204674 | APPD | STANISLAUS REGIONAL | ANGLES CAMP | 153.770 155.3700 158.7300 155.1150 158.8650 154.0400-154.9950 155.4300 155.0850 FB/FB2 |
| 16 | 204674 | APPD | STANISLAUS REGIONAL | ANGLES CAMP | 554.6 AAT 917.7 MSL 34.2 AGL. ADD SEC SITE. WB. PW/AP |
| 17 | 204811 | IN PROG | CO SANTA CLARA | VARIOUS | 155.7000 156.2100 154.6500 151.1450 156.150 FB/FB2 11 W ERP |
| 18 | 205125 | IN PROG | SHASTA CO MARSHAL | REDDING | 154.8000 FB2 159.1050 MO 100 W ERP -87.2 AAT 174 MSL 36.6 AGL. RADIAX+EXT ANT. NEW. PW/AP |
| 19 | 205346 | IN PROG | TAHOE TRUCKEE SAN DI | TRUCKEE | 453.3750 FB2 155 W ERP -182 HAAT 1746.5 MSL 8 AGL. ADD SITE TO EXIST. PW/AP |
| 20 | 205281 | IN PROG | SANTA CLARA | SANTA CLARA | 153.9650 FB/MO 75 W ERP -21.5 AAT 17 MSL 21 AGL. PW/AP. |
| 21 | 205523 | WDRN | CO CALAVERAS | CO CALAVERAS | 45.1000 46.0800 45.1400 FB2/MO 100 W ERP 225 AAT 2449 MSL 9 AGL. CORRECT DATA & ADD SITES/FREQS. PW/AP |
| 22 | 34408 | COND APPD | PETALUMA VLY HOSP | PETALUMA | 453.6750 FB2/FX1/MO MED 2 FB/MO 30 W ERP -83.1 AAT 10 MSL 12 AGL. NEW. PW/IMSA. |
| 23 | 206184 | WDRN | CO DOUGLAS (NV) | MARKLEVILLE | 155.7150 FB2/MO ?? FX1/MO 11.4 W ERP 715 AAT 2732 MSL 14 AGL. NEW. PW/AP |
| 24 | 206394 | IN PROG | CO YOLO (YCESSA) | YOLO CO (MULTI SITE) | 154.8000 154.4450 155.5950 155.1450 FB/FB2 350 W ERP 14.6 AAT 119.7 MSL 30.5 AGL. NB/WB. NEW. PW/AP |
| 25 | 206484 | APPD | CO CALAVERAS | CO CALAVERAS | 45.2800 45.4600 45. 5800 155.6250 (2 W) MO 100 W ERP. ADDS FREQS TO EXIST SYS. PW/AP |
| 26 | 206494 | APPD | CO NEVADA | DOBBINS/TRUCKEE | 460.0500 460.42500 FB/MO 120 W ERP 423.5 AAT 1769 MSL 19.7 AGL. F1D. PW/APLS |
| 27 | 206585 | IN PROG | CO MODOC | CO MODOC (multi sites) | 153.9200 153.8600 FB2/MO 400 W ERP 158.8350 159.0900 155.1450 156.1800 156.0300 MO 460.2000 465.2000 MO 25 W. & more |
| 28 | 206589 | IN PROG | CO MODOC | CO MODOC (multi sites) | 153.9200 153.8600 460.5250 (300 W) FB2/MO 19 W ERP 158.8350 159.0900 465.5250 FX1 155.6400 FB 453.06250 .98750 5 W FXO/NB |
| 29 | 500294 | APPD | CO ALPINE | MARKLEVILLE | 156.2250 159.0000 FB/MO 250 W ERP -195.1 AAT 1829 MSL 18 AGL. PW/AASHTO. FOR 15 UNITS! |
| 30 | 206804 | IN PROG | CO SAN JOAQUIN | SAN ANDREAS (BEAR) | 460.1250 .3500 FB/FB2 100 W ERP 438.3 AAT 835 MSL 15 AGL. WB/NB. PW/APCO |
| 31 | 206806 | APPD | CO SAN JOAQUIN | WESLEY (OSO) | 460.1250 .3500 FB/FB2 225 W ERP 552.2 AAT 945 MSL 15 AGL. WB/NB. PW/APCO |
| 32 | 206841 | APPD | BRENTWOOD | BRENTWOOD | 453/458.16250 FB2/FXO 10 W ERP V AAT V MSL 9.1 AGL. NB. SCADA SYSTEM. PW/AP |
| 33 | 206828 | APPD | BRENTWOOD | BRENTWOOD | 458.16250FXO 10 W ERP V AAT V MSL 9.1 AGL. NB. SCADA SYSTEM. PW/AP |
| 34 | 206842 | APPD | BRENTWOOD | BRENTWOOD | 458.16250FXO 10 W ERP V AAT V MSL 9.1 AGL. NB. SCADA SYSTEM. PW/AP |
| 35 | 206848 | APPD | CO MONTEREY | POINT SUR | 159.0900 FB/FB2 144 W ERP (NO CHANGE) 106.4 AAT 370 MSL 24.3 AGL. CORRECT SITE DATA. ADD NB. PW/AP. |
| 36 | 206890 | IN PROG | CO YOLO (YCESSA) | WOODLAND | 155.5350 FB/FB2 25 W ERP 23.1 AAT 18 MSL 22.9 AGL. JAIL/COURTS. NB/WB. RECONFIG EXIST. PW/AP |
| 37 | 206925 | APPD | SAN JOSE | SAN JOSE | 460.4000 FB/FB2/MO 200 W ERP -9.8 AAT 26 MSL 88 AGL. ADD FREQ. PW/AP |
| 38 | 206953 | APPD | TULE INDIAN RESERVATION | PORTERVILLE | 460.2750 FB2/MO 40 W ERP @090 391.5 AAT 1069 MSL 26.2 AGL. NB. PW/AP (POLICE FUNCTIONS) |
| 39 | 206954 | IN PROG | TULE INDIAN RESERVATION | PORTERVILLE | 453.5000 FB2/MO 40 W ERP @090 391.5 AAT 1069 MSL 26.2 AGL. NB. PW/AP (COMMUNITY WATCH FUNCTIONS) |
| 40 | 206987 | APPD | LINCOLN | LINCOLN/ROCKLIN | 155.0250 FB2/MO 155.6250 FX1/MO 180 W ERP 34.1 AAT 109 MSL 36.6 AGL. (BOTH F CURRENTLY IN USE) PW/AP. |
| 41 | 500415 | APPD | DINUBA | DINUBA | 453/458.38750 MO 2 W ERP. NB. PW/AASHTO. |
| 42 | 207012 | APPD | WOODLAND | WOODLAND | 453/458.98750 FB/FXOT 6 W ERP 4.4 AAT 17 MSL 7 AGL. NB. DIGITAL. PW/AP |
| 43 | 207029 | IN PROG | CO STANISLAUSS | MODESTO | 154.0250 MO 156.0000 FB/FB2 5 w erp 10.2 AAT 12 MSL 9.1AGL. NB. Honor farm. PW/AP |
| 44 | 5000429 | APPD | CLOVIS | CLOVIS | 453.66250 FB2/FX/MO 100 W ERP 44.4 AAT 110.3 MSL 43 AGL. NB. ADD 2ND CHNL. PW/AASHTO. |
| 45 | 37767 | APPD | TULARE | TULARE | 154.3550 FB2/MO 155.0550 MO 100 W ERP -4.7 AAT 88 MSL 27 AGL. CONVERT FB TO FB2 ADD MO. WB. PW/IMSA. |
| 46 | 040860 | APPD | CALISTOGA | CALISTOGA | 453/458.5250 FX2/FXO 25 W ERP -185 AAT 168 MSL 6.1 AGL. SCADA SYS. WB. PW/IMSA. |
| 47 | 500471 | APPD | ROHNERT PARK | ROHNERT PARK | 154.1000 FB/FB2/MO 156.0450 MO 85 W ERP -53 AAT 31 MSL 27.1 AGL. ADDS STNS TO EXIST SYS. PW/IMSA. WB. |
| 48 | ???? | APPD | SOUTHERN CA EDISON | EXETER/RICHGROVE | 154.463750 FXO 500 W ERP ?? AAT 468 MSL 20 AGL. ADD TO SYSTEM. VNB DATA. IG/EWA |

Actions taken from June 7 July 11.

| ITEM | COORD | STATUS | AGENCY | TX CITY | FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS |
|------|--------|--------|--|--------------|--|
| 49 | 530470 | APPD | VISALIA | THREE RIVERS | 453.26250 FB2/MO 50 W ERP ?? AAT 971 MSL 12.1 AGL. NB. NEW. PW/AASHTO. |
| 50 | 42180 | DENIED | SAN MATEO CO PRE HO: DLY CIT/PACIFICA/S SF | | 156.1050 FB/FB2/MO 80 W ERP 338.6 AAT 366 MSL 18 AGL. PW/IMSA. |
| 51 | 42181 | DENIED | SAN MATEO CO PRE HO: PESCADERO/PGNPT | | 156.1050 FB/FB2/MO 200 W ERP 51.1 AAT 146 MSL 13 AGL. PW/IMSA. |
| 52 | 744108 | APPD | CO HUMBOLDT | TRINIDAD | 460.22250 FB2 100 W ERP 542.4 AAT 836 MSL 18.2 AGL. WB/NB. PW/FCCA. |

470-512 MHz POOL

| | | | | | |
|----|---------|---------|--------------------|----------------------|--|
| 53 | 202214 | IN PROG | CO MARIN | BODEGA | 483.9500 .3750 484.8750 490.8000 488.9750 489.3250 .7000 490.1000 .7250 |
| 54 | | | CONTINUES | | FB/FB2 200 W ERP 39 AAT 218 MSL 30 AGL. ADD TO EXIST. YP/AP. |
| 55 | 202278 | IN PROG | CO MARIN | CO MARIN & SONOMA | 483.6525 .1750 485.6250 484.2000 489.8500 FB2/MO 200 W ERP 566 AAT 745 MSL 60.7 AGL. NEW. PW/AP |
| 56 | 202293 | IN PROG | CO MARIN | | |
| 57 | 39310 | APPD | CO SAN MATEO | BRISBANE/FOST CI | 488.88750 FB2/MO 157 W ERP -30.7 AAT 61 MSL 21.6 AGL. PW/IMSA. |
| 58 | 39320 | APPD | CO SAN MATEO | RDWOOD CI/FOST CI | 488.53750 FB2/MO 157 W ERP@180 435 AAT 726 MSL 10 AGL. WB. PW/IMSA. |
| 59 | 39327 | APPD | CO SAN MATEO | BRISBANE/FOST CI | 488.71250 FB2/MO 157 W ERP @320 15.2 AAT 61 MSL 8.2 AGL. WB. PW/IMSA. |
| 60 | 39330 | APPD | CO SAN MATEO | BRISBANE/FOST CI | 488.86250 FB2/MO 157 W ERP@320 15.4 AAT 61 MSL 8.2 AGL. WB. PW/IMSA. |
| 61 | 40003 | APPD | MOBILE RELAY ASSOC | LIVERMORE/SF/FAIRFAX | 490.16250 FB6/FX1T/MO 500 W ERP 612 AAT 762 MSL 21 AGL. 3 SITES. NB. IG/PCIA. |
| 62 | 40006 | APPD | MOBILE RELAY ASSOC | LIVERMORE | 483.33750 FB6/FX1T/MO 1 KW ERP 126 AAT 335 MSL 38 AGL. NB. IG/PCIA. |
| 63 | 103007 | APPD | MOBILE RELAY ASSOC | LOSGAT/LIV/SF/F'FAX | 490.31250 FB6/FX1T/MO 1000 W ERP 708 AAT 1035 MSL 42 AGL. WB. IG/PCIA |
| 64 | 110001 | APPD | MOBILE RELAY ASSOC | SF/FAIRFAX | 490.71250 FB6/FX1T/MO 250 W ERP 612 AAT 762 MSL 21 AGL. ADD NB FREQ. YB/EWA. |
| 65 | 207320 | APPD | FAIRFIELD | FAIRFIELD | 482.88750 FB/FB2/MO 120 W ERP -63 AAT 6 MSL 20 AGL. WB. PW/AP. RESTORAL. |
| 66 | 207125 | APPD | FAIRFIELD | FAIRFIELD | 483.16250 FB/FB2/FX1/MO 225 W ERP-63 AAT 73 MSL 24 AGL. CONCOLIDATE LIC & MAKE CORRECTIONS. PW/AP. LG SYS. |
| 67 | 207126 | APPD | FAIRFIELD | FAIRFIELD | 483.08750 482.4625 482.36250 488.48750 FB/FB2/FX1/MO 225 W ERP -63 AAT 73 MSL 23.5 AGL. ADD FREQ, MODS,CORRECTS. PW/AP PD SYS. |
| 68 | 207140 | APPD | FAIRFIELD | FAIRFIELD | 482.78750 482.51250 483.16250 FB/FB2/FX1/MO 225 W ERP -63 AAT 73 MSL 23.5 AGL. ADD FREQ & CORRECTIONS. PW/AP. FD SYS. |
| 69 | 207141 | APPD | FAIRFIELD | FAIRFIELD | AS ABOVE, CONTINUES WITH ADDNL FIRE STATIONS. PW/AP. FD SYS. |
| 70 | 8094330 | APPD | MOBILE RELAY ASSOC | SF/FAIRFAX | 484.96250 FB6/FX1T/MO6 150 W ERP 612 AAT 762 MSL 15 AGL. NB. YG/EWA. |

800 MHz PUBLIC SAFETY (GP, YP, GF, YF) & Comml Users

| | | | | | |
|----|--------|----------|---------------------|-------------------|---|
| 71 | may 07 | app pend | los banos | los banos | 858.71250 or 856.21250 or 858.21250 or 859.21250. listening. For MDC system. ?? Erp ?? Aat ?? Msl ?? Agl. |
| 72 | dec 06 | sta | uc: berkeley | berkeley | 867.8750 868.2125 mo 5 w erp. Gp/ap. Add ht channels. |
| 73 | dec 06 | sta | uc: davis | davis | 868.8625 866.1750 mo 5 w erp. Gp/ap. Add ht channels. |
| 74 | 176408 | WDRN | ST CA: P&R | PINE GROVE (ZION) | 856.7375 858.7625 FB/FB2/FX1/MO 184 W ERP 282.9 AAT 902 MSL 43.3 AGL. ADD 2N CHNL MINOR MODS. GP/AP |
| 75 | 180044 | APP INF | CO NAPA | BERRYESSA PK | 857.43750 FB 280 W ERP 647.2 AAT 932 MSL 6.1 AGL. ADD TO EXIST. GP/AP. MOB DATA. |
| 76 | 181958 | APP INF | OAKLAND | OAKLAND | 858.93750 FB2/FX1/MO 105 W ERP -3 AAT 91.4 MSL 18.9 AGL. ADD NEW FREQ. PW/AP |
| 77 | 202627 | IN PROG | STOCKTON | STOCKTON | 856.23750 859.48750 FB/FB2/MO 75 W ERP 40.3 AAT 5.8 MSL 122 AGL. EXIST. ADD SITE. GP/AP |
| 78 | 203621 | WDRN | ST CA: P&R | | |
| 79 | 205647 | WDRN | ST CA: P&R | HOLLISTER | 855.48750 856.93750 FB/FX1 49 W ERP 85.3 AAT 456 MSL 4.6 AGL. ADD TO SYSTEM. GP/AP |
| 80 | 205648 | WDRN | ST CA: DOT | SHAVER LAKE (FRS) | 856.76250 857.76250 FB/FB2/FX1 90 W ERP 555.3 AAT 2074.8 MSL 25.9 AGL. ADD TO SYS. GP/AP |
| 81 | 205856 | WDRN | ST CA: P&R | LA HONDA | 858.93750 FB/FX1 55 W ERP -182.9 AAT 152 MSL 9 AGL. ADD FREQ TO SYS. GP/AP. |
| 82 | 206155 | APPD | CI/CO SAN FRANCISCO | SF | 858.23750 FB2/MO 200 W ERP 23 AAT 259 MSL 180 AGL. ADD NEW FREEQ. GP/AP |
| 83 | 206156 | APPD | CI/CO SAN FRANCISCO | SF | 858.23750 FB2/MO 200 W ERP 228 AAT 256 MSL 180 AGL. 5 LOCATIONS. ADD NEW FREQ. GP/AP |
| 84 | 206157 | APPD | CI/CO SAN FRANCISCO | SF | 858.23750 FB2 220 W ERP 208 AAT 229 MSL 86 AGL. 4 LOCATIONS. GP/AP |
| 85 | 140639 | APPD | PROCOMM COMM | VISALIA | 854.91250 855.56250 858.28750 FB2C/MO 140 W ERP 345 AAT 877 MSL 49 AGL. YB/EWA. |

*** All "pend app" pre-coordinations will expire 90 days after appearing in the LOG ***

ALL ELEVATIONS SHOWN ARE IN METERS.

SHOWING YOUR AOP >40 KM IN HIGH-BAND OR >32 KM UHF REQUIRES ADDITIONAL JUSTIFICATION.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. Red - Items found incomplete in APCO system with no data in LOG.

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.