



NORTHERN CALIF APCO LOG FOR MARCH-APRIL 2008

THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from February 7. Note: No chapter meeting will be held in March due to the WSRC in Albuquerque, NM.

| ITEM | COORD | STATUS | AGENCY | TX CITY | FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS |
|------|-------|--------|--------|---------|--|
|------|-------|--------|--------|---------|--|

PUBLIC SAFETY POOL (ALL COORDINATORS)

| | | | | |
|--------|-------------|--------------------|---------------------|--|
| Nov 07 | app pending | co glenn | high level | 155.790 fb/fb2/mo 153.7850 fx1/mo (exists) to abate interference existing on 155.0400 with Gridley. |
| 170335 | APP INF | CO SANTA CLARA | SAN JOSE | 33.960 153.905 154.145/.205/.175 155.985 FB 158.355/.995 FX1 100 W ERP -50 AAT 18 MSL 23 AGL. ADD FRQS&EMISS. PW/AP |
| 176404 | FREQ HOLD | CO PLACER | LK TAHOE AREA | 154.0400 151.1150 FB/FB2 155.9100 156.2100 MO 250 W ERP 227 AAT 2283 MSL 27 AGL. YP/AP |
| 186605 | APP INF | CO CONTRA COSTA | CCCo | 453.7500 FB/FB2/MO 42 W ERP 431 AAT 577 MSL 36 AGL. PW/AP. |
| 201257 | IN PROG | CLOVIS | CLOVIS | 465.51250 MO 6 W ERP PW/AP. RELOCATE. PW/AP |
| 204811 | IN PROG | CO SANTA CLARA | VARIOUS | 155.7000 156.2100 154.6500 151.1450 156.150 FB/FB2 11 W ERP |
| 205125 | IN PROG | SHASTA CO MARSHAL | REDDING | 154.8000 FB2 159.1050 MO 100 W ERP -87.2 AAT 174 MSL 36.6 AGL. RADIAX+EXT ANT. NEW. PW/AP |
| 206804 | IN PROG | CO SAN JOAQUIN | SAN ANDREAS (BEAR) | 460.1250 .3500 FB/FB2 100 W ERP 438.3 AAT 835 MSL 15 AGL. WB/NB. PW/APCO |
| 207474 | IN PROG | CO SANTA CLARA | SAN JOSE | 155.5800 FB/FB2/MO 158.93250 MO 51 W ERP -14 AAT 124.1 MSL 13.4 AGL. NEW. PW/APCO. |
| 530621 | COND APP | WEST BAY SANITARY | MENLO PARK | 458.11250 .13750 460.51250 MO 4 W ERP. NB. VOICE. PW/AASHTO. |
| 500036 | APPD | ST CA: OES | LAKEPORT | 154.9200 FB (RELOCATE) 155.4750 (NEW) 150 W ERP 88.9 AAT 448.4 MSL 30.5 AGL. MODS. WB. PW/AASHTO. |
| 500047 | APPD | ST CA: CHP | SUSANVILLE | 42.0800 FB 453/458.1000 FXO 62 W ERP 591.6 AAT 2339.9 MSL 13.7 AGL. WB. NEW. PW/AASHTO. |
| 208580 | APPD | CO MERCED | MERCED | 155.8800 FB2 158.7900 MO 5 W ERP 8.9 AAT 52 MSL 15.2 AGL. WB/NB. NEW. PW/APCO |
| 208582 | APPD | CO SANTA CRUZ | WATSONVILLE | 155.0100 FB2/MO 159.030 159.1500 FX1 156.0900 MO 7.5 W ERP (MULTIPLE LOCATIONS) -63.6 AAT 9 MSL 20 AGL. NB/WB. NEW. PW/APCO. JAIL. |
| 208583 | APPD | CO SANTA CRUZ | WATSONVILLE | 155.0100 FB2 22.5 W ERP -63.6 AAT 9 MSL 20 AGL. MULTIPLE LOCATIONS. NB/WB. NEW. PW/APCO JAIL. |
| 500102 | APPD | UNION SAN DIST | UNION CITY | 453/458.88750 MO 6 W ERP. NB. INCR ERP. PW/AASHTO |
| 500110 | APPD | ST CA: DOT | LEE VINING | 460.53750 FXO 6 W ERP 390 AAT 2728 MSL 6.1 AGL. NB. MOD TO ADD STNS. PW/AASHTO |
| 208712 | APPD | CO CONTRA COSTA | CO CONTRA COSTA | 45.5600 MO 100 W ERP. ADD MO TO EXIST FBS. PW/APCO. |
| 500110 | WDRN | ST CA: DOT | JUNE LAKE | 460.53750 FXO 6 W ERP 390 AAT 2728 MSL 6.1 AGL. NB. MOD TO ADD STNS. PW/AASHTO |
| 500125 | APPD | ST CA: OES | RANCHO CORDOVA | 39.4600 45.8600 155.4750 460.025 FB 465.0250 FX1 141 W ERP 112.8 AAT 37.2 MSL 36.6 AGL. ADD FREQS. PW/AASHTO. |
| 500050 | COND APP | ST CA: OES | CLEARLAKE | 159.1950 FX1 159.135 FX1 (ADDS) 56 W ERP -85 AAT 448.4 MSL 24.4 AGL. RELOCATE. WB. PW/AASHTO. |
| 208769 | APPD | YOLO CO CESA | WINTERS//BROOKS | 151.0850 FB/FB2 350 W ERP 49.4 AAT 119.7 MSL 55 AGL. WB/NB. ADD SITES TO SYSTEM. PW/APCO. |
| 208770 | APPD | YOLO CO CESA | WINTERS//BROOKS | 154.8000 154.44500 FB/FB2 180 W ERP 49.4 AAT 119.7 MSL 55 AGL. ADD SITES TO SYSTEM. WB/NB. PW/APCO. |
| 208771 | APPD | YOLO CO CESA | WINTERS//BROOKS | 154.8000 155.5950 155.1450 FB/FB2 350 W ERP 49.4 AAT 119.7 MSL 55 AGL. ADD SITES TO SYSTEM. WB/NB. PW/APCO |
| 500148 | APPD | ST CA: DOT | SAN FRANCISCO | 453.9500 FB/FB2/MO 35 W ERP -9.4 AAT 3 MSL 6.4 AGL. WB. NEW. PW/AASHTO |
| 48505 | APPD | SAN MATEO | SAN MATEO | 153.9200 FB/FB2 154.9650 FB 200 W ERP -67.9 AAT 3 MSL 18 AGL. NB/WB. ADD SITE. PW/IMSA. |
| 48170 | APPD | SAN MATEO PRE-HOSP | SAN MATEO | 153.9500 FB/FB2 156.0150 MO 80 W ERP -67.9 AAT 3 MSL 18 AGL. ADD SITE. PW/IMSA. |
| 500153 | APPD | ARCATA FIRE DIST | FORTUNA | 151.1225 155.7625 FB/MO 200 W ERP -145.1 AAT 15 MSL 15.2 AGL. NB. PW/AASHTO. |
| 500995 | APPD | TULELAKE | TULELAKE | 159.11250 FB2 155.7600 FX1/MO 200 W ERP -2.1 AAT 1230 MSL 38 AGL. NB. PW/AASHTO. |
| 500172 | APPD | ST CA: CDF | FOREST RANCH | 151.3850 .4000 .4450 FB 159.3000 .3900 FX1 23 W ERP 207.6 AAT 1027.2 MSL 10.7 AGL. MINOR ANT CHANGE. PW/AASHTO |
| 500179 | APPD | ST CA: DOT | CAPLES LAKE(ALPINE) | 460.53750 FXO 6 W ERP 301 AAT 2630 MSL 4.6 AGL. NB. NEW. PW/AASHTO |
| 500188 | APPD | CO HUMBOLDT | SHELTER COVE(HUM) | 154.7100 FB2/MO 155.7900 MO 100 W ERP 393.8 AAT 597.4 MSL 24.4 AGL. ADD TO SYSTEM. NB. PW/AASHTO. |
| 500193 | APPD | ST CA: CSU | COTATI | 453.9000 FB/FB2/FX1/MO 80 W ERP -60 AAT 45 MSL 14 AGL. WB/NB. NEW. PW/AASHTO. |
| 208926 | APPD | SAN JOSE | SAN JOSE | 155.0250 FB/FB2 100 W ERP -62.5 AAT 61 MSL 44 AGL. WB/NB. ADD STNS TO EXIST SYS. PW/APCO |
| 208929 | APPD | SAN JOSE | SAN JOSE | 155.0250 FB/FB2 320 W ERP 102 AAT 347 MSL 12 AGL. WB/NB. ADD STNS TO EXIST SYS. PW/APCO |
| 540621 | DENIED | WEST BAY SANITARY | MENLO PARK | 458.11250 .96250 460.5125 MO 4 W ERP. NB VOICE ONLY. PW/AASHTO. |
| 48983 | COND APP | MID-PLACER PUB SCH | AUBURN | 155.2050 FB 54 W ERP 33.9 AAT 411.4 MSL 7.9 AGL. PW/IMSA. |
| 540621 | APPD | WEST BAY SANITARY | MENLO PARK | 458.96250 460.5125 465.3875 MO 4 W ERP. NB VOICE ONLY. PW/AASHTO. |
| 47029 | APPD | KLAMATH CO FD#1 | KLAMATH (OREGON) | 155.8200 FB2/MO 159.1350 MO 45W ERP -3.4 AAT1325 MSL 18.3 AGL. WB. ADD NEW FREQ. PW/IMSA. |
| 209044 | IN PROG | FRESNO | CLOVIS | 460.1500 OR 460.3500 FB/FB2/FX1/MO 150 W ERP ?? AAT 487.5 MSL 37 AGL. WB. PW/APCO. |

470-512 MHz POOL

| | | | | |
|--------|---------|-----------|-------------------|---|
| 202214 | IN PROG | CO MARIN | BODEGA | 483.9500 .3750 484.8750 490.8000 488.9750 489.3250 .7000 490.1000 .7250 FB/FB2 200 W ERP 39 AAT 218 MSL 30 AGL. ADD TO EXIST. YP/AP. |
| 202278 | IN PROG | CO MARIN | CO MARIN & SONOMA | 483.6525 .1750 485.6250 484.2000 489.8500 FB2/MO 200 W ERP 566 AAT 745 MSL 60.7 AGL. NEW. PW/AP |
| 202293 | IN PROG | CO MARIN | | |
| 48161 | APPD | SAN MATEO | SAN MATEO | 488.31250 482.98750 FB2/FX1 287 W ERP -67.9 AAT 3 MSL 18 AGL. WB/NB. ADDS STNS TO SYS. PW/IMSA. |
| 208795 | IN PROG | CO MARIN | NOVATO | 482.3500 482.6250 482.6500 482.78750 482.93750 483.0250 483.1250 488.7000 489.0750 FB8 200 W ERP 382.4 AAT 452.6 MSL 2 AGL. YP/APCO |

Actions taken from February 7. Note: No chapter meeting will be held in March due to the WSRC in Albuquerque, NM.

| ITEM | COORD | STATUS | AGENCY | TX CITY | FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS |
|------|-------|--------|--------|---------|--|
|------|-------|--------|--------|---------|--|

800 MHz PUBLIC SAFETY (GP, YP, GF, YF) & Comm Users

| | | | | |
|---------|---------|-----------------|--------------------|--|
| 180044 | APP INF | CO NAPA | BERRYESSA PK | 857.43750 FB 280 W ERP 647.2 AAT 932 MSL 6.1 AGL. ADD TO EXIST. GP/AP. MOB DATA. |
| 28-0056 | APPD | LOCKHEED-MARTIN | SUNNYVALE/MILPITAS | 856 857 858 859.38750 854.21250 855.78750 FB2/FB2S/FX1/MO 200 W ERP 795 AAT 769 MSL 30 AGL. INCR MO#. YJ/MRFAC |
| 208955 | IN PROG | CSU: SACRAMENTO | SACRAMENTO | 857.23750 FB/FB2/FX1/MO 50 W ERP 32 AAT 9.1 MSL 35.9 AGL. RELOCATE ON CAMPUS, ADD DIGITAL. GP/APCO. |

***** All "pend app" pre-coordinations will expire 90 days after appearing in the LOG *****
ALL ELEVATIONS SHOWN ARE IN METERS.
SHOWING YOUR AOP >40 KM IN HIGH-BAND OR >32 KM UHF REQUIRES ADDITIONAL JUSTIFICATION.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.
Blue - Carried over from prior month. Black - Added up to meeting date. Red - Items found incomplete in APCO system with no data in LOG.
Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.