



NORTHERN CALIF APCO LOG FOR JUNE 2008



THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from May 9 to June 12.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
------	-------	--------	--------	---------	------------------------------------------------

PUBLIC SAFETY POOL (ALL COORDINATORS)

1	170335	APP INF	CO SANTA CLARA	SAN JOSE	33.960 153.905 154.145/.205/.175 155.985 FB 158.355/.995 FX1 100 W ERP -50 AAT 18 MSL 23 AGL. ADD FRQS&EMISS. PW/AP
2	176404	FREQ HOLD	CO PLACER	LK TAHOE AREA	454.0400 151.1150 FB/FB2 155.9100 156.2100 MO 250 W ERP 227 AAT 2283 MSL 27 AGL. YP/AP
3	186605	APP INF	CO CONTRA COSTA	CCC _o	453.7500 FB/FB2/MO 42 W ERP 431 AAT 577 MSL 36 AGL. PW/AP.
4	201257	IN PROG	CLOVIS	CLOVIS	465.51250 MO 6 W ERP PW/AP. RELOCATE. PW/AP
5	204811	IN PROG	CO SANTA CLARA	VARIOUS	155.7000 156.2100 154.6500 151.1450 156.150 FB/FB2 11 W ERP
6	205125	IN PROG	SHASTA CO MARSHAL	REDDING	154.8000 FB2 159.1050 MO 100 W ERP -87.2 AAT 174 MSL 36.6 AGL. RADIAX+EXT ANT. NEW. PW/AP
7	209270	APPD	MONTEREY	MONTEREY	453.4500 FB2/MO 453/458.4750 MO 10 W ERP -7.2 AAT 53 MSL 12 AGL. NB. NEW. PW/APCO.
8	500265	IN PROG	ST CA: CSU VALLEJO	VALLEJO	???? FB/FB2/MO ?????FX1/MO 40 W ERP -44.5 AAT 6.1 MSL 6.4 AGL. NB. NEW. PW/AASHTO
9	500345	APPD	FORTUNA	FORTUNA	159.11250 FB2/MO 153.8075 MO 150 W ERP -133.9 AAT 18 MSL 18.2 AGL. NB. NEW. ALSO ADD NB TO EXIST. PW/AASHTO
10	209366	APPD	LOS BANOS	LOS BANOS	154.8150 FB/FB2/MO 155.6250 ADDS NB TO EXIST. PW/APCO.
11	500413	APPD	ST CA:CSU CH ISLAND	MONTEREY	153.7400 FB/FB2/MO 159.45750 FX1/MO 150 W ERP 66.5 AAT 106.7 MSL 36 AGL. CORRECT DATA. NB. PW/AASHTO
12	500419	APPD	ST CA: CDF	SAN ANDREAS	154.9800 FX1 191 WV ERP -71.1 AAT 329.2 MSL 36.6 AGL. WB. PW/AASHTO.
13	51509	APPD	AMER MED RESP	MANTECA	155.2950 FB/MO 110 W ERP 30.1 AAT 26.8 MSL 30.5 AGL. MOD. PW/I/MSA
14	209466	APPD	SUPERIOR CT S CRUZ CO	WATSONVILLE	453.4125 FB 30 W ERP -67.8 AAT 10 MSL 16 AGL. NB. CLOCK SYCH SYSTEM. DATA. PW/APCO.
15	209481	APPD	TRACY	TRACY	453.9250 FB/FB2/MO 100 W ERP 7.7 AAT 15 MSL 46 AGL. NEW. WB/NB. PW/APCO.
16	500443	APPD	ST CA: CDF	ST HELENA	154.9800 FX1 214 W ERP -218 AAT 85 MSL 43 AGL. WB. PW/AASHTO.
17	51444	APPD	SMITH RIVER RANCHERIA	SMITH RIVER (DEL N)	155.40750 FB2 153.79250 MO 45 W ERP -77.5 AAT 31 MSL 14 AGL. NB. NEW. PW/I/MSA.
18	500457	APPD	ST CA: CAL FIRE	REDDING	159.4500 154.9800 FX1 151.1450 .3250 4600 FB 214 W ERP -56.4 AAT 150.9 MSL 30.5 AGL ADD FREQS. WB. PW/AAS
19	500446	APPD	HOOPA VALLEY INDIAN TRIBE	HOOPA (HUM)	156.1950 FB/FB2/MO 153.8600 MO 400 W ERP -130.5 AAT 495 MSL 30.5 AGL. NB. NEW. PW/AASHTO.
20	500464	APPD	ST CA: CHP	WILLOW CREEK(HUM)	DEL 42.3400. MOD. PW/AASHTO.
21	500463	IN PROG	ST CA: CAL FIRE	STANDARD (TUOL)	151.3700 FB 159.3000 .3300 .4500 FX1 36 W ERP -16.1 AAT 676.7 MSL 12.2 AGL. WB. NEW. PW/AASHTO.
22	500471	APPD	ST CA: CHP	NAPA	42.0800, .1200, .1600, .3400, .4000, .4400, .6000, .6400, .8800, .9200 FB 25 W ERP -49.9 AAT 10 MSL 15.8 AGL.PW/AASHTO.
23	209568	IN PROG	CO SANTA CRUZ	CO SANTA CRUZ	151.0700, .1000, 153.9350, 154.9500, 155.0100, .0550, .5650, 154.7700, 155.655 FB8/MO 514 AAT 805 MSL 51.8 AGL. NB. PW/APCO
24	209568	IN PROG	CO SANTA CRUZ	CO SANTA CRUZ	158.805, .9850, 159.0300, .1050, .1500, .1650, .19500, 158.9700, 154.7700, 155.6550, 158.7300 MO8 100 W ERP. NB. PW/APCO
25	500274	APPD	ST CA: P&R	FOLSOM AREA	460/465.13750, .18750, .4000 FXO 13 W ERP 267 AAT 569 MSL 12.2 AGL. PILOT PK, GREEN VALLEY. NB. PW/AASHTO
26	500495	APPD	ST CA: CHP	WILLOW CREEK(HUM)	42.3400 FB 120 W ERP 899 AAT 1509 MSL 48.8 AGL. WB. PW/AASHTO
27	500496	APPD	ST CA: CHP	WILLOW CREEK(HUM)	42.4400 FB 120 W ERP 899 AAT 1509 MSL 48.8 AGL. WB. PW/AASHTO
28	209676	IN PROG	MAMMOTH LAKES	MAMMOTH LAKES	453.91250 MO 2 W ERP NB F2. AWOS-DATA LINK. PW/APCO.

470-512 MHz POOL

29	208795	IN PROG	CO MARIN	NOVATO	482.3500 482.6250 482.6500 482.78750 482.93750 483.0250 483.1250 488.7000 489.0750 FB8 200 W ERP 382.4 AAT 452.6 MSL 2 AGL. YP/APCO
30	209148	IN PROG	CO SOLANO	CO SOLANO-MULTI SITES	482.2500 .1750 .3000 .0250 FB2/MO 500 W ERP 579 AAT 815 MSL 50 AGL. MULTI SITES. NB. PW/APCO.

800 MHz PUBLIC SAFETY (GP, YP, GF, YF) & Comm Users

31	180044	APP INF	CO NAPA	BERRYESSA PK	857.43750 FB 280 W ERP 647.2 AAT 932 MSL 6.1 AGL. ADD TO EXIST. GP/AP. MOB DATA.
32	208955	APPD	CSU: SACRAMENTO	SACRAMENTO	857.23750 FB/FB2/FX1/MO 50 W ERP 32 AAT 9.1 MSL 35.9 AGL. RELOCATE ON CAMPUS, ADD DIGITAL. GP/APCO.
33	500414	APPD	ST CA: P&R	LA HONDA (S MATEO)	858.93750 FB 55 W ERP -182.9 1AAT 52.4 MSL 5.5 AGL . ADD FREQ & SITE. GP/AASHTO.
34	500513	APPD	ST CA: P&R	ANGELS CAMP (SCRUZ)	857.76250 FB/FB2/FX1 30 W ERP 495 AAT 880.9 MSL 26 AGL. CORRECTS DATA. GP/AASHTO.
35	209662	APPD	CO CONTRA COSTA	CROCKETT	855.98750 FB2 115 W ERP 236.6 (was 214)AAT 273 MSL 39.6 (was 17). INCREASE ANT HT. MOD. GP/APCO
36	500497	APPD	ST CA: P&R	SALINAS	856.98750 FB 856.76250 FB/FX1 221 W ERP -118.4 AAT 21.3 MSL 7.6 AGL. GP/AASHTO.

*** All "pend app" pre-coordinations will expire 90 days after appearing in the LOG ***

ALL ELEVATIONS SHOWN ARE IN METERS.

SHOWING YOUR AOP >40 KM IN HIGH-BAND OR >32 KM UHF REQUIRES ADDITIONAL JUSTIFICATION.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. Red - Items found incomplete in APCO system with no data in LOG.

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.