



NORTHERN CALIF APCO LOG FOR JULY- SEPT 2008



THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT

Actions taken from July 9.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
------	-------	--------	--------	---------	--

PUBLIC SAFETY POOL (ALL COORDINATORS)

jul 08	app pend	berkeley	berkeley	460/465.5000 2482.0 mo 15 W erp. nb. Voice/telecommand. Bomb robot. PW
aug 08	test	marysville	marysville	158.9100, 159.0750 or 159.1050 fx1/mo. Conv to fb2. wb. pw.
170335	APP INF	CO SANTA CLARA	SAN JOSE	33.960 153.905 154.145/.205/.175 155.985 FB 158.355/.995 FX1 100 W ERP -50 AAT 18 MSL 23 AGL. ADD FRQS&EMISS. PW/AP
176404	FREQ HOLD	CO PLACER	LK TAHOE AREA	464.0490 151.1150 FB/FB2 155.9100 156.2100 MO 250 W ERP 227 AAT 2283 MSL 27 AGL. YP/AP
201257	IN PROG	CLOVIS	CLOVIS	465.51250 MO 6 W ERP PW/AP. RELOCATE. PW/AP
204811	APPD	CO SANTA CLARA	VARIOUS	155.7000 156.2100 154.6500 151.1450 156.150 FB/FB2 11 W ERP
205125	IN PROG	SHASTA CO MARSHAL	REDDING	151.1000 FB2 154.8300 MO 100 W ERP -87.2 AAT 174 MSL 36.6 AGL. RADIAX+EXT ANT. NEW. PW/AP
500265	IN PROG	ST CA: CSU VALLEJO	VALLEJO	???? FB/FB2/MO ?????FX1/MO 40 W ERP -44.5 AAT 6.1 MSL 6.4 AGL. NB. NEW. PW/AASHTO
500463	IN PROG	ST CA: CAL FIRE	STANDAR (TUOL)	151.3700 FB 159.3000 .3300 .4500 FX1 36 W ERP -16.1 AAT 676.7 MSL 12.2 AGL. WB. NEW. PW/AASHTO.
209568	IN PROG	CO SANTA CRUZ	CO SANTA CRUZ	151.0700, .1000, 153.9350, 154.9500, 155.0100, .0550, .5650, 154.7700, 155.655 FB8/MO 514 AAT 805 MSL 51.8 AGL. NB. PW/APCO
209568	IN PROG	CO SANTA CRUZ	CO SANTA CRUZ	158.805, .9850, 159.0300, .1050, .1500, .1650, .19500, 158.9700, 154.7700, 155.6550, 158.7300 MO8 100 W ERP. NB. PW/APCO
209701	APPD	CO CONTRA COSTA	CCCo high level	453.7500 FB/FB2/MO 42 W ERP 431 AAT 577 MSL 36 AGL. PW/AP.
51989	APPD	CO TULARE	VISALIA	155.8950 158.9250 FX1 154.2800 FB 130 W ERP 51.7 AAT 96.6 MSL 51 AGL. ADD TO SYS. PW/IMSA. WB.
500548	APPD	ST CA: OES	HAYWARD	154.9200 FB 110 W ERP -56.5 AAT 21 MSL 23.2 AGL. WB. NEW. PW/AASHTO.
52454	APPD	SCOTTS VALLEY	SCOTTS VALLEY	155.9200 FB2 154.070 FX1/MO 155.0850 FB2 153.9050 FX1 100 W ERP -65.8 AAT 185 MSL 6 AGL. ADD SITE+ PW/IMSA
500566	APPD	ST CA: CAL FIRE	SAN ANDREAS	159.300 .3300. .4500 154.980 159.3250 FX1 191 ERP -71.1 AAT 329.2 MSL 36.6 AGL. ADDS NB. PW/AASHTO
500564	APPD	CO SHASTA	BUNCHGRASS MTN	154.4300 FB2 159.0150 FX1/MO 475.8 AAT 1614 MSL 45 AGL. CONV TO FB2 ADD FX1/MO. PW/AASHTO.
500588	APPD	FORTUNA FPD	FORTUNA	154.2350 FB/FB2 (EXISTS)156.1050 MO 50 W ERP -106.1AAT 103 MSL 9.1 AGL. ADD SITE&FREQ. PW/AASHTO.
209869	APPD	SONORA	SONORA	155.7600 (EXISTS) FB/FB2 158.8200 MO 35 W ERP ?? AAT ?? MSL 20 AGL. WB. FILL SITE. PW/APCO
53394	APPD	AMER MED RESP	SACRAMENTO	155.2950 FB/MO 114 W ERP 23.9 AAT 32.3 MSL 30.5 AGL. INCR MO# ADD 2ND FB. PW/IMSA.
500628	APPD	ST CA: DDS	YUBA CITY	460.0250 FB/FX1/MO 15 W ERP 7.9 AAT 16.8 MSL 15.2 AGL. WB. PW/AASHTO
209919	APPD	CO MONTEREY	MONTEREY	155.9550 MO 100 W ERP. WB/NB. PW/APCO.
844309	APPD	STOCKTON E WAT DIST	KNIGHTS FERRY	465.2750 FXO/MO 10 W ERP -45.1 AAT 113 MSL 6.1 AGL. NB/WB. DIGITAL. PW/FCCA
209952	APPD	OAKLAND	OAKLAND	460.56250 FXO/FXOT 6 W ERP 210.4 AAT 329 MSL 6 AGL. NB. F2D. PW/APCO.
52241	APPD	DONNER SUMMIT PUD	SODA SPRINGS	153.98750 FB/FXO 80 W ERP 59 AAT 2188 MSL 6.1 AGL. NB F1D. PW/IMSA. MULTIPLE LOCATIONS.
52454	APPD	SCOTTS VALLEY	SCOTTS VALLEY	155.9400 FB2 153.8600FX1/MO 155.0850 FB2 153.9050 FX1 100 W ERP -65.8 AAT 185 MSL 6 AGL. ADD SITE+ PW/IMSA
210020	IN PROG	ALBANY	ALBANY	155.6700 FX1 460.2000 FB2 200 W ERP -38 AAT 21.9 MSL 28.9 AGL. WB. ADD STNS, NEW SITE. PW/APCO.
210022	IN PROG	ALBANY	ALBANY	154.2800 154.3850 FB 200 W ERP -38 AAT 21.9 MSL 28.9 AGL. WB. ADD STNS, NEW SITE. PW/APCO
210028	APPD	CO NEVADA	TRUCKEE	460.2500 FB 120 W ERP -70.5 AAT 1914.3 MSL 24.4 AGL. WB. MINOR RELOCATION. PW/APCO
844317	APPD	RIO DELL	FORTUNA	154.9650 FB2/MO 159.0600 FX1/MO 50 W ERP -13 AAT 220 MSL 44 AGL. PW/FCCA
00046	APPD	BRENTWOOD	BRENTWOOD	453.96250 FB2/FXO/MO 2 W ERP ??AAT 96 AGL 5.5 AGL. MOD, ADD SITE. NB/F2/F3. PW/AASHTO.
00052	APPD	CARLOTTA VFD	CARLOTTA (HUM)	154.0100 FB/MO 85 W ERP -255.8 AAT 53 MSL 6 AGL. RESTORAL. WB/NB. PW/AASHTO.
??	APPD	A. TEICHERT & SONS	ESPARTO	154.4900 MO (159.5100 FB2/MO) 4 W ERP -71 AAT 55 MSL 7.6 AGL. NB. IG/EWA.

470-512 Mhz POOL

209148	IN PROG	CO SOLANO	CO SOLANO-MULTI SITES	482.2500 .1750 .3000 .0250 FB2/MO 500 W ERP 579 AAT 815 MSL 50 AGL. MULTI SITES. NB. PW/APCO.
209558	APPD	CI/CO SAN FRANCISCO	SAN FRANCISCO	488.56250 FB2C/FBC/MO 487.66250 MO 151 W ERP 285.9 AAT 259.1 MSL 54.9 AGL. ADD TO EXIST. PW/APCO

800 MHz PUBLIC SAFETY (GP, YP, GF, YF) & Comm Users

180044	APP INF	CO NAPA	BERRYESSA PK	857.43750 FB 280 W ERP 647.2 AAT 932 MSL 6.1 AGL. ADD TO EXIST. GP/AP. MOB DATA.
500497	APPD	ST CA: P&R	SALINAS	856.98750 FB 856.76250 FB/FX1 221 W ERP -118.4 AAT 21.3 MSL 7.6 AGL. GP/AASHTO.
500528	APPD	ST CA: P&R	SALINAS	860.76250 FB/FX1 -118.4 AAT 21.3 MSL 7.6 AGL. ADD TO SYS. GP/AASHTO.

*** All "pend app" pre-coordinations will expire 90 days after appearing in the LOG ***

ALL ELEVATIONS SHOWN ARE IN METERS.

SHOWING YOUR AOP >40 KM IN HIGH-BAND OR >32 KM UHF REQUIRES ADDITIONAL JUSTIFICATION.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. Red - Items found incomplete in APCO system with no data in LOG.

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.