



NORTHERN CALIF APCO LOG FOR NOVEMBER 2008



THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from October 21.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
------	-------	--------	--------	---------	--

PUBLIC SAFETY POOL (ALL COORDINATORS)

aug 08	test	yuba city	yuba city	159.210 or 158.790 fx1/mo. Conv to fb2. wb. pw.
oct 08	test	king city	king city	151.4750 fb/fb2 154.8900 fx1/mo ?? Erp ?? Msl 35 Agl.
170335	APP INF	CO SANTA CLARA	SAN JOSE	33.960 153.905 154.145/.205/.175 155.985 FB 158.355/.995 FX1 100 W ERP -50 AAT 18 MSL 23 AGL. ADD FRQS&EMISS. PW/AP
176404	FREQ HOLD	CO PLACER	LK TAHOE AREA	451.0400 151.1150 FB/FB2 155.9100 156.2100 MO 250 W ERP 227 AAT 2283 MSL 27 AGL. YP/AP
201257	IN PROG	CLOVIS	CLOVIS	465.51250 MO 6 W ERP PW/AP. RELOCATE. PW/AP
205125	IN PROG	SHASTA CO MARSHAL	REDDING	151.1000 FB2 154.8300 MO 100 W ERP -87.2 AAT 174 MSL 36.6 AGL. RADIAX+EXT ANT. NEW. PW/AP
209568	IN PROG	CO SANTA CRUZ	CO SANTA CRUZ	151.0700 .1000, 153.9350, 154.9500, 155.0100, .0550, .5650, 154.7700, 155.655 FB8/MO 514 AAT 805 MSL 51.8 AGL. NB. PW/APCO
209568	IN PROG	CO SANTA CRUZ	CO SANTA CRUZ	158.805, .9850, 159.0300, .1050, .1500, .1650, .19500, 158.9700, 154.7700, 155.6550, 158.7300 MO8 100 W ERP. NB. PW/APCO
210079	IN PROG	CO SOLANO	CO SOLANO	156.000 154.3400 155.4900 155.1300 FB2 153.8600 158.7900 156.090 FX1/MO 500 W ERP 579 AAT 815 MSL 30 AGL. WB/NB. PW/APCO
210129	IN PROG	LODI	LODI	151.1600 FB/MO 160 W ERP 23.1 AAT 14 MSL 23 AGL. WB/NB. RE-ESTABLISH LICENSE. PW/APCO.
210193	IN PROG	YOLO CO ESA	CO YOLO	156.0150 155.1450 FB 100 W ERP 29.3 AAT 28 MSL 36.6 AGL. WB/NB. ADD STNS TO SYS. PW/APCO.
210303	APPD	LATHROP	LATHROP	460/465.56250 FXO/FXOT 6 W ERP -3.6 AAT 4.2 MSL 6 AGL. NB. ADD STNS TO EXIST. PW/APCO.
000153	APPD	LOLETA (HUM)	LOLETA	154.0100 FB/MO 85 W ERP -255.8 AAT 53 MSL 6 AGL. RESTORAL. WB/NB. PW/AASHTO.
52954	APPD	CALIFORNIA CITY	CALIFORNIA CITY (KER)	153.8000 155.0850 MO 60 W ERP. WB. PW/IMSA.
44363	APPD	STOCKTON E WATERDIST	STOCKTON	465.2750 FXO/MO 10 W ERP 32 AAT 16.1 MSL 30.5 AGL. NB/WB. DIGITAL. PW/FCCA
210415	APPD	TRACY	TRACY	155.8950 154.3100 154.7250 FB2/MO 158.8950 158.8800 FX1/MO 156.1200 MO 110 W ERP WB/NB PW/APCO
210417	APPD	TRACY	TRACY	158.8950 158.8800 FX1 25 W ERP -0.4 AAT 52.3 MSL 16 AGL WB/NB. PW/APCO.
10169	APPD	FOLSOM (PARKS)	FOLSOM	460.48750 MO 2 W ERP WB. PW/AASHTO.
55668	APPD	CO HUMBOLDT	CO HUMBOLDT	453/458.88750 .5875 4 WATT ERP. MO. NB VOICE ONLY. PW/IMSA.
00220	APPD	ST CA:OROVILLE	OROVILLE	155.0850 FB (ERP TO 187 W, ADD NB) 154.9800 FB 31.980 159.3000 .3300 .3750 .3900 FX1 ADD NB. -27.4 AAT 85 MSL 43 AGL. PW/AASHTO
00229	APPD	ST CA: CHP	SALINAS	39.460 45.860 155.4750 460.0250 FB 465.0250 FX1 79 W ERP -95.6 AAT 18.4 MSL 30.5 AGL. COR DATA. WB/NB. PW/AASHTO
00230	APPD	ST CA: CHP	COALINGA	42.9200 FB 120 W ERP -111.4 AAT 204 MSL 17 AGL. PW/AASHTO.
00231	APPD	ST CA: CHP	HANFORD	42.9200 FB 120 W ERP 41.8 AAT 74 MSL 29 AGL. PW/AASHTO.
00232	APPD	ST CA: CHP	COALINGA	42.9200 FB 120 W ERP 687.1 AAT 1109 MSL 43 AGL. PW/AASHTO.
00233	APPD	ST CA: CHP	UKIAH	39.4600 45.8600 154.9200 155.4750 460.0250 FB 465.0250 FX1 174 W ERP -287.3 AAT 182.5 MSL 21.9 AGL. WB/NB. PW/ASHTO
00235	APPD	ST CA: DOJ	ANGLES CAMP	154.6800 FB/FB2 42 W ERP 505.2 AAT 880.9 MSL 24.4 AGL. WB/NB. PW/AASHTO.
00238	APPD	ST CA: CHP	YREKA	39.4600 45.8600 154.9200 155.4750 460.0250 FB 465.0250 FX1 174 W ERP -182.6 AAT 830.6 MSL 29 AGL. WB/NB. PW/AASHTO
00240	APPD	ST CA: CSU	VALLEJO	153.7400 FB/MO 35 W ERP -22.7 AAT 3 MSL 6.4 AGL. NB. PW/AASHTO.
00241	APPD	ST CA: CHP	SACRAMENTO	39.4600 FB/FB2 63 W ERP 68.9 AAT 11.9 MSL 91.4 AGL. PW/AASHTO.
00252	APPD	WILLOWS	WILLOWS	156.1800 FB2/MO 159.0150 FX1/MO 120 W ERP 5 AAT 33.5 MSL 21.5 AGL. NB. PW/AASHTO.
210632	APPD	SANTA ROSA	SANTA ROSA	453.0500 .2000 .7000 FB/FB2 125 W ERP 139.6 AAT 275 MSL 19.3 AGL. WB. ADD SITE. PW/APCO.
210636	APPD	SANTA ROSA	SANTA ROSA	154.1450 FB/FB2 100 W ERP 143.3 AAT 275 MSL 21.3 AGL. WB. ADD SITE. PW/APCO.
210637	APPD	SANTA ROSA	SANTA ROSA	460.3750 .0500 .2000 FB/FB2 125 W ERP 139.6 AAT 275 MSL 19.3 AGL. WB. ADD SITE INCR MO#. PW/APCO.
055512	COND APPD	HILLSBOROUGH	HILLSBOROUGH	156.2250 (EXSIST) ADD FB2 158.8650 FX1/MO 100 W ERP 81.4 AAT 195 MSL 15 AGL. PW/IMSA.
10220	APPD	ST CA: CALFIRE	OROVILLE	154.9800 FB 31.980 159.3000 .3300 .3750 .3900 FX1 ADD NB. -27.4 AAT 85 MSL 43 AGL. PW/AASHTO
00264	APPD	ST CA: CALFIRE	OROVILLE	154.2800 FB 159.1350 .1950 FX1 158 W ERP -27.3 AAT 85.3 MSL 42.7 AGL. MINOR CORRECTS ADD NB. PW/AASHTO
54964	APPD	SAN BRUNO	SAN BRUNO	490.53750 FB/FB2/MO(NEW) 488.78750 FB/FB2 (ADD SITE) 139 W ERP 92.8 AAT 170 MSL 23.5 AGL. PW/IMSA
210711	APPD	CO BUTTE	CO BUTTE	460/465.5750 2482.00 MO 15 W ERP. BOMB ROBOT. PW/APCO.
00285	APPD	CRESCENT CITY	CRESCENT CITY	453.06250 FXO/FB/FB2/MO 5 W ERP -49.3 AAT 37 MSL 9 AGL. PW/AASHTO.

470-512 MHz POOL

800 MHz PUBLIC SAFETY (GP, YP, GF, YF) & Comm Users

180044	APP INF	CO NAPA	BERRYESSA PK	857.43750 FB 280 W ERP 647.2 AAT 932 MSL 6.1 AGL. ADD TO EXIST. GP/AP. MOB DATA.
210223	IN PROG	CI/CO SAN FRANCISCO	SF & DALY CI	858.48750 FB2 220 W ERP 208 AAT 229 MSL 14 AGL. 2 SITES. NEW FREQ. GP/APCO.

*** All "pend app" pre-coordinations will expire 90 days after appearing in the LOG ***

Actions taken from October 21.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
------	-------	--------	--------	---------	--

ALL ELEVATIONS SHOWN ARE IN METERS.
SHOWING YOUR AOP >40 KM IN HIGH-BAND OR >32 KM UHF REQUIRES ADDITIONAL JUSTIFICATION.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. Red - Items found incomplete in APCO system with no data in LOG.

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.