



NORTHERN CALIF APCO LOG FOR MAY 2009



THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT

Actions taken from April 8.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
------	-------	--------	--------	---------	--

PUBLIC SAFETY POOL (ALL COORDINATORS)

8-Aug	app pending	yuba city	yuba city	???.????	fx1/mo. Conv to fb2. wb. pw.
170335	APP INF	CO SANTA CLARA	SAN JOSE	33.960-153.905-154.145/-205/-175-155.985-FB-158.355/-995-FX1-100-W-ERP-50-AAT-18-MSL-23-AGL-ADD-FRQS&EMISS.-PW/AP-	
176404	FREQ HOLD	CO PLACER	LK TAHOE AREA	151.0400	151.1150 FB/FB2 155.9100 156.2100 MO 250 W ERP 227 AAT 2283 MSL 27 AGL. YP/AP
201257	IN PROG	CLOVIS	CLOVIS	465.51250	MO 6 W ERP PW/AP. RELOCATE. PW/AP
210129	IN PROG	LODI	LODI	151.1600	FB/MO 160 W ERP 23.1 AAT 14 MSL 23 AGL. WB/NB. RE-ESTABLISH LICENSE. PW/APCO.
211231	IN PROG	REEDLEY	REEDLEY	453.0625	FXO 2 W ERP 118 MSL 0.2 AGL -12.9 AAT. NB. DIGIAL. AWOS. PW/APCO.
211383	IN PROG	HANFORD	HANFORD	???.????	FB/FB2/FX1/MO NEW FIRE CHANNEL. PW/APCO.
211453	APPD	ST HELENA	ST HELENA	155.5650	FB2/MO 158.84250 FX1/MO 100 W ERP -113.0 AAT 170 MSL 9 AGL. NB. MOD TO ADD. PW/APCO.
211583	APPD	CO SANTA CRUZ	CO SANTA CRUZ	151.0400	FB/MO 150 W ERP -22.2 AAT 171 MSL 10.5 AGL.WB/NB. MULTI SITES. PW/APCO.
211584	APPD	CO SANTA CRUZ	CO SANTA CRUZ	151.0400	FB/MO 150 W ERP -22.2 AAT 171 MSL 10.5 AGL.WB/NB. MULTI SITES. PW/APCO.
59496	DENIED	ST CA: UC	SANTA CRUZ	155.5050	FB/FB2/MO 158.9850 FX1/MO 110 W ERP 109.9 AAT 237 MSL 29 AGL. WB/NB. PW/IMSA. MOD.
000265	APPD	AMERICAN AMBULANCE	FRESNO/JOAQUIN RDG	155.17500	FB/MO 350/14.7 W ERP 647.8 AAT 1109 MSL 12 AGL. WB/NB. PW/AASHTO. Restore expired license.
000261	APPD	ST CA: CalEMA	SANTA CRUZ	154.9200	FB 249 W ERP -1.6 AAT 90.5 MSL 30.8 AGL. WB/NB. PW/AASHTO.
00290	APPD	ST CA: CalFIRE	CAMINO	154.9800	FX1 126 W ERP 224 AAT 1036 MSL 55 AGL. ADD ALSO NB. PW/AASHTO.
00303	APPD	ST CA: CalFIRE	REDDING	154.9800	FX1 76 W ERP 1.8 AAT 153 MSL 21 AGL. ADD ALSO NB. PW/AASHTO.
212142	APPD	CO PLACER	ROSEVILLE	155.1900	FB/FB2/MO155.5200FB/FB2/MO 155.7900MO(5 W) 25 W ERP -5.7 AAT 36 MSL 20.2 AGL.WB/NB.COURT.PW/APCO
212172	APPD	CO CONTRA COSTA	BETHEL ISLAND	37.9800	FXO 60 W ERP 4.4 AAT 1 MSL 8.0 AGL. NB. NB. SIREN SYSTEM. PW/APCO.
212159	APPD	MARINA MUNI AIRPORT	MARINA (MON)	453.06250	FXO 2 W ERP -14.8 AAT 41.8 MSL 6 AGL. AWOS SYSTEM. NB. PW/APCO.
60854	APPD	N VALLEY ANIMAL DISASTER	CHICO	158.9025	MO3 153.79250 MO 2.5 W ERP. NB. PW/IMSA.
212184	APPD	CO SAN JOAQUIN	STOCKTON	458.3750	.6500 465.3500 .2250 4750 FX1 160 W ERP 10.9 AAT 7.9 MSL 12.8 AGL. WB/NB/P25. PW/APCO.
210193	APPD	YOLO ESA	CO YOLO	156.0150-155.1450	FB 100 W ERP 29.3 AAT 28 MSL 36.6 AGL. WB/NB. ADD STNS TO SYS. PW/APCO.
060344	APPD	CO SACRAMENTO	SACRAMENTO	465.56250	MO 5 W ERP. NB. F3. PW/IMSA.
066570	DENIED	BROOKTRAILS CSD	WILLITS	453/458.08750	FXOT 6 W ERP NB. F1. PW/IMSA.
60832	APPD	DINUBA	DINUBA	156.0150	FX1/MO 154.0850 MO EXIST INCR ERP TO 40 W AND ADD NB. PW/IMSA.
00340	APPD	ST CA: CHP	RESCUE	44.660	.840 45.360 D42.460 FB 85 W ERP 356.3 AAT 623 MSL 56.4 AGL. ADD FREQS. PW/AASHTO.
212217	APPD	CO PLACER	AUBURN	159.1200	FX1 10 W ERP 114.3 AAT 433 MSL 14.8 AGL. ADD FX1 TO SYSTEM. PW/APCO
00324	APPD	ST CA: CHP	PINE GROVE	44.840	44.920 FB 60 W ERP 304 AAT 902.2 MSL 43.3 AGL. MOD. PW/AASHTO.
00346	APPD	ST CA: CHP	PATTERSON	44.920	44.980 45.020 FB 95 W ERP 764.9 AAT 1173 MSL 29 AGL. MOD. PW/AASHTO.
00358	APPD	ST CA: CHP	NEVADA CI	44.8400	45.3600 FB 85 W ERP 369.5 AAT 1189 MSL 36.6 AGL. MODS. PW/AASHTO.
59496	IN PROG	ST CA: UC	SANTA CRUZ	155.5050	FB/FB2/MO 158.9850 FX1/MO 110 W ERP 109.9 AAT 237 MSL 29 AGL. WB/NB. PW/IMSA. MOD.
000364	APPD	ST CA: CAL FIRE	PORTERVILLE	151.3700	FB 159.3750 FX1 25 W ERP -49.4 AAT 160.3 MSL 8 AGL. WB/NB. PW/AASHTO.
000365	APPD	ST CA: CHP	COLFAX	44.8400	45.6000 FB 95 W ERP 203.4 AAT 792 MSL 22.9 AGL. PW/AASHTO.
000366	APPD	ST CA: CHP	S LK TAHOE	44.8400	45.6000 FB 95 W ERP 312.3 AAT 2609 MSL 22.9 AGL. PW/AASHTO.
066570	APPD	BROOKTRAILS CSD	WILLITS	453/458.11250	FXOT 6 W ERP NB. F1. PW/IMSA.
000372	APPD	ST CA: CAL FIRE	ANGLES CAMP	159.300	.330 .450 FX1 151.1750 .3700 FB 32 W ERP 41.3 AAT 601 MSL 10.7 AGL. ADD NB. PW/AASHTO.
212300	APPD	CO DOUGLAS (NV)	MINDEN	155.7900	FB2/MO 153.82250 FB/MO 25 W ERP -188 AAT 1440 MSL 12 AGL. NB. PW/APCO.
212325	IN PROG	VISALIA	VISALIA	???.????	FXO 30 W ERP 12.3 AAT 96.9 MSL 13 AGL. SCADA, NB, DIGITAL. PW/APCO
212326	IN PROG	VISALIA	VISALIA	???.????	FXO 30 W ERP 8.7 AAT 103 MSL 7 AGL. SCADA, NB, DIGITAL. PW/APCO
000390	APPD	ST CA: CHP	POLLOCK PINES	44.8400	45.3600 FB 546 W ERP 214.9 AAT 1317 MSL 29 AGL. PW/AASHTO.
212329	APPD	ROBINSON RANCHERIA	NICE (LAKE)	155.76750	FB/FB2/MO 158.76250 153.91250 MO 99.5 W ERP -220.1AAT412 MSL 15.3 AGL. NB. PW/APCO.
000414	APPD	ST CA: CHP	NEWCASTLE (PLA)	44.8400	45.3600 FB 213 W ERP 37.9 AAT 274 MSL 26 AGL. PW/AASHTO.
000415	APPD	ST CA: CHP	PLACERVILLE	44.8400	45.3600 FB 213 W ERP 65.1 AAT 576 MSL 22 AGL. PW/AASHTO.
00419	APPD	ST CA: CHP	GRASS VALLEY	44.8400	45.3600 FB 213 W ERP 75.3 AAT 808 MSL 23AGL. PW/AASHTO.
00420	APPD	ST CA: CHP	SACRAMENTO	44.6200	44.8400 FB 141 W ERP 26.8 AAT 30.5 MSL 24.7AGL. PW/AASHTO.
00421	APPD	ST CA: CHP	SACRAMENTO	44.6600	44.8400 FB 170 W ERP 28.5 AAT 9 MSL 27.4 AGL. PW/AASHTO.
000422	APPD	ST CA: CHP	DOWNIEVILLE	44.8400	45.3600 FB 95 W ERP 416.5 AAT 1736 MSL 23 AGL. PW/AASHTO
000423	APPD	ST CA: CHP	SACRAMENTO	42.3800	.500 44.6200 .8400 FB 35 W ERP 9.7 AAT 42 MSL 10 AGL. PW/AASHTO.
000424	APPD	ST CA: CHP	RIVERTON (ELD)	45.3600	44.8400 FB 95 W ERP 315.9 AAT 1864 MSL 6.1 AGL. PW/AASHTO.

Actions taken from April 8.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
000425	APPD	ST CA: CHP	PILOT HILL (ELD)	44.6200 FB 54 W ERP 271.5 AAT 570 MSL 16.8 AGL. PW/AASHTO.	
000429	APPD	ST CA: CHP	MURPHEYS	42.3200 .5000 44.8400 .9200 FB 35 W ERP -18 AAT 667.8 MSL 10 AGL. PW/AASHTO.	
000430	APPD	ST CA: CHP	ESPARTO	44.6200 .8400 42.6600 FB 95 W ERP 351.5 AAT 530 MSL 22.9 AGL. PW/AASHTO.	
000435	APPD	ST CA: CHP	RANCHO CORDOVA	44.6600 .8400 FB 76 W ERP 11 AAT 42.4 MSL 15.8 AGL. PW/AASHTO.	
061404	APPD	VISALIA	VISALIA	154.1300 FB2 100 W ERP 30.3 AAT 100.5 MSL 30 AGL. CONV TO NB, ADD SITE. PW/IMSA.	

470-512 MHz POOL

20910	APPD	FLEET TALK PARTNERS	NOVATO/SNRAFAEL	489.91250 FB8/MO8 1000 W ERP 382.4 AAT 575 MSL 36 AGL. WB/NB. YG/EWA
22449	APPD	FLEET TALK PARTNERS	SAN RAFAEL	489.91250 FB8/MO8 1000 W ERP 109 AAT 202 MSL 26 AGL. WB/NB. YG/EWA
31839	APPD	FLEET TALK PARTNERS	MILL VLY/TIBURON	489.91250 FB8/MO8 1000 W ERP 107 AAT 155 MSL 11 AGL. WB/NB. YG/EWA
11838	APPD	FLEET TALK PARTNERS	PETLUMA/MVLY/LAG	483.53750 FB8/MO8 1000 W ERP 601 AAT 745 MSL 30 AGL. WB/NB. YG/EWA
64409	APPD	FLEET TALK PARTNERS	NOVATO/TIBURON	484.1375 FB8/MO8 1000 W ERP 441 AAT 575 MSL 36 AGL. NB. YG/EWA.
54603	APPD	FLEET TALK PARTNERS	NOV/MLVLY/S RAF	484.13750 FB8/MO8 2000 W ERP 382.4 AAT 322 MSL 33 AGL. NB. YG/EWA.

700 Mhz PUBLIC SAFETY (SG, SY)

Coming soon!

800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

0008	IN PROG	OAKLAND	OAKLAND	854.11250 .18750 .41250 .26250 .46250 FB2C/FX1/MO 331 W ERP 70 AAT 91.4 MSL 113.1 AGL. YF/PCIA
00453	IN PROG	FAIRFIELD	FAIRFIELD/VACAVILLE	854.1375 .2625 .3875 .4625 FB2/MO 147.9 W ERP 207 AAT 268 MSL 22.9 AGL. YE/AASHTO.
211768	IN PROG	CI/CO SF	SAN MATEO	858.23750 860.21250 FB/FB2/FX1/MO 75 W ERP -45 AAT 5 MSL 19 AGL. JAIL SYS. GP/APCO
000307	APPD	ST CA: DOT	MT ZION	856.73750 858.76250 FB/FB2/FX1116 W ERP 291.9 AAT 902 MSL 30.5 AGL. GP/AASHTO.

*** All "pend app" pre-coordinations will expire 90 days after appearing in the LOG ***

ALL ELEVATIONS SHOWN ARE IN METERS.

SHOWING YOUR AOP >40 KM IN HIGH-BAND OR >32 KM UHF REQUIRES ADDITIONAL JUSTIFICATION.

IMPORTANT NOTE: ALL LICENSEES SHOULD REVIEW THEIR LICENSES TO INSURE THAT HAAT AND ERP ARE SHOWN IN THE RECORDS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. Red - Items found incomplete in APCO system with no data in LOG.

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.