



NORTHERN CALIF APCO LOG FOR AUG-SEPT 2009



THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT

Actions taken from July 9 to September 16, 2009.

ITEM COORD STATUS AGENCY TX CITY FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS

PUBLIC SAFETY POOL (ALL COORDINATORS)

1	31-Jul	app pending	brentwood	brentwood	??????? Fb/fb2/mo. To abate interference to Yolo Co.
2	176404	FREQ HOLD	CO PLACER	LK TAHOE AREA	151.0400 151.1150 FB/FB2 155.9100 156.2100 MO 250 W ERP 227 AAT 2283 MSL 27 AGL. YP/AP
3	212325	WDRN	VISALIA	VISALIA	154.755 FXO 30 W ERP 12.3 AAT 96.9 MSL 13 AGL. SCADA, NB, DIGITAL. PW/APCO. RESELECT FREQ.
4	212326	WDRN	VISALIA	VISALIA	154.755 FXO 30 W ERP 8.7 AAT 103 MSL 7 AGL. SCADA, NB, DIGITAL. PW/APCO. RESELECT FREQ.
5	211383	IN PROG	HANFORD	HANFORD	??????? FB/FB2/FX1/MO NEW FIRE CHANNEL. PW/APCO.
6	212857	APPD	CO SOLANO	FAIRFIELD/BENICIA	151.1300 FB/FB2/MO 159.0150 FX1/MO 100 W ERP 229.4 AAT 265.2 MSL 50 AGL (2 SITES) NB. PW/APCO.
7	212920	APPD	CO BUTTE	BUTTE MEADOWS	159.0000 FX1 50 W ERP -26.5 AAT 1318 MSL 12.2 AGL. WB/NB/P25. PW/APCO.
8	62671	APPD	SIERRA CI FIRE DIST	SIERRA CI (SIERRA)	154.10750 FB2/MO 159.17250 MO 70 W ERP 257.4 AAT 2153 MSL 6 AGL. NB. PW/IMSA.
9	212937	APPD	YUBA CI	YUBA CI	155.8950 FB2 (now FB) 155.0850 FX1 (IS FB) 158.7825 FB/MO (NEW) 180 W ERP 51 AAT 17 MSL 54.8 AGL. WB/NB. PW/APCO
10	44248	APPD	CLEAR CREEK CSD	ANDERSON	155.78250 FB/FXO/MO 20 W ERP 61.1 AAT 310 MSL 10.1 AGL. NB VOICE & DATA. PW/FCCA.
11	213024	APPD	LEMORE	LEMORE	453.2750 FB 90 W ERP 56.9 AAT 68.8 MSL 56.9 AGL. WB/NB. PW/APCO.
12	000646	APPD	ST CA:CHP	COLUMBIA/SONORA	42.3400 .5200 .5600 44.9800 45.0200 FB 120 W ERP 544.7 AAT 1139 MSL 45 AGL. REARRANGE. PW/AASHTO.
13	2063475	APPD	YOSEMITE COM COL DI	MODESTO	453.83750 FB2/MO 453.3500 MO 75 W ERP 26.4 AAT 23 MSL 26.4 AGL. WB/NB. MOD. PW/IMSA
14	00644	APPD	ST CA: CHP	KINGS BEACH	44.8400 45.6000 95 W ERP 218.2 AAT 2279.9 MSL 18.3 AGL ADD FREQS. PW/AASHTO.
15	00648	APPD	ST CA: CHP	SACRAMENTO	42.1200 .3400 .4600 44.6600 .8400 FB 460.0250 FB/FX1 460.3750 .4500 FB/FB 85 W ERP WB/NB. 38.9 AAT 7.9 MSL 41 AGL.
16	213192	APPD	CO PLACER	COLFAX	160.5450 FB2 80 W ERP 131 AAT 851.9 MSL 46 AGL. CORRECTS DATA. PW/APCO.
17	213195	APPD	CO PLACER	AUBURN	159.2100 FX1 10 W ERP 114.3 AAT 433 MSL 14.8 AGL. CORRECT CORDS. PW/APCO.
18	213332	IN PROG	MID PENINSULA REG OS	LOS TRANCOS WDS	155.1300 MO/MO3 2.5 W ERP NB. PW/APCO
19	213340	APPD	YOLO ECA	YOLO CO	460/465.2500 MO 2479.750 15 W ERP NB/VIDEO. BOMB ROBOT. PW/APCO
20	0648	APPD	ST CA: CHP	SACRAMENTO	42.1200 .3400 .4600 44.6600 .8400 460.0250 FB 460.3750 .3750 FB/FB2/465.025 FX1 125 W ERP 38 AAT 8 MSL 41 AGL
21	0075	APPD	ST CA: CHP	KIRKWOOD	44.8400 45.6000 FB 213 W ERP 61.1 AAT 2407.9 MSL 18.3 AGL. PW/AASHTO.
22	00727	APPD	CHICO	CHICO	154.0400 FB (ADD FB2) 158.9250 FX1/MO 150 W ERP -39.6 AAT 66 MSL 6 AGL. WB/NB. PW/AASHTO.
23	64570	APPD	N VLY AMI DISAST GP	CHICO	155.27250 153.79250 MO 158.9025 MO3 10 W. INCR PO AND # UNITS. PW/IMSA.
24	830013	APPD	MONARCH PLACE PIED	OAKLAND	465.0000 FB 15 W ERP 62 AAT 35 MSL 42 AGL. NB. F1 PAGING. IG/PCIA.
25	213417	IN PROG	CO SACRAMENTO	CO SACRAMENTO	460.4250 MO 30 W ERP. NB. BOMB ROBOT. PW/APCO.
26	210733	IN PROG	LONE PINE USD	LONE PINE	155.2800 FB2 4.6 W ERP 1140.5 AAT 2788 MSL 11 AGL. WB. RELOCATE. PW/APCO.
27	213017	APPD	SACRAMENTO	SACRAMENTO	460/465.61250 MO 30 W ERP. NB. BOMB ROBOT. PW/APCO.
28	000797	APPD	ST CA: CHP	WILLIAMS	44.7000 .9800 FB 170 W ERP 6.7 AAT 12.5 MSL 29 AGL. WB. PW/AASHTO.
29	64868	APPD	SO LK TAHOE	SO LK TAHOE	154.0250 FB/MO 200 W ERP -276AAT 1922 MSL 14 AGL. WB/NB. PW/IMSA. COORDS WERE CORRECTED.
30	58992	APPD	RESORT IMPV DIST 1	SHELTER COVE (SON)	46.5400 FB2/MO 46.3400 FX1/MO 60 W ERP 388.2 AAT 597.4 MSL 24.4 AGL. MOD. PW/IMSA.
31	180424	APPD	VISALIA	VISALIA	173.3375 FXO 20 W ERP 12.3 AAT 96.9 MSL 13 AGL. SCADA, NB, DIGITAL. IG/EWA.
32	181141	APPD	VISALIA	VISALIA	173.3375 FXO 20 W ERP 8.7 AAT 103 MSL 7 AGL. SCADA, NB, DIGITAL. IG/EWA.
33	63102	DENIED	THE HUMBOLDT CO DA...	CO HUMBOLDT	154.1150 FB2/MO 154.8750 FX1/MO 200 W ERP 487.5 AAT 884 MSL 15 AGL. PW/IMSA.
34	63977	DENIED	HERALD FPD	HERALD	155.9400 FB/MO 110 W ERP 22.1 AAT 21 MSL 25 AGL. WB. 75 MI AOP. PW/IMSA.
35	213517	APPD	CALISTOGA	CALISTOGA	458.5250 FXO 5 W -222.3 AAT 106 MSL 6.1 AGL. WB/DIGITAL. ADD STNS TO EXIST SCADA SYS. PW/APCO
36	000809	APPD	ST CA: CHP	WILLOWS	44.7000 .9800 FB 170 W ERP 12AAT 142.1MSL 22.9 AGL. WB. MOD. PW/AASHTO.
37	000811	APPD	ST CA: CHP	YUBA CI	44.7000 .9800 FB 170 W ERP 11.3 AAT 17.7 MSL 18.3 AGL. WB. MOD. PW/AASHTO.
38	000820	APPD	ST CA: CHP	OROVILLE	44.7000 .8400 FB 170 W ERP -48.8 AAT 76 MSL 22.9 AGL. PW/AASHTO.
39	000822	DENIED	ST CA: EMA	YUBA CI/SUTTER BUTTES	39.4600 V&U TAC/CALL CLEMARS V&U FB/FB2 80 W ERP 579.2 AAT 604.1 MSL 30 AGL. NB. PW/AASHTO.
40	000839	DENIED	YUBA SHERIFFS OFF	CO YUBA	460.1000 .2750 FB2/MO 100 W ERP 251 AAT 792 AAT 37 AGL. WB/NB. PW/AASHTO.
41	000840	APPD	YUBA SHERIFFS OFF	CO YUBA	460.1000 .2750 FB2/MO 100 W ERP 462.9 AAT 1036 AAT 59 AGL. WB/NB. PW/AASHTO.
42	213645	APPD	ROHNERT PARK	ROHNERT PARK	155.7150 FB/FB2/MO 158.8250 MO 85 W ERP -62 AAT 31 MSL 15 AGL. NB. ADD NEW & MOD. PW/APCO.
43	213681	IN PROG	CO SACRAMENTO	SACRAMENTO	??????? FB2/MO 84 W ERP ?? AAT ??MSL ??AGL. NB. PW/APCO.
44	000850	APPD	FT DICK FPD	FT DICK	156.2025 FB2/MO 153.9350 MO 100 W ERP -122.2 AAT 25 MSL 16.8 AGL. NB. NEW. PW/AASHTO.
45	000857	APPD	DEL NORTE AMB INC	EUREKA	155.1750 FB/MO 220 W ERP -31.9 AAT 14 MSL 30 AGL. NEW. PW/AASHTO.
46	000884	APPD	CHICO	CHICO	453.7500 FB/FB2/MO/FX1 100 W ERP -37.2 AAT 79 MSL 9 AGL. EXPAND SYS. NB/WB. PW/AASHTO.
47	000885	APPD	CHICO	CHICO	458.5500 FX1 -37.2 AAT 79 MSL 9 AGL. NB/WB. PW/AASHTO.
48	000873	APPD	SUTTER COAST HOSP	CRESCENT CI	155.2350 FB/MO 300 W ERP -31.9 AAT 13 MSL 30 AGL. RELOCATE, ADD NB. PW/AASHTO.

Actions taken from July 9 to September 16, 2009.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
49	213723	APPD	SAN JOAQUIN DELT CC	STOCKTON	460.1625 FB/FB2/MO 25 W ERP 37.5 AAT 3.7 MSL 36.6 AGL. RELOCATE AND ADD FB2 MODE. NB. PW/APCO.
50	000918	APPD	ST CA: DOT	STOCKTON	453.91250 FXO/FXOT 6 W ERP 6.8 AAT 12.2 MSL 6.1 AGL. NB. ADDS STNS TO EXIST. PW/AASHTO
51	58992	APPD	RESORT IMPV DIST 1	SHELTER COVE (SON)	46.5400 FB2/MO 46.3400 FX1/MO 60 W ERP 388.2 AAT 597.4 MSL 24.4 AGL. MOD. PW/IMSA.
52	65756	APPD	CO HUMBOLDT	CO HUMBOLDT	153.9050 155.0550 .7150 .8950 MO 110 W ERP. RESTORE. WB/NB. PW/AASHTO.
53	00952	APPD	ST CA: CHP	MARKLEEVILLE	44.8400 45.6000 FB 95 W ERP 749.4 AAT 2730 MSL 18.8 AGL. ADD FREQS. CORRECT COORDS. PW/AASHTO.
54	000953	APPD	ST CA: CHP	TRUCKEE	44.8400 45.6000 FB 76 W ERP -69.2AAT 1914.3 MSL 18.3 AGL. ADD FREQS. CORRECT COORDS. PW/AASHTO.

470-512 MHz POOL

55	212858	APPD	CO SOLANO	FAIRFIELD/BENICIA	483.08750 482.36250 FB/FB2/MO 75 W ERP 229.4 AAT 265.2 MSL 50 AGL. NB. PW/APCO.
56	113423	APPD	MOBILE RELAY ASSOC	VACAVILLE	490.43750 FB6/FX1T/MO6 1000 W ERP 623 AAT 829 MSL 50 AGL. IG/EWA.
57	213316	APPD	CO MARIN	SAN RAFAEL	482.46250 FB/FB2/MO 100 W ERP -52 AAT 24 MSL 12 AGL. WB. PW/APCO.
58	133420	APPD	MOBILE RELAY ASSOC	BAY AREA SITES	488.3500 .7500 489.0000 .4000 .6500 .9000 490.1500 .4000 .6500 .9000 FB8/MO8/FX1T 1000 W ERP. MULTI-HI-LEV. 4K00F7W. YG/EWA.
59	134954	APPD	MR RELIABLE CO	BAY AREA SITES	488.5500 .8250 489.1250 .2500 .5000 .7500 490.0000 .2500 .5000 .7500 FB8/MO8/FX1T 1000 W ERP. MULTI-HI-LEV. 4K00F7W. YG/EWA.
60	16717	APPD	ASTRAL COMM	BAY AREA SITES	488.8000 489.0500 .3000 .5750 .8500 490.1250 .4500 .7000 .8250 .9500 FB8/MO8/FX1T 1000 W ERP. MULTI-HI-LEV. 4K00F7W. YG/EWA.
61	63329	APPD	J.M. GILLIAM	BAY AREA SITES	488.3750 .7750 489.0250 .2750 .5500 .8250 490.0750 .3750 .6250 .9250 FB8/MO8/FX1T 1000 W ERP. MULTI-HI-LEV. 4K00F7W. YG/EWA.
62	31919	APPD	LAING ELECTRONICS	BAY AREA SITES	488.9000 489.1500 .3500 .4250 .6750 490.0250 .2750 .5250 .6000 .7750 FB8/MO8/FX1T 1000 W ERP. MULTI-HI-LEV. 4K00F7W. YG/EWA.
63	113623	APPD	MOBILE RELAY ASSOC	BAY AREA SITES	488.3500 .7500 489.0000 .4000 .6500 .9000 490.1500 .4000 .6500 .9000 FB8/MO8/FX1T 1000 W ERP. MULTI-HI-LEV. 4K00F7W. YG/EWA.

700 Mhz PUBLIC SAFETY (SG, SY)

Coming soon!

800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

64	00453	IN PROG	FAIRFIELD	FAIRFIELD	854.1375 .2625 .3875 .4625 FB2/MO 147.9 W ERP 207 AAT 268 MSL 22.9 AGL. YE/AASHTO.
65	211768	APPD	CI/CO SF	SAN MATEO	858.23750 860.21250 FB/FB2/FX1/MO 75 W ERP -45 AAT 5 MSL 19 AGL. CORRECT COORDS & ADD DIGI. GP/APCO
66	212863	APPD	CO SOLANO	FAIRFIELD/BENICIA	858.46250 FB/FB2/MO 200 W ERP 229.4 AAT 265.2 MSL 50 AGL. WB/P25. GP/APCO.
67	10448	APPD	ST CA: P&R	PILOT HILL/FOLSOM	854.08750 FB/FB2/MO 140 W ERP 270.1 AAT 569.7 MSL 19.8 AGL. GP/AASHTO
68	0008	APPD	OAKLAND	OAKLAND	854.18750 .41250 .26250 FB2C/FX1/MO 9/331 W ERP 70 AAT 91 MSL 113.1 AGL. YF/PCIA.
69	000849	APPD	ST CA: P&R	CARMEL/DAVENPORT	855.71250 FB/FB2 176 W ERP 9 AAT 390 MSL 24 AGL?. ADD TO SYS. GP/AASHTO.
70	000899	APPD	ST CA: DOT	SALINAS	857.08750 FB/FX1 60 W ERP -118.4 AAT 21.3 MSL 7.6 AGL. ADD TO SYS. GP/AASHTO.

*** All "pend app" pre-coordinations will expire 90 days after appearing in the LOG ***

ALL ELEVATIONS SHOWN ARE IN METERS.

SHOWING YOUR AOP >40 KM IN HIGH-BAND OR >32 KM UHF REQUIRES ADDITIONAL JUSTIFICATION.

IMPORTANT NOTE: ALL LICENSEES SHOULD REVIEW THEIR LICENSES TO INSURE THAT HAAT AND ERP ARE SHOWN IN THE RECORDS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. Red - Items found incomplete in APCO system with no data in LOG.

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.