



NORTHERN CALIF APCO LOG FOR OCTOBER 2009



THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT

Actions taken from Sept 17.

ITEM COORD STATUS AGENCY TX CITY FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS

PUBLIC SAFETY POOL (ALL COORDINATORS)

31-Jul	app pending	brentwood	brentwood	???.???? Fb/fb2/mo. To abate interference to Yolo Co.
176404	FREQ HOLD	CO PLACER	LK TAHOE AREA	151.0400 151.1150 FB/FB2 155.9100 156.2100 MO 250 W ERP 227 AAT 2283 MSL 27 AGL. YP/AP
211383	APPD	HANFORD	HANFORD	460.16250 FB/FB2/FX1/MO 62.7 AAT 72.5 MSL 51.2 AGL. NB. NEW FIRE CHANNEL. PW/APCO.
213332	APPD	MID PENINSULA REG OS	LOS TRANCOS WDS	173.3500 MO/MO3 2.5 W ERP NB. WITH WAIVER PETITION. PW/APCO
213340	APPD	YOLO ECA	YOLO CO	460/465.2500 MO 2479.750 15 W ERP NB/VIDEO. BOMB ROBOT. PW/APCO
0648	APPD	ST CA: CHP	SACRAMENTO	42.1200 .3400 .4600 44.6600 .8400 460.0250 FB 460.3750 .3750 FB/FB2/465.025 FX1 125 W ERP 38 AAT 8 MSL 41 AGL
0075	APPD	ST CA: CHP	KIRKWOOD	44.8400 45.6000 FB 213 W ERP 61.1 AAT 2407.9 MSL 18.3 AGL. PW/AASHTO.
00727	APPD	CHICO	CHICO	154.0400 FB (ADD FB2) 158.9250 FX1/MO 150 W ERP -39.6 AAT 66 MSL 6 AGL. WB/NB. PW/AASHTO.
64570	APPD	N VLY AMI DISAST GP	CHICO	155.27250 153.79250 MO 158.9025 MO3 10 W. INCR PO AND # UNITS. PW/IMSA.
830013	APPD	MONARCH PLACE PIED	OAKLAND	465.0000 FB 15 W ERP 62 AAT 35 MSL 42 AGL. NB. F1 PAGING. IG/PCIA.
213417	APPD	CO SACRAMENTO	CO SACRAMENTO	460.0500/465.0500 MO 30 W ERP. NB. BOMB ROBOT. PW/APCO.
210733	IN PROG	LONE PINE USD	LONE PINE	155.2800 FB2 4.6 W ERP 1140.5 AAT 2788 MSL 11 AGL. WB. RELOCATE. PW/APCO.
213017	APPD	SACRAMENTO	SACRAMENTO	460/465.61250 MO 30 W ERP. NB. BOMB ROBOT. PW/APCO.
000797	APPD	ST CA: CHP	WILLIAMS	44.7000 .9800 FB 170 W ERP 6.7 AAT 12.5 MSL 29 AGL. WB. PW/AASHTO.
64868	APPD	SO LK TAHOE	SO LK TAHOE	154.0250 FB/MO 200 W ERP -276AAT 1922 MSL 14 AGL. WB/NB. PW/IMSA. COORDS WERE CORRECTED.
58992	APPD	RESORT IMPV DIST 1	SHELTER COVE (HUM)	46.5400 FB2/MO 46.3400 FX1/MO 60 W ERP 388.2 AAT 597.4 MSL 24.4 AGL. MOD. PW/IMSA.
180424	APPD	VISALIA	VISALIA	173.3375 FXO 20 W ERP 12.3 AAT 96.9 MSL 13 AGL. SCADA, NB, DIGITAL. IG/EWA.
181141	APPD	VISALIA	VISALIA	173.3375 FXO 20 W ERP 8.7 AAT 103 MSL 7 AGL. SCADA, NB, DIGITAL. IG/EWA.
63102	DENIED	THE HUMBOLDT CO DA..	CO HUMBOLDT	154.1150 FB2/MO 154.8750 FX1/MO 200 W ERP 487.5 AAT 884 MSL 15 AGL. PW/IMSA.
63977	DENIED	HERALD FPD	HERALD	155.9400 FB/MO 110 W ERP 22.1 AAT 21 MSL 25 AGL. WB. 75 MI AOP. PW/IMSA.
213517	APPD	CALISTOGA	CALISTOGA	458.5250 FXO 5 W -222.3 AAT 106 MSL 6.1 AGL. WB/DIGITAL. ADD STNS TO EXIST SCADA SYS. PW/APCO
000809	APPD	ST CA: CHP	WILLOWS	44.7000 .9800 FB 170 W ERP 12AAT 142.1MSL 22.9 AGL. WB. MOD. PW/AASHTO.
000811	APPD	ST CA: CHP	YUBA CI	44.7000 .9800 FB 170 W ERP 11.3 AAT 17.7 MSL 18.3 AGL. WB. MOD. PW/AASHTO.
000820	APPD	ST CA: CHP	OROVILLE	44.7000 .8400 FB 170 W ERP -48.8 AAT 76 MSL 22.9 AGL. PW/AASHTO.
000822	DENIED	ST CA: EMA	YUBA CI/SUTTER BUTTES	39.4600 V&U TAC/CALL CLEMARS V&U FB/FB2 80 W ERP 579.2 AAT 604.1 MSL 30 AGL. NB. PW/AASHTO.
000839	APPD	YUBA SHERIFF'S OFF	CO YUBA	460.1000 .2750 FB2/MO 100 W ERP 251 AAT 792 AAT 37 AGL. WB/NB. PW/AASHTO.
000840	APPD	YUBA SHERIFF'S OFF	CO YUBA	460.1000 .2750 FB2/MO 100 W ERP 462.9 AAT 1036 AAT 59 AGL. WB/NB. PW/AASHTO.
213645	APPD	ROHNERT PARK	ROHNERT PARK	151.1000 FB/FB2/MO 159.0225 MO 85 W ERP -62 AAT 31 MSL 15 AGL. NB. ADD NEW & MOD. PW/APCO.
213681	APPD	CO SACRAMENTO	SACRAMENTO	460.4750 FB2/MO 84 W ERP 52.4 AAT 8.5MSL 52.4 AGL. NB. INTERNATIONAL AIRPORT. PW/APCO.
000850	APPD	FT DICK FPD	FT DICK	156.2025 FB2/MO 153.9350 MO 100 W ERP -122.2 AAT 25 MSL 16.8 AGL. NB. NEW. PW/AASHTO.
000857	APPD	DEL NORTE AMB INC	EUREKA	155.1750 FB/MO 220 W ERP -31.9 AAT 14 MSL 30 AGL. NEW. PW/AASHTO.
000884	APPD	CHICO	CHICO	453.7500 FB/FB2/MO/FX1 100 W ERP -37.2 AAT 79 MSL 9 AGL. EXPAND SYS. NB/WB. PW/AASHTO.
000885	APPD	CHICO	CHICO	458.5500 FX1 -37.2 AAT 79 MSL 9 AGL. NB/WB. PW/AASHTO.
000873	APPD	SUTTER COAST HOSP	CRESCENT CI	155.2350 FB/MO 300 W ERP -31.9 AAT 13 MSL 30 AGL. RELOCATE, ADD NB. PW/AASHTO.
213723	APPD	SAN JOAQUIN DELT CC	STOCKTON	460.1625 FB/FB2/MO 25 W ERP 37.5 AAT 3.7 MSL 36.6 AGL. RELODCATE AND ADD FB2 MODE. NB. PW/APCO.
000918	APPD	ST CA: DOT	STOCKTON	453.91250 FXO/FXOT 6 W ERP 6.8 AAT 12.2 MSL 6.1 AGL. NB. ADDS STNS TO EXIST. PW/AASHTO
58992	APPD	RESORT IMPV DIST 1	SHELTER COVE (HUM)	46.5400 FB2/MO 46.3400 FX1/MO 60 W ERP 388.2 AAT 597.4 MSL 24.4 AGL. MOD. PW/IMSA.
65756	APPD	CO HUMBOLDT	CO HUMBOLDT	153.9050 155.0550 .7150 .8950 MO 110 W ERP. RESTORE. WB/NB. PW/AASHTO.
00952	APPD	ST CA: CHP	MARKLEEVILLE	44.8400 45.6000 FB 95 W ERP 749.4 AAT 2730 MSL 18.8 AGL. ADD FREQS. CORRECT COORDS. PW/AASHTO.
000953	APPD	ST CA: CHP	TRUCKEE	44.8400 45.6000 FB 76 W ERP -69.2AAT 1914.3 MSL 18.3 AGL. ADD FREQS. CORRECT COORDS. PW/AASHTO.
213994	IN PROG	SAN JOSE	SAN JOSE	155.0250 460.1500 FB/FB2 200 W ERP -13 AAT 237 MSL 67 AGL. ADD NEW SITES. WB/NB. PW/APCO.
000956	APPD	ST CA: CHP	BLUE CYN (PLA)	44.8400 45.6000 FB 95 W ERP 253 AAT 1608.4 MSL 22.9 AGL. ADD NEW FREQS. PW/AASHTO.
000959	APPD	ST CA: P&R	SHELTER COVE (HUM)	151.0100 FB/FB2 158.9700 MO 80 W ERP 401.2 AAT 615.4 MSL 14.6 AGL. ADD NB & CORR CORDS. PW/AASHTO.
000960	APPD	ST CA: CAL FIRE	SANTA ROSA	154.2800 FB ADD NB. D 33.6600 .9800 154.1350 .1950. PW/AASHTO.
000966	APPD	ST CA: CHP	TAHOE CITY	44.8400 45.6000 FB 60 W ERP 648.5 AAT 2626 MSL 41 AGL. ADD FREQS & CORRECT COORDS. PW/AASHTO.
000983	APPD	CO FRESNO	CLOVIS	152.0075 FB (PAGING) 250 W ERP 38.4 AAT 110.3 MSL 30.5 AGL. PW/AASHTO.
0'00985	APPD	ST CA: CHP	COALINGA	D42.9400 A42.4400 FB 120 W ERP -111.4 AAT 204 MSL 17 AGL. PW/AASHTO.
000986	APPD	ST CA: CHP	COALINGA	D42.9200 A42.4400 FB 120 W ERP 687.1 AAT 1109 MSL 43 AGL. PW/AASHTO.

Actions taken from Sept 17.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
000987		APPD	ST CA: CHP	HANFORD	D42.9200 A42.4400 FB 120 W ERP 41.8 AAT 74 MSL 29 AGL. PW/AASHTO.
001040		APPD	ST CA: CHP	S LK TAHOE	42.3400 .4800 FB (INCR ERP TO 170) ADD 44.8400 45.6000 FB 155 W ERP-393.6 AAT 1902.6 MSL 24.9 AGL. PW/AASHTO
001052		APPD	ST CA: CAL FIRE	MIRAMONTE (FRS)	159.2250, .3000, .3300 FX1 ADDS NB 151.3700 FB 159.3750 FX1 25 W ERP -35.8 AAT 968 MSL 9 AGL. WB/NB. PW/AASHTO.
001053		APPD	ST CA: DOT	MODESTO	458.91250 FXO 6 W ERP 12.9 AAT 30.5 MSL 6.1 AGL. ADDS STNS. PW/AASHTO.
214099		APPD	JACKSON	JACKSON/IONE	154.7850 FB/FB2 (SEP LOCNS) 100 W ERP 127.6 AAT 459 MSL 12.2 AGL. ADD STNS TO SYS. PW/APCO.
214166		APPD	CO FRESNO	FRESNO	39.9400 (FB) 154.6500 155.4150 .5800 154.7550 FB/FB2 400 W ERP 76.1 AAT 89 MSL 103.6 AGL. RELOCATE. PW/APCO
214255		APPD	SO TAHOE TRANS AUTH	SO LK TAHOE	154.0550 FB/MO 90 W ERP -234.6 AAT 1920 MSL 10.6 AGL. PW/APCO.
909199		APPD	SIGNATURE WIRELESS	MT VACA	453.01250 FB8/MO8 14.8 W ERP (90 W MO) 725 AAT 676 MSL 49 AGL. NB & VNB. YG/AAA.
66984		APPD	CALAVERAS CO WATER	ARNOLD/VALLECTIO	160.0275 173.3500 160.0725 160.2075 FXO 20 W ERP 27.1 AAT 1005 MSL 6 AGL. NB. DIGI. IG/UTC.
000647		APPD	ST CA: CHP	TRUCKEE	42.880 44.8400 45.600 44.840 FB 85 W ERP -199.8 AAT 1776.4 MSL 16.8 AGL. PW/AASHTO.
214472	IN PROG		ORANGE COVE	ORANGE COVE (FRS)	????? FB2 ????? FX1/MO 200 W ERP -59 AAT 130 MSL 30.5 AGL. NB. NEW. PW/APCO.
001141		APPD	ST CA: CHP	WILLOWS	44.7000 .8400 FB 135 W ERP 1007 AAT 2048.3 MSL 18.3 AGL. PW/AASHTO.

470-512 MHz POOL

213316 APPD CO MARIN SAN RAFAEL 482.46250 FB/FB2/MO 100 W ERP -52 AAT 24 MSL 12 AGL. WB. PW/APCO.

NOTE: THE FOLLOWING SIX APPS WERE RETURNED TO THE PROPOSERS BY THE COMMISSION 10/6/09.

133420	APPD	MOBILE RELAY ASSOC	BAY AREA SITES	488.3500 .7500 489.0000 .4000 .6500 .9000 490.1500 .4000 .6500 .9000 FB8/MO8/FX1T 1000 W ERP. MULTI-HI-LEV. 4K00F7W. YG/EWA.
134954	APPD	MR RELIABLE CO	BAY AREA SITES	488.5500 .8250 489.1250 .2500 .5000 .7500 490.0000 .2500 .5000 .7500 FB8/MO8/FX1T 1000 W ERP. MULTI-HI-LEV. 4K00F7W. YG/EWA.
16717	APPD	ASTRAL COMM	BAY AREA SITES	488.8000 489.0500 .3000 .5750 .8500 490.1250 .4500 .7000 .8250 .9500 FB8/MO8/FX1T 1000 W ERP. MULTI-HI-LEV. 4K00F7W. YG/EWA.
63329	APPD	J.M. GILLIAM	BAY AREA SITES	488.3750 .7750 489.0250 .2750 .5500 .8250 490.0750 .3750 .6250 .9250 FB8/MO8/FX1T 1000 W ERP. MULTI-HI-LEV. 4K00F7W. YG/EWA.
31919	APPD	LAING ELECTRONICS	BAY AREA SITES	488.9000 489.1500 .3500 .4250 .6750 490.0250 .2750 .5250 .6000 .7750 FB8/MO8/FX1T 1000 W ERP. MULTI-HI-LEV. 4K00F7W. YG/EWA.
113623	APPD	MOBILE RELAY ASSOC	BAY AREA SITES	488.3500 .7500 489.0000 .4000 .6500 .9000 490.1500 .4000 .6500 .9000 FB8/MO8/FX1T 1000 W ERP. MULTI-HI-LEV. 4K00F7W. YG/EWA.
114155	APPD	HANSOM PERM CEMENT	CUPERTINO	D483.51250 A484.4375 FB2/MO 18 W ERP 257 AAT 323 MSL 6 AGL. WB. CHNG FREQ. IG/EWA.

700 Mhz PUBLIC SAFETY (SG, SY)

Coming soon!

800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

00453	IN PROG	FAIRFIELD	FAIRFIELD/VACAVILLE	854.1375 .2625 .3875 .4625 FB2/MO 147.9 W ERP 207 AAT 268 MSL 22.9 AGL. YE/AASHTO.
0008	APPD	OAKLAND	OAKLAND	854.18750 .41250 .26250 FB2C/FX1/MO 9/331 W ERP 70 AAT 91 MSL 113.1 AGL. YF/PCIA.
000849	APPD	ST CA: P&R	CARMEL/DAVENPORT	855.71250 FB/FB2 176 W ERP 9 AAT 390 MSL 24 AGL?. ADD TO SYS. GP/AASHTO.
000899	APPD	ST CA: DOT	SALINAS	857.08750 FB/FX1 60 W ERP -118.4 AAT 21.3 MSL 7.6 AGL. ADD TO SYS. GP/AASHTO.
214069	IN PROG	CO SANTA CLARA	SAN JOSE	856, 857.43750 858.47375 FB/FB2/MO 747 AAT 1082 MSL 22.1 AGL. GE/APCO.
211972	APPD	VACAVILLE	FAIRFIELD/VACAVILLE	
211968	APPD	FAIRFIELD	FAIRFIELD/VACAVILLE	

*** All "pend app" pre-coordinations will expire 90 days after appearing in the LOG ***

ALL ELEVATIONS SHOWN ARE IN METERS.

SHOWING YOUR AOP >40 KM IN HIGH-BAND OR >32 KM UHF REQUIRES ADDITIONAL JUSTIFICATION.

IMPORTANT NOTE: ALL LICENSEES SHOULD REVIEW THEIR LICENSES TO INSURE THAT HAAT AND ERP ARE SHOWN IN THE RECORDS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. Red - Items found incomplete in APCO system with no data in LOG.

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.