



NORTHERN CALIF APCO LOG FOR NOVEMBER 2009



THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT

Actions taken from October 29.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
------	-------	--------	--------	---------	--

PUBLIC SAFETY POOL (ALL COORDINATORS)

1	31-Jul	app pending	brentwood	brentwood	????.???? Fb/fb2/mo. To abate interference to Yolo Co.
2	176404	FREQ HOLD	CO PLACER	LK TAHOE AREA	151.0400 151.1150 FB/FB2 155.9100 156.2100 MO 250 W ERP 227 AAT 2283 MSL 27 AGL. YP/AP
3	211383	APPD	HANFORD	HANFORD	460.16250 FB/FB2/FX1/MO 62.7 AAT 72.5 MSL 51.2 AGL. NB. NEW FIRE CHANNEL. PW/APCO.
4	213332	APPD	MID PENINSULA REG OS	LOS TRANCOS WDS	173.3500 MO/MO3 2.5 W ERP NB. WITH WAIVER PETITION. PW/APCO
5	213417	APPD	CO SACRAMENTO	CO SACRAMENTO	460.0500/465.0500 MO 30 W ERP. NB. BOMB ROBOT. PW/APCO.
6	210733	IN PROG	LONE PINE USD	LONE PINE	155.2800 FB2 4.6 W ERP 1140.5 AAT 2788 MSL 11 AGL. WB. RELOCATE. PW/APCO.
7	213645	APPD	ROHNERT PARK	ROHNERT PARK	151.1000 FB/FB2/MO 159.0225 MO 85 W ERP -62 AAT 31 MSL 15 AGL. NB. ADD NEW & MOD. PW/APCO.
8	213681	IN PROG	CO SACRAMENTO	SACRAMENTO	460.4750 FB2/MO 84 W ERP 52.4 AAT 8.5MSL 52.4 AGL. NB. INTERNATIONAL AIRPORT. PW/APCO.
9	213994	IN PROG	SAN JOSE	SAN JOSE	155.0250 460.1500 FB/FB2 200 W ERP -13 AAT 237 MSL 67 AGL. ADD NEW SITES. WB/NB. PW/APCO.
10	000956	APPD	ST CA: CHP	BLUE CYN (PLA)	44.8400 45.6000 FB 95 W ERP 253 AAT 1608.4 MSL 22.9 AGL. ADD NEW FREQS. PW/AASHTO.
11	000959	APPD	ST CA: P&R	SHELTER COVE (HUM)	151.0100 FB/FB2 158.9700 MO 80 W ERP 401.2 AAT 615.4 MSL 14.6 AGL. ADD NB & CORR CORDS. PW/AASHTO.
12	000960	APPD	ST CA: CAL FIRE	SANTA ROSA	154.2800 FB ADD NB. D 33.6600 .9800 154.1350 .1950. PW/AASHTO.
13	000966	APPD	ST CA: CHP	TAHOE CITY	44.8400 45.6000 FB 60 W ERP 648.5 AAT 2626 MSL 41 AGL. ADD FREQS & CORRECT COORDS. PW/AASHTO.
14	000983	APPD	CO FRESNO	CLOVIS	152.0075 FB (PAGING) 250 W ERP 38.4 AAT 110.3 MSL 30.5 AGL. PW/AASHTO.
15	0'00985	APPD	ST CA: CHP	COALINGA	D42.9400 A42.4400 FB 120 W ERP -111.4 AAT 204 MSL 17 AGL. PW/AASHTO.
16	000986	APPD	ST CA: CHP	COALINGA	D42.9200 A42.4400 FB 120 W ERP 687.1 AAT 1109 MSL 43 AGL. PW/AASHTO.
17	000987	APPD	ST CA: CHP	HANFORD	D42.9200 A42.4400 FB 120 W ERP 41.8 AAT 74 MSL 29 AGL. PW/AASHTO.
18	001040	APPD	ST CA: CHP	S LK TAHOE	42.3400 .4800 FB (INCR ERP TO 170) ADD 44.8400 45.6000 FB 155 W ERP-393.6 AAT 1902.6 MSL 24.9 AGL. PW/AASHTO
19	001052	APPD	ST CA: CAL FIRE	MIRAMONTE (FRS)	159.2250, .3000, .3300 FX1 ADDS NB 151.3700 FB 159.3750 FX1 25 W ERP -35.8 AAT 968 MSL 9 AGL. WB/NB. PW/AASHTO.
20	001053	APPD	ST CA: DOT	MODESTO	458.91250 FX0 6 W ERP 12.9 AAT 30.5 MSL 6.1 AGL. ADDS STNS. PW/AASHTO.
21	214099	APPD	JACKSON	JACKSON/IONE	154.7850 FB/FB2 (SEP LOCNS) 100 W ERP 127.6 AAT 459 MSL 12.2 AGL. ADD STNS TO SYS. PW/APCO.
22	214166	APPD	CO FRESNO	FRESNO	39.9400 (FB) 154.6500 155.4150 .5800 154.7550 FB/FB2 400 W ERP 76.1 AAT 89 MSL 103.6 AGL. RELOCATE. PW/APCO
23	214255	APPD	SO TAHOE TRANS AUTH	SO LK TAHOE	154.0550 FB/MO 90 W ERP -234.6 AAT 1920 MSL 10.6 AGL. PW/APCO.
24	909199	APPD	SIGNATURE WIRELESS	MT VACA	453.01250 FB8/MO8 14.8 W ERP (90 W MO) 725 AAT 676 MSL 49 AGL. NB & VNB. YG/AAA.
25	66984	APPD	CALAVERAS CO WATER	ARNOLD/VALLECTIO	160.0275 173.3500 160.0725 160.2075 FX0 20 W ERP 27.1 AAT 1005 MSL 6 AGL. NB. DIGI. IG/UTC.
26	000647	APPD	ST CA: CHP	TRUCKEE	42.880 44.8400 45.600 44.840 FB 85 W ERP -199.8 AAT 1776.4 MSL 16.8 AGL. PW/AASHTO.
27	214472	APPD	ORANGE COVE	ORANGE COVE (FRS)	154.7400 FB/FB2 60 W ERP 158.7300 FX1/MO 45 W ERP -59 AAT 130 MSL 30.5 AGL. NB. NEW. PW/APCO.
28	001141	APPD	ST CA: CHP	WILLOWS	44.7000 .8400 FB 135 W ERP 1007 AAT 2048.3 MSL 18.3 AGL. PW/AASHTO.
29	001185	APPD	ST CA: CHP	GOLD RUN (PLA)	45.6000 44.8400 FB 91 W ERP 12.4 AAT 1006 MSL 29 AGL. PW/AASHTO.
30	001193	APPD	ST CA: CHP	FOREST RNCH (BUT)	44.7000 .8400 FB 87 W ERP 258.3 AAT 1065.3 MSL 42.7 AGL. PW/AASHTO.
31	001190	APPD	ST CA: CHP	SACRAMENTO	44.6600 .8400 FB 123 W ERP 34.9 AAT 6.4 MSL 38.1 AGL. PW/AASHTO.
32	001191	APPD	ST CA: CHP	TRUCKEE	44.8400 45.6000 FB 123 W ERP -143.5 AAT 1807 MSL 24.4 AGL. ADD NB:154.920,155.475,155.670,460/465.025. PW/AASHTO
33	001192	APPD	ST CA: CHP	CHICO	44.7000 .8400 FB 55 W ERP -22.9 AAT 66 MSL 22.9 AGL. REARRANGE ANTENNAS ON OTHER FREQS. PW/AASHTO.
34	214554	APPD	CO PLUMAS	CHESTER (PLU)	453.91250 FX0 1 W ERP -158.7 AAT 1381 MSL 6.1 AGL. TELEMETRY. NB. PW/APCO.
35	214559	APPD	ELK COMMUNITY SD	ELK (MENDO)	154.0700 FB/FB2/MO 159.0000 FX1/MO 100 W ERP 215.8 AAT 326 MSL 21.1 AGL. MULTIPLE FX1/FBS. PW/APCO.
36	214610	IN PROG	CO SANTA CLARA	MT MADONNA	151.1450 156.1500 155.7600 151.0550 FB/FB2/MO 197 W ERP 154.9450 159.2100 158.820 159.000 80 W ERP. 394 AAT
37	000906	APPD	CO INYO	LONE PINE	544.9 MSL 60.7 AGL. NB/WB. PW/APCO
38	44332	APPD	COLUSA CO TRANSIT AG	LADOGA PK (COL)	155.4150 FX1 90 W ERP -372.7 AAT 1134 MSL 10.9 AGL. RELOCATE. PW/AASHTO.
39	001212	APPD	CHICO	CHICO	453.63750 FB2/FX1/MO 115 ERP 260.4 AAT 620.4 MSL 15 AGL. 7K60FXE. NEW. PW/FCCA.
40	001244	APPD	ST CA: CHP	SONOMA CO VIC	154.8750 FB2 100 W ERP 6.1 AAT 53 MSL 30 AGL. ADD TO SYS. PW/AASHTO
41	001245	DENIED	ST CA: CHP	STATEWIDE	42.8000 FB 120 W ERP 833.6 AAT 1433 MSL 41 AGL. ADD TO SYSTEM. PW/AASHTO.
42	001246	APPD	ST CA: CHP	ROHNERT PARK	42.8000 MO 100 W ERP ADD TO SYSTEM. PW/AASHTO.
43	001263	APPD	ST CA: CHP	OROVILLE	42.8000 FB 120 W ERP ?? AAT 28 MSL 29 AGL. ADD TO SYSTEM. PW/AASHTO.
44	214723	APPD	PETALUMA	PETALUMA	44.7000 .8400 FB 95 W ERP 513 AAT 914.4 MSL 54.9 AGL. PW/AASHTO.
45	214530	APPD	CO SACRAMENTO	SACRAMENTO	453.96250 FX0 1 W ERP -76.8 AAT 26 MSL 5.9 AGL, DIGITAL NB. PW/APCO.
46	001292	APPD	FOLSOM	FOLSOM	460.4750 453.8500 FB2/MO 84 W ERP 52.4 AAT 8.5MSL 52.4 AGL. NB. INTERNATIONAL AIRPORT. PW/APCO.
47	214799	IN PROG	HURON	HURON	458.98750 FXOT 2 W ERP NB. DIGITAL. PW/AASHTO. ADD STNS TO SYSTEM.
					155.7900 FB/FB2/MO 158.8950 FX1/MO 60 W ERP 8 AAT 112 MSL 7 AGL. NEW. PW/APCO.

Actions taken from October 29.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
470-512 MHz POOL					
48	114155	APPD	HANSOM PERM CEMENT	CUPERTINO	D483.51250 A484.4375 FB2/MO 18 W ERP 257 AAT 323 MSL 6 AGL. WB. CHNG FREQ. IG/EWA.
49	133420	APPD	MOBILE RELAY ASSOC	BAY AREA SITES	488.3500 .7500 489.0000 .4000 .6500 .9000 490.1500 .4000 .6500 .9000 FB8/MO8/FX1T 1000 W ERP. MULTI-HI-LEV. 4K00F7W. YG/EWA.
50	134954	APPD	MR RELIABLE CO	BAY AREA SITES	488.5500 .8250 489.1250 .2500 .5000 .7500 490.0000 .2500 .5000 .7500 FB8/MO8/FX1T 1000 W ERP. MULTI HI-LEV. 4K00F7W. YG/EWA.
51	16717	APPD	ASTRAL COMM	BAY AREA SITES	488.8000 489.0500 .3000 .5750 .8500 490.1250 .4500 .7000 .8250 .9500 FB8/MO8/FX1T 1000 W ERP. MULTI HI-LEV. 4K00F7W. YG/EWA.
52	63329	APPD	J.M. GILLIAM	BAY AREA SITES	488.3750 .7750 489.0250 .2750 .5500 .8250 490.0750 .3750 .6250 .9250 FB8/MO8/FX1T 1000 W ERP. MULTI HI-LEV. 4K00F7W. YG/EWA.
53	31919	APPD	LAING ELECTRONICS	BAY AREA SITES	488.9000 489.1500 .3500 .4250 .6750 490.0250 .2750 .5250 .6000 .7750 FB8/MO8/FX1T 1000 W ERP. MULTI HI-LEV. 4K00F7W. YG/EWA.
54	113623	APPD	MOBILE RELAY ASSOC	BAY AREA SITES	488.3500 .7500 489.0000 .4000 .6500 .9000 490.1500 .4000 .6500 .9000 FB8/MO8/FX1T 1000 W ERP. MULTI-HI-LEV. 4K00F7W. YG/EWA.

700 Mhz PUBLIC SAFETY (SG, SY)

Coming soon!

800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

55	214069	IN PROG	CO SANTA CLARA	SAN JOSE	856, 857.43750 858.47375 FB/FB2/MO 747 AAT 1082 MSL 22.1 AGL. GE/APCO.
56	211972	APPD	VACAVILLE	FAIRFIELD/VACAVILLE	851.13750 .41250 .7750 852.2000 853.21250 .66250 .43750 FB2/FX1/MO 199 W ERP 176.5 AAT 242 MSL 15.2 AGL. MULTI SITES. YE/APCO.
57	211968	APPD	FAIRFIELD	FAIRFIELD/VACAVILLE	851.13750 .41250 .7750 852.2000 853.21250 .66250 .43750 FB2/FX1/MO 199 W ERP 176.5 AAT 242 MSL 15.2 AGL. MULTI SITES. YE/APCO.
58	214715	APPD	VACAVILLE	FAIRFIELD/VACAVILLE	854.98750 FB2 199.5 W ERP MULTIPLE LOCNS (SEE ABOVE, ADDS NON-NPSPAC CHNL))
59	214719	APPD	FAIRFIELD	FAIRFIELD/VACAVILLE	854.98750 FB2 199.5 W ERP MULTIPLE LOCNS (SEE ABOVE, ADDS NON-NPSPAC CHNL))

ALL ELEVATIONS SHOWN ARE IN METERS.

SHOWING YOUR AOP >40 KM IN HIGH-BAND OR >32 KM UHF REQUIRES ADDITIONAL JUSTIFICATION.

IMPORTANT NOTE: ALL LICENSEES SHOULD REVIEW THEIR LICENSES TO INSURE THAT HAAT AND ERP ARE SHOWN IN THE RECORDS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. Red - Items found incomplete in APCO system with no data in LOG.

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.