



# NORTHERN CALIF APCO LOG FOR JUNE 2010



THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from May 13.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
------	-------	--------	--------	---------	--

## PUBLIC SAFETY POOL (ALL COORDINATORS)

31-Jul	app pending	brentwood	brentwood	???.???? Fb/fb2/mo. To abate interference to Yolo Co.
176404	FREQ HOLD	CO PLACER	LK TAHOE AREA	151.0400 151.1150 FB/FB2 155.9100 156.2100 MO 250 W ERP 227 AAT 2283 MSL 27 AGL. YP/AP
210733	IN PROG	LONE PINE USD	LONE PINE	155.2800 FB2 4.6 W ERP 1140.5 AAT 2788 MSL 11 AGL. WB. RELOCATE. PW/APCO.
214246	APPD	HAYWARD	HAYWARD	453.1500 FB/FB2/MO 100 W ERP 224.7 AAT 369? MSL 15 AGL. NB. PW/APCO.
216821	APPD	CO SANTA CLARA	SAN MARTIN	458.06250 FXO 1 W ERP ?? AAT 84.1 MSL 6.1 AGL. NB/F2. PW/APCO.
216896	IN PROG	CO EL DORADO	PLACERVILLE	000.0000 FXO 1 W ERP ?? AAT 786.5 MSL 6.1 AGL. NB/F2. PW/APCO.
71918	APPD	COSTCO WHSL CORP	105 LOCATIONS US	1261 FREQUENCIES HIGH BAND & UHF MO 2 & 5 WATT. NB. IB/EWA.
217278	APPD	CO CALAVERAS	CO CALAVERAS	453.2500 FB/FB2 170 W ERP 510 AAT 855 MSL 32 AGL. MODS EXIST SYS. WB/NB. PW/APCO.
216672	IN PROG	CO DEL NORTE	GASQUET	153.9800 FB/FB2/MO 155.0850 MO100 W ERP 498.6 AAT 1153 MSL 18 AGL. WB/NB RELOCATE. PW/APCO
000876	IN PROG	ST CA: CAL FIRE	EL DORADO CO SITES	155.9025 FB/FB2/MO 151 W ERP 338.8 AAT 1863.0 MSL 21.3 AGL. NB. TO SOLVE INTERFERENCE ISSUE. PW/AASHTO
920003	APPD	SIGNATURE WIRELESS	MT VACA+	454.0000 FB6/MO6 14.8 W ERP 725 AAT 676 MSL 49 AGL. NB/VNB. YG/PCIA.
920004	APPD	GRIFFIN WIRELESS SVC	MT DIABLO+	454.0000 FB6/MO6 11 W ERP 931 AAT 1097 MSL 87 AGL. NB/VNB. YG/PCIA.
030004	APPD	TADLOCK & ASSOC	BIG ROCK+	454.0000 FB6/MO6 28 W ERP 440 AAT 576 MSL 30 AGL. NB/VNB. YG/PCIA.
217655	APPD	CO SACRAMENTO	SACRAMENTO	159.0300 FX1 40.2 W ERP 34.8 AAT 7.6 MSL 36.6 AGL. LAW PT TO PT NET 4. WB/NB. PW/APCO.
20008	APPD	GRIFFIN WIRELESS	CAZADERO (MOHART RIDGE)	463.4625 .7625 .3625 454.0000 FB6/MO 90 W ERP 432 AAT 706 MSL 45 AGL. NB/VNB. YG/PCIA.
000964	APPD	ST CA: CHP	LONE PINE	44.7000 .9400 45.2200 FB 213 W ERP -384.5 AAT 1137 MSL 11 AGL. PW/AASHTO.
001013	APPD	ST CA: CHP	LAKE ISABELLA/BAKERSFIELD/LEBE C/FRAZIER PK	44.9800 FB 213 W ERP 1108 AAT 2310 MSL26 AGL. PW/AASHTO.
001014A	APPD	ST CA: CHP	KEENE (KERN)	42.4200 .5400 .5600 .8600 44.7000 .9400 .9800 45.5000 FB 213 W ERP -351.4 AAT 752 MSL 9.8 AGL. PW/AASHTO.
001022	APPD	ST CA: CHP	MARICOPA/BAKERSFIELD/LK ISABELLA	45.5000 FB 213 W ERP 725.6 AAT 2162 MSL 29 AGL. PW/AASHTO.
001023	APPD	ST CA: CHP	OAKHURST/MENDOTA	44.9800 (3 LOCNS) FB 213 W ERP 561.9 AAT 1353 MSL 41 AGL. PW/AASHTO.
001040	APPD	ST CA: DOT	LIVINGSTON	460/465.53750 FXO/FXOT 6 W ERP -13.8 AAT 37.8 MSL 6.1 AGL. NB DIGI. PW/AASHTO.
217767	IN PROG	CRESCENT FPD	CRESCENT CI	154.2500 FB2/MO 440-W ERP. INCR MO ERP AND COUNT. ADD NB. RELOCATE STATION AT 4. PW/APCO.
075736	IN PROG	PORTERVILLE	PORTERVILLE	154.1900 154.2650 .2800 .2950 155.0850 .8650 156.000 FB/MO 160 W ERP. 48.5 AAT 201 MSL 30.5 AGL. PW/IMSA.
217812	IN PROG	HAYWARD	HAYWARD	460/465.???? FXO/FXOT 6 W ERP 202 MSL ?? AAT 6 AGL. NB, DIGITAL, PW/APCO.
074441	APPD	CO SIERRA	CO SIERRA	156.1200 MO 100 W ERP. ADD NEW FREQ, ADD NB, INCR MO ERP. PW/IMSA.
210179	APPD	KNOX La RUE	STOCKTON	462.5000 461.5250 463.9500 453.0000 461.5250 462.5000 463.9500 FB6/MO6 100 W ERP 117.7 AAT 4.5 MSL 122.5 AGL. YG/AAA.
001078	APPD	ST CA: CHP	FRESNO	44.9800 45.2400 FB 213 W ERP 16.3 AAT 101.2 MSL 9.1 AGL. MOD. PW/AASHTO.
217904	APPD	CO SOLANO	CO SOLANO	158.9100 MO 45 W ERP. NB. PW/APCO.
217909	APPD	EMERYVILLE	EMERYVILLE	458.4500 FX1 40 W ERP 6.1 METER RULE. ADD NB. PW/APCO.
217971	APPD	CO SANTA CLARA	MORGAN HILL	155.7600 FB/FB2/MO 288 W ERP -57 AAT 304.8 MSL 9.2 AGL. ADD TO EXIST SYS. NB. PW/APCO.
217968	IN PROG	CO SANTA CLARA	PALO ALTO	453.1000 FB/FB2/MO 158.8200 458.1000 MO 200 W ERP -71 AAT 9.1 MSL 28.2 AGL. WB/NB. PW/APCO.
073231	APPD	N VALLEY ANI DISAST GP	CHICO	153.79250 158.9025 MO 158.9025 FB2T 50 W ERP. INCR NO #. WB/NB. PW/IMSA.
075817	APPD	CO LAKE	CO LAKE 6 SITES	155.4075 FB/MO 50 W ERP -69.4 AAT 490 MSL 28.8 AGL. NB. PW/IMSA.
075818	APPD	CO LAKE	CO LAKE 3 SITES	155.4075 FB/MO 50 W ERP -82.6 AAT 424 MSL 12 AGL. NB. PW/IMSA.
001079	APPD	ST CA: CHP	FRESNO	44.9800 45.2400 FB 213 W ERP 37.1 AAT 88.4 MSL 25.9 AGL. PW/AASHTO.
001130	APPD	ST CA: CHP	MOJAVE (CPRA)	44.7000 .9400 FB 213 W ERP -87.1 AAT 1097 MSL 17 AGL. PW/AASHTO.
001131	APPD	ST CA: CHP	DARDANELLE (TUO)	44.9800 45.0200 FB 213 W ERP 331.6 AAT 2292.4 MSL 29 AGL. PW/AASHTO.
001136	APPD	ST CA: CHP	AUBURRY /SQAW VLY	45,2400 FB 213 W ERP 568 AAT 1366 MSL 23 AGL. 3 SITES. PW/AASHTO.
001139	APPD	ST CA: CHP	SALIDA (STAN)	45.9800 45.2400 FB 213 W ERP 37.1 AAT 88.4 MSL 25.9 AGL. PW/AASHTO.
218034	IN PROG	GRASS VALLEY	GRASS VALLEY	A154.8600 D156.000 D45.2200 D45.7800 D46.0200 50 W ERP 160 AAT 841 MSL 23 AGL. PW/APCO.
001141	APPD	ST CA: CHP	JAMESTOWN (TUO)	44.9800 45.0200 FB 213 W ERP -55 AAT 442MSL 23.8 AGL. PW/AASHTO.

## 470-512 MHz POOL

184401	APPD	CRYSTAL SMR	LOS GATOS	(AMMEND APP) D489.0000>A483.9750 D488.3250>A490.5500 FB8/MO8 1 KW ERP. VNB. YG/PCIA.
185915	APPD	CRYSTAL SMR	LOS GATOS	482.4000 .8000 483.2000 484.0000 .4000 .9000 488.3250 489.2000 490.1000 FB8/MO8 1 KW ERP 729 AAT 1035 MSL 30 AGL. YG/EWA.

Actions taken from May 13.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
	185915	APPD	CRYSTAL SMR	VACAVILLE	482.5500 .9500 .3500 .0725 484.1250 .5250 .9500 488.4500 489.8750 490.8500 FB8/MO8 1 KW ERP 600 AAT 829 MSL 34 AGL. YG/EWA.
	1200646	APPD	PAGING SYS INC	VACA	482.6750 483.2000 .7000 484.1000 .5500 .9750 488.6750 489.1750 .6250 490.1750 FB8/MO8 75 W ERP 603 AAT 829 MSL 34 AGL. VNB. YG/EWA.
	1200646	APPD	PAGING SYS INC	LOS GATOS	482.6000 483.1750 .6750 484.2000 .7000 488.9750 489.4750 .9500 490.4250 FB8/MO8 75 W ERP 729 AAT 1035 MSL 30 AGL. VNB. YG/EWA.
	1200646	APPD	PAGING SYS INC	TWIN PEAKS	482.5750 483.0750 .5750 484.0750 .5750 9250 489.2250 .8000 490.3000 .6750 FB8/MO8 68 W ERP 230 AAT 240.9 MSL 18.3 AGL. VNB. YG/EWA.
	094403	APPD	RFC WIRELESS	MT VACA & SF	489.9250 490.4250 FB6/MO6 35 W ERP. VNB. IG/EWA.
	217967	APPD	CO SANTA CLARA	SAN JOSE	482.33750 FB/FB2/MO 200 W ERP -102 AAT 85.9 MSL 33.9 AGL. PW/APCO/
	00932	APPD	FLEET TALK PARTINERS	DIABLO	A482.6000 D489.4000 FB8/MO8/FX1T 100 W ERP 857 AAT 1097.6 MSL 86 AGL. NB/VNB. YG/EWA.
	111022	APPD	CRYSTAL SMR	SAN FRANCISCO	482.9000 483.2250 .5250 .8750 484.2000 .5500 .9000 489.4750 490.5500 482.5500 FB8/MO8 1 KW ERP 230 AAT 240.9 MSL 18.3 AGL VNB. YG/EWA.

**700 Mhz PUBLIC SAFETY (SG, SY)**

10-012-2	IN PROG	CO ALAMEDA	CO ALAMEDA	175-339-435-603-879 FB/FB2 158 W ERP 491 AAT 645 MSL 49 AGL. P25. SG/APCO.
----------	---------	------------	------------	--

**800 Mhz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users**

2/5/10	app pend	sierra comm college	rocklin,grass vly,truckee	2 pair NPSAP, low level.
2/5/10	app pend	co stanislaus	co stanislaus	4 pair NPSAP, low level.
001052	APPD	ST CA: DOT	MARYSVILLE	858.98750 859.73750 .98750 FB/FX1 175 W ERP 41 AAT 18.6 MSL 42.7 AGL. GP/AASHTO.
217905	IN PROG	CO SOLANO	VALLEJO	858.46250 FB/FB2/MO 200 W ERP 15 AAT 7 MSL 56 AGL. ADD STATION TO SYS. GP/APCO.
217969	APPD	CO SANTA CLARA	SAN JOSE	856/857/858.43750 FB/FB2/MO 50 W ERP 26 AAT 135.3 MSL 46.4 AGL. GE/APCO.
001526	APPD	ST CA: DOT	IONE	858.73750 857.08750 856.73750 FB/FB2 814.76250 813.73750 FX1 112 W ERP 118.6 AAT 403.3 MSL 9.1 AGL. GP/AASHTO

ALL ELEVATIONS SHOWN ARE IN METERS.  
**SHOWING YOUR AOP >40 KM IN HIGH-BAND OR >32 KM UHF REQUIRES ADDITIONAL JUSTIFICATION.**  
**IMPORTANT NOTE: ALL LICENSEES SHOULD REVIEW THEIR LICENSES TO INSURE THAT HAAT AND ERP ARE SHOWN IN THE RECORDS.**

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.  
 Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION  
 Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.