



NORTHERN CALIF APCO LOG FOR OCTOBER 2010



THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from September 8.

ITEM COORD STATUS AGENCY TX CITY FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS

PLEASE NOTE THAT THE FCC CURRENTLY IS TAKING BETWEEN 7 AND 8 WEEKS TO PROCESS APPLICATIONS

PUBLIC SAFETY POOL (ALL COORDINATORS)

176404	FREQ HOLD	CO PLACER	LK TAHOE AREA	151.0400 151.1150 FB/FB2 155.9100 156.2100 MO 250 W ERP 227 AAT 2283 MSL 27 AGL. YP/AP
210733	IN PROG	LONE PINE USD	LONE PINE	155.2800 FB2 4.6 W ERP 1140.5 AAT 2788 MSL 11 AGL. WB. RELOCATE. PW/APCO.
216672	IN PROG	CO DEL NORTE	GASQUET	153.9800 FB/FB2/MO 155.0850 MO100 W ERP 498.6 AAT 1153 MSL 18 AGL WB/NB RELOCATE. PW/APCO
218844	IN PROG	WATSONVILLE	WATSONVILLE	155.7150 FB/FB2 159.0450 FX1/MO 25 W ERP -67.5 AAT 9 MSL 22.3 AGL. WB/NB. PW/APCO.
218848	IN PROG	CO SANTA CRUZ	SANTA CRUZ	154.0550 FB 100 W ERP -2 AAT 91 MSL 28 AGL. WB/NB. PW/APCO.
218850	IN PROG	CO SANTA CRUZ	SANTA CRUZ	155.2350 FB/MO 50 W ERP -80 AAT 8 MSL 20 AGL. WB/NB. PW/APCO.
219139	APPD	CO MONO	WALKER & MONO CO SITES	151.0850 151.1150 FB2 159.1500 .1800 155.8950 158.9250 MO 100 W ERP -441 AAT 1597 MSL 11 AGL. ADD FREQS & NB. PW/APCO.
219327	IN PROG	YCECA	CO YOLO	154.8750 FBT/FB2T/MO 159.0900 MO 25 W ERP. CO-WIDE. NB. SWAT. PW/APCO.
219164	CONCURR	CO KERN	GRAPEVINE (KERN)	151.6250 453.2625 FB/FB2 150 W ERP 510 AAT 1467 MSL 30.5 AGL. NB. PW/APCO
219165	CONCURR	CO KERN	ARVIN (KERN)	453.2625 FB/FB2/FX1/MO 200 W ERP -135.1 AAT 135 MSL 18.2 AGL. NB. PW/APCO.
44293	APPD	SANTA CRUZ CO SAN DIST	SANTA CRUZ	453/458.7250 FXO/MO 20 W ERP -64.4 AAT 29.8 MSL 6.1 AGL. NB. NEW. PW/FCCA.
44294	APPD	SANTA CRUZ CO SAN DIST	SANTA CRUZ	453/458.7250 FXO/MO 20 W ERP -110.1 AAT 9.9 MSL 6.1 AGL. NB. NEW. PW/FCCA.
44297	COND APP	SANTA CRUZ CO SAN DIST	SANTA CRUZ	458.3750 461.9375 FXO 16 W ERP -69.1 AAT 2.2 MSL 6.1 AGL. NB. NEW. PW/FCCA.
219942	APPD	BRENTWOOD	BRENTWOOD	D155.5500 D155.8500 A155.1450 FB/FB2/MO 100 W ERP 21.3 AAT 17.4 MSL 36.6 AGL. CHNG FREQ. PW/APCO.
44325	APPD	ST CA: ?	DAVENPORT (MONT)	453/458.7750 FXO 50 W ERP -45.3 AAT 54.9 MSL 10.7 AGL. NB. PW/FCCA
80106	APPD	MERCED	MERCED	158.9350 FX1/MO 158.96250 MO 155.8050 153.9050 FBS/FB2 150 W ERP 25 AAT 54 MSL 31 AGL. NB. PW/IIMSA.
43332	APPD	ST CA: CHP	COULTERVILLE (MARI)	44.9800 45.9400 FB 213 W ERP 331.6 AAT 868.7 MSL 29 AGL. ADD NB TO VHF-HI. PW/FCCA.
43333	APPD	ST CA: CHP	LOS BANOS	44.9800 45.9400 FB 213 W ERP 4.9 AAT 36.6 MSL 25.6 AGL. PW/FCCA.
43334	APPD	ST CA: CHP	LOS BANOS	44.9800 45.9400 FB 213 W ERP -51.9 AAT 50.3 MSL 8.5 SGL. PW/FCCA.
44335	APPD	ST CA: CHP	OAKHURST/MPOSAM/DOTA	45.9400 FB 213 W ERP 646.9 AAT 1353.3 MSL 41 AGL. PW/FCCA.
44315	APPD	ST CA: CHP	LAYTONVILLE/PT ARENA/UKIAH/PHILO SARATOGA/MT HAMILTON/GILROY	44.9200 FB 72.8800 75.500 FXO 213 W ERP 756 AAT 1283 MSL 47 AGL. PW/FCCA.
2058	APPD	CO SANTA CLARA		151.0550 FB/FB2/MO 156.1950 159.000 FX1/MO 350 W ERP 652 AAT 1307 MSL 46 AGL. ADD NB. PW/AASHTO.
44340	APPD	ST CA: CHP	YREKA	44.9800 45.420 FB 465.3250 FXO (ADD NB) 776 AAT 1873 MSL 23 AGL. PW/FCCA.
44341	APPD	ST CA: CHP	SAWYERS BAR	45.4200 FB 460.3250 (ADD NB) FXO 213 W ERP 680 AAT 1959 MSL 29 AGL. PW/FCCA.
44342	APPD	ST CA: CHP	YREKA	44.9800 45.4200 FB 213 W ERP -41 AAT 951 MSL 29 AGL. PW/FCCA.
44343	APPD	ST CA: CHP	GRENADA (SIS)	44.9800 45.4200 FB 213 W ERP 691 AAT 1778 MSL 10 AGL. PW/FCCA.
44344	APPD	ST CA: CHP	MT SHASTA	42.5600 .7800 44.9800 45.4200 FB 213 W ERP -299 AAT 997.6 MSL 21.3 AGL. PW/FCCA.
3465	APPD	ST CA: CHP	EUREKA	42.3400 44.9800 45.2200 FB (ADDS NB TO VHF-HI) 213 W ERP -11.9 AAT 10.7 MSL 32 AGL. PW/FCCA.
44346	APPD	ST CA: CHP	KLAMATH (DEL N)	44.9800 45.2200 FB 213 W ERP 776 AAT 1300 MSL 20 AGL. PW/FCCA.
44348	APPD	ST CA: CHP	COBB/KELSEYVILLE	453/458.9250 FXO 50 W ERP 823.7 AAT 1432.6 MSL 33.5 AGL. PW/FCCA.
44349	APPD	ST CA: CHP	CHOWCHILLA	42.5600 .9400 44.9800 45.9400 FB 213 W ERP 17.4 AAT 69.5 MSL 16.8 AGL. PW/FCCA.
44351	APPD	ST CA: DOT	KLAMATH /CRES CTY/(DEL N) ORICK(HUM)	453/458.02500 .7000 FXO 90 W ERP 764.8 AAT 1299 MSL 14 AGL. PW/FCCA.
44358	APPD	ST CA: CAL FIRE	PORTERVILLE	159.3750 FX1 32 W ERP -81 AAT 244 MSL 9.1 AGL. RECONFIGURE ANTENNAS ADD NB. PW/FCCA
44352	APPD	ST CA: CAL FIRE	ECHO LAKE/TRUCKEE/S. LAKE TAHOE	154.1300 FB/FB2 100 W ERP 362 AAT 2661.5 MSL 26.8 AGL PW/FCCA
44311	APPD	ST CA: CHP	BURNEY / NUBIEBER	44.9800 45.1400 FB 213 W ERP 282.9 AAT 1530.1 MSL 42.7 AGL PW/FCCA
218664	APPD	CO SAN JOAQUIN	STOCKTON	460.1000 FB/MO 25 W ERP 45.7 AAT 3 MSL 56.4 AGL PW/APCO
79842	APPD	LOS ALTOS	LOS ALTOS / MTN VIEW / PALO ALTO	460.1250 FB/FB2 90 W ERP -96.3 AAT 53 MSL 20 AGL PW/IIMSA
44371	APPD	ST CA: CHP	REDDING	42.2800 .5600 44.9800 45.1400 FB 213 W ERP -340.9 AAT 392.6 MSL 9.8 AGL PW/FCCA
44372	APPD	ST CA: CHP	LEWISTON	44.9800 45.1400 FB 213 W ERP 521.1 AAT 1395.7 MSL 31.1 AGL PW/FCCA
44373	APPD	ST CA: CHP	RED BLUFF	44.9800 45.1400 FB 213 W ERP 354.4 AAT 566.9 MSL 42.7 AGL PW/FCCA
44374	APPD	ST CA: CHP	DELTA	44.9800 45.1400 FB 213 W ERP 439.2 AAT 1202 MSL 29.6 AGL PW/FCCA
44375	APPD	ST CA: CHP	WEAVERVILLE	44.9800 45.1400 FB 213 W ERP -266.6 AAT 603.5 MSL 22.9 AGL PW/FCCA
44376	APPD	ST CA: CHP	RED BLUFF	44.9800 45.1400 FB 213 W ERP -19 AAT 96.3 MSL 25 AGL PW/FCCA
44377	APPD	ST CA: CHP	REDDING	44.9800 45.1400 FB 213 W ERP -65.2 AAT 199 MSL 24.4 AGL PW/FCCA
44380	APPD	ST CA: CHP	RIO DELL / WEOTT	453.0500 458.0500 FXO 6 W ERP 604.7 AAT 1030.5 MSL 18.3 AGL PW/FCCA
44381	APPD	ST CA: CHP	REDWAY	44.9800 45.200 FB 213 W ERP 255 AAT 128 MSL 23 AGL PW/FCCA
44382	APPD	ST CA: CHP	GASQUEST	44.9800 45.220 FB 213 W ERP -291 AAT 520 MSL 17 AGL PW/FCCA
44383	APPD	ST CA: CHP	TRINIDAD	42.5600 42.6800 44.9800 45.220 FB 213 W ERP -110 AAT 7.6 MSL 10 AGL PW/FCCA

Actions taken from September 8.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
44384		APPD	ST CA: CHP	RIO DELL	44.9800 45.220 FB 213 W ERP -612 AAT 972 MSL 29 AGL PW/FCCA
44385		APPD	ST CA: CHP	GARBERVILLE	44.9800 45.2200 FB 213 W ERP 768 AAT 1186 MSL 18 AGL PW/FCCA
44386		APPD	ST CA: CHP	BRADLEY/SAN BENITO/ MONTEREY	453.7250 458.5625 458.7250 458.4250 FX0 50 W ERP 526.5 AAT 853.1 MSL 42.7 AGL PW/FCCA
44317		APPD	ST CA: CHP	STOCKTON	458.8750 FX1 315 W ERP 14.8 AAT 9.8 MSL 24 AGL PW/FCCA
44390		APPD	ST CA: CHP	WILLOW CREEK	44.9800 45.2200 FB 213 W ERP 843 AAT 1509 MSL 48.8 AGL PW/FCCA
81633	IN PROG		SAN MATEO PRE-HOS EMERGENCY SERVICES	BURLINGAME/SAN MATEO	151.4750 153.7850 .9500 155.3250 FB/FB2 57 AAT 75 MSL 16 AGL 80 W ERP PW/IIMS
220472	APPD		CO MONTEREY	SAN ARDO	154.0250 155.7750 FB/FB2/MO 24 W ERP 509.9 AAT 823.6 MSL 48.8 AGL PW/APCO
81146	IN PROG		SAN MATEO PRE-HOS EMERGENCY SERVICES	SAN CARLOS/WOODSIDE/ REDWOOD CITY	151.4750 153.8900 154.0550 .3700 155.3250 .4000 .7450 159.0750 FB/FB2/FX1/MO 70.1 AAT 164.6 MSL 19.2 AGL 150 W ERP PW/IIMS
220499	APPD		CO DEL NORTE	CRESCENT CITY	153.2400 FB/FB2 490 AAT 1151 MSL 17 AGL 35 W ERP ADD NB APCO/PW
220501	APPD		CO DEL NORTE	CRESCENT CITY	154.0850 FB/MO -47.7 AAT 12 MSL 13.7 AGL 40 W ERP ADD NB APCO/PW
220502	APPD		CO DEL NORTE	CRESCENT CITY	156.0600 .2400 159.0150 MO 110 W ERP ADD NB APCO/PW
002364	APPD		CO STOREY, NV	VIRGINIA CITY	159.0750 FB2/MO 156.1650 FX1/MO -113 AAT 1905 MSL 11 AGL 200 W ERP ADD NB PW/AASHTO
44427	APPD		ST CA: CHP	PAICINES	42.3400 .5400 44.9200 45.2200 FB 537.7 AAT 1184 MSL 42.7 AGL 213 W ERP PW/FCCA
44428	APPD		ST CA: CHP	BEN LOMOND	42.4600 44.6600 44.9200 45.2200 FB 503.2 AAT 802 MSL 46.3 AGL 213 W ERP PW/FCCA
44429	APPD		ST CA: CHP	BRADLEY	44.6600 .9200 FB 535.5 AAT 853 MSL 42.7 AGL 213 W ERP PW/FCCA
002379	APPD		CO STANISLAUS	MODESTO	155.8800 FB/MO 10.7 AAT 24 MSL -9 AGL 5 W ERP ADD NB PW/AASHTO

470-512 MHz POOL

218892	APPD	CUPERTINO	CUPERTINO	482.56250 484.35000 485.56250 487.35000FB/FB2/FX1/MO 150 W ERP -85.5 AAT 86.2 MSL 42.4 AGL. NB. YW/APCO.
03047	APPD	AC TRANSIT	PALO ALTO	484.58750 FB2/MO 500 W ERP 611 AAT 856 MSL 30 AGL. WB/NB. IG/EWA.
0213914	APPD	CRYSTAL SMR		493.41250 MO 63 W ERP. MOD: INCR MO #. IG/EWA.
218893	DELETED	CUPERTINO	CUPERTINO	000.00000 FB/FB2/FX1/MO 150 W ERP -51.5 AAT 86.2 MSL 42.4 AGL. YW/APCO. NB.
218940	IN PROG	AC TRANSIT	PALO ALTO	488.36250 .76250 490.46250 .56250 .61250 .66250 FB8/MO 500 W ERP 600.2 AAT 856 MSL 30 AGL. WB/NB. ADD SITE. YW/APCO.
219892	APPD	SUNNYVALE	SUNNYVALE	483.16250 FB2 219 W ERP -55.4 AAT 37 MSL 17 AGL. CORRECT COORDS. PW/APCO.
290011	APPD	EQUITY OFFICE PROPERTIES	SAN FRANCISCO	484.11250 FB2/MO 30 W ERP 29 AAT 22 MSL 10 AGL. MOD ADD NB. IG/PCIA.
220346	APPD	CO SANTA CLARA	PALO ALTO	482.3375 485.3375 FB/FB2/MO -71 AAT 9.1 MSL 39.6 AGL PW/APCO

700 Mhz PUBLIC SAFETY (SG, SY)

Applications may be submitted at any time to the review committee.

800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

2/5/10	app pend	co stanislaus	co stanislaus	4 pair NPSPAC, low level.
219333	APPD	ROSEVILLE	ROSEVILLE	851.5750 .2375 .8750 852.3750 .0500 .1250 .8250 853.0500 .3500 .5500 FB/FB2 100 W ERP 54.1 AAT 26.8 MSL 59.7 AGL. ADDS NEW WEST SITE TO EXIST SYSTEM. YE/APCO.
44347	APPD	ST CA: DOT	LAKE CO (4 SITES)	859.98750 FB/FB2/FX1 175 W ERP 826.8 AAT 1432.6 MSL 36.6 AGL. GP/FCCA.
44354	APPD	ST CA: DOT	KLAMATH /CRES CTY/(DEL N) ORICK(HUM)	859.73750 FB/FB2 338 W ERP -10.1 AAT 12.2 MSL 6.7 AGL. GP/FCCA
44355	APPD	ST CA: DOT	CRESCENT CTY	857.98750 FB/FB2 338 W ERP -10.1 AAT 12.2 MSL 6.7 AGL. PW/FCCA.
44404	APPD	ST CA: PARKS	BIG SUR	812.7375 813.9875 814.9875 857.7375 858.9875 859.9875 FB/FB2/FX1 168.8 AAT 597 MSL 19.8 AGL 78 W ERP PW/FCCA
650008	APPD	ELK GROVE USD	ELK GROVE	855.8215 854.8875 810.8125 809.8875 FB2/ MO 21 AAT 25 MSL 14 AGL 2 W ERP PCIA/PW
650009	APPD	ELK GROVE USD	ELK GROVE	855.8215 854.8875 810.8125 809.8875 FB2/ MO 13 AAT 11 MSL 13 AGL 2 W ERP PCIA/PW

ALL ELEVATIONS SHOWN ARE IN METERS.

SHOWING YOUR AOP >40 KM IN HIGH-BAND OR >32 KM UHF REQUIRES ADDITIONAL JUSTIFICATION.

IMPORTANT NOTE: ALL LICENSEES SHOULD REVIEW THEIR LICENSES TO INSURE THAT HAAT AND ERP ARE SHOWN IN THE RECORDS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.