



NORTHERN CALIF APCO LOG FOR JANUARY 2011



THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from December 15.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
------	-------	--------	--------	---------	--

The turn around time at the FCC has returned to more normal cycles: 2-3 weeks.

PUBLIC SAFETY POOL (ALL COORDINATORS)

1	176404	FREQ HOLD	CO PLACER	LK TAHOE AREA	151.0400 151.1150 FB/FB2 155.9100 156.2100 MO 250 W ERP 227 AAT 2283 MSL 27 AGL. YP/AP
2	210733	APPD	LONE PINE USD	LONE PINE	155.2800 FB2 4.6 W ERP 1140.5 AAT 2788 MSL 11 AGL. WB. RELOCATE. PW/APCO.
3	77972	APPD	CO HUMBOLDT	CO HUMBOLDT	173.3250 MO/MO3 5 W ERP (WAIVER REQUESTED) PW/IMSA
4	44473	APPD	ST CA: CHP	EMIGRANT GAP	45.6000 FB 155 W ERP 174.7 AAT 1950.7 MSL 29 AGL PW/FCCA
5	44482	APPD	ST CA: CAL FIRE	FELTON	154.9800 159.3750 FX1 398 W ERP @016° D151.4450 159.3450 -119.5 AAT 87 MSL 22.9 AGL. ADD NB TO OTHERS.PW/FCCA
6	21362	APPD	CO TULARE	TULARE	453.8000 FB/FB2/MO 10 W ERP 9.3 AAT 98 MSL 8.8 AGL. NB/P25. PW/APCO.
7	21363	APPD	CO TULARE	PORTERVILLE	453.4750 .8500 .9750 FB/FB2 50 W ERP 383.1 AAT 1066 MSL 18 AGL. NB/P25. PW/APCO.
8	21354	APPD	CO TULARE	PORTERVILLE	153.9050 FB/FB2 40 W ERP 383.1 AAT 1066 MSL 18 AGL. NB/P25. PW/APCO.
9	44486	APPD	ST CA: CHP	WALNUT GROVE	44.6600 .8400 FB 196 W ERP 127.7 AAT 0 MSL 129.5 AGL. PW/FCCA.
10	73529	APPD	COSTCO WHOLESALE	NATIONWIDE	534 FREQUENCIES 1284 LOCATIONS MO 2 W ERP. NB. IG/EWA. ALL IG CHANNELS PROPOSED MOD TO EXIST.
11	21047	CONCR	CO KERN	BRECKENRIDGE	453.26250 FB/FB2 90 W ERP 1236.1 AAT 2310 MSL 12 AGL. NB. PW/APCO.
12	44493	APPD	ST CA: CHP	FRESNO	42.0800 .3400 .2800 FB 213 W ERP 32 AAT 94.4 MSL 10.7 AGL. PW/FCCA.
13	84563	APPD	CO TULARE	CO TULARE	155.8950 158.9250 153.9050 FX1T 110 W ERP. ADD NB. PW/IMSA.
14	84579	APPD	CO TULARE	PORTERVILLE	154.0100 FB/FB2 40 W ERP 354.4 AAT 1066 MSL 18 AGL. NB/P25. PW/IMSA.
15	221524	APPD	CO MONTEREY	SALINAS	M155.5950 155.7300 168.9100 159.0900 FX1 360 W ERP -106 AAT 26 MSL 11 AGL. WB/NB. PW/APCO.
16	221525	APPD	CO MONTEREY	BIG SUR	155.7300 159.0900 FX1 200 W ERP -239 AAT 79 MSL 6 AGL. WB/NB. PW/APCO.
17	221526	APPD	CO MONTEREY	BIG SUR	155.7300 159.0900 FX1 150 W ERP -189.7 AAT 137 MSL 9 AGL. WB/NB. PW/APCO.
18	221527	APPD	CO MONTEREY	SALINAS	155.7300 159.0900 FX1 125 W ERP -99.8 AAT 26 MSL 11 AGL. WB/NB. PW/APCO.
19	221528	APPD	CO MONTEREY	PT SUR	159.0900 155.7300 FB/FB2 250 W ERP 106.4 AAT 370 MSL 24.3 AGL. WB/NB/P25. PW/APCO.
20	221529	APPD	CO MONTEREY	KING CITY	155.1000 FB/MO 156.0150 FX1 158.8050 FX1 120 W ERP -133.8 AAT 101 MSL 12 AGL. WB/NB. PW/APCO.
21	221530	APPD	CO MONTEREY	SALINAS	155.6700 155.7300 A59.0900 159.2100 158.8500 FB -52.1 AAT 16 MSL 16 AGL. WB/NB. INCR ERP. PW/APCO.
22	221531	APPD	MARINA	MARINA/SALINAS	155.7750 FB/FB2 158.8350 FX1 75 W ERP -54.5 AAT 21 MSL 14.3 AGL. WB/NB. PW/APCO.
23	221532	APPD	CO MONTEREY	SAN ARDO	158.7450 FB/FB2 144 W ERP 509.9 AAT 823.6 MSL 18.3 AGL. WB/NB. PW/APCO.
24	221533	APPD	CO MONTEREY	SALINAS	155.8650 FB/FB2 200 W ERP 757.7 AAT 1042.4 MSL 55 AGL. WB/NB. PW/APCO.
25	221534	APPD	CO MONTEREY	SOLEDAD/KCTY SALINAS	158.8050 156.0150 FB/FB2 158.8050 FX1 140 W ERP 78.2 AAT 374.6 MSL. WB/NB. PW/APCO.
26	221535	APPD	CO MONTEREY	SALINAS	155.5950 158.9100 FB/FB2 240 W ERP 757.7 AAT 1042.4 MSL 55 AGL. WB/NB. PW/APCO.
27	221536	APPD	CO MONTEREY	CO MONTEREY	154.7250 .7850 .8150 155.1900 .4900 .5350 .5950 .7300 .9100 .9700 156.0150 158.8500 .9100 .8050 159.0900 .1800 .2100 MO 110 W ERP. WB/NB. PW/APCO.
28	221537	APPD	CO MONTEREY	CO MONTEREY	155.8650 FB2T 100 W ERP. WB/NB. PW/APCO.
29	221540	APPD	CO MONTEREY	SANTA CRUZ	159.0900 155.7300 FB/FB2 250 W ERP 530.5 AAT 799.5MSL34 AGL. WB/NB. PW/APCO.
30	221542	APPD	CO MONTEREY	MONTEREY	155.5950 158.9100 FX1 250 W ERP -51 AAT 22.3 MSL 18 AGL. WB/NB. PW/APCO.
31	221543	APPD	CO MONTEREY	SALINAS	155.5950 158.9100 FX1 250 W ERP -51 AAT 16 MSL 31.1AGL. WB/NB. PW/APCO.
32	221544	APPD	CO MONTEREY	SALINAS	155.9700 159.2100 155.1900 159.2100 FB/FB2 155.1900 MO INCR #. 100 W ERP. -99.8 AAT 26 MSL 11 AGL. WB/NB. PW/APCO.
33	221545	APPD	CO MONTEREY	SAN ARDO	156.0900 155.7300 FB/FB2 144 W ERP 509.9 AAT 823.6 MSL 24 AGL. WB/NB. PW/APCO.
34	221546	APPD	CO MONTEREY	SALINAS	156.0900 155.7300 FB/FB2 240 W ERP 757.7 AAT 1049 MSL 55 AGL. WB/NB. PW/APCO.
35	221547	APPD	CO MONTEREY	BIG SUR	159.0900 155.7300 FB/FB2 144 W ERP 675.1 AAT 1236.9 MSL 21 AGL. WB/NB. PW/APCO.
36	211548	APPD	CO MONTEREY	SALINAS	155.8650 158.7450 FX1 (6M) -87.2 AAT 13.1 MSL 6.1 AGL. WB/NB. PW/APCO.
37	221557	APPD	CO MONTEREY	MONTEREY	155.7300 159.0900 FX1 264 W ERP -51 AAT 23.3 MSL 15 AGL. WB/NB. PW/APCO.
38	221558	APPD	CO MONTEREY	KING CITY	155.5950 .7300 158.9100 159.0900 FX1 100 W ERP -149.7 AAT 95.7 MSL 9.8 AGL. WB/NB. PW/APCO.
39	221559	APPD	CO MONTEREY	BIG SUR	155.7300 159.0900 FX1 250 W ERP -330.6 AAT 30 MSL 9 AGL. WB/NB. PW/APCO.
40	221560	APPD	CO MONTEREY	BRADLEY	155.7300 159.0900 FX1 264 W ERP 20.9 AAT 336 MSL 15 AGL. WB/NB. PW/APCO.
41	221561	APPD	CO MONTEREY	GREENFIELD	158.8050 FX1 40 W ERP -147.4 AAT 87 MSL 9 AGL. WB/NB. PW/APCO.
42	221562	APPD	CO MONTEREY	MONTEREY	155.8650 158.7450 FX1 (6M)156.8 AAT 22.3 MSL 6.1 AGL. WB/NB. PW/APCO.
43	221563	APPD	CO MONTEREY	SALINAS	158.7450 FX1 200 W ERP -54.1 AAT 21 MSL 38.7 AGL. WB/NB. PW/APCO.
44	221564	APPD	CO MONTEREY	CO MONTEREY	153.8600 155.8650 158.7450 MO 110 W ERP. WB/NB. PW/APCO.
45	221565	APPD	CO MONTEREY	KING CITY	155.7300 158.8050 159.0900 FX1 100 W ERP -149 AAT 101 MSL 6 AGL. WB/NB. PW/APCO.
46	221566	APPD	CO MONTEREY	GONZALES	156.0150 158.8050 FX1 132 W ERP -289.5 AAT 40 MSL 7 AGL. WB/NB. PW/APCO.
47	221567	APPD	CO MONTEREY	SOLEDAD	158.8050 FX1 85 W ERP -240 AAT 58.5 MSL 9 AGL. WB/NB. PW/APCO.

Actions taken from December 15.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
48	221576	APPD	CO MONTEREY	BIG SUR	155.7300 159.0900 FB/FB2 150 W ERP @ 030° -101.3 AAT 92.3 MSL 30.1 AGL. WB/NB. PW/APCO.
49	221757	APPD	CO MONTEREY	SAN ARDO	155.7300 159.0900 FB/FB2 150 W ERP 363.3 AAT 1007.4 MSL 30 AGL. WB/NB. PW/APCO.
50	221580	APPD	CO MONTEREY	SALINAS	155.7300 159.0900 FB/FB2 18 W ERP @ 170 & 260° 579.2 AAT 932.1 MSL 18.3 AGL. WB/NB. PW/APCO.
51	221583	APPD	CO MONTEREY	CARMEL VLY	155.7300 159.0900 FB/FB2 150 W ERP 183.3 AAT 630.3 MSL 7 AGL. WB/NB. PW/APCO.
52	221591	APPD	CO MONTEREY	CARMEL	155.7300 159.0900 FB/FB2 150 W ERP 228.2 AAT 251.4 MSL 28 AGL. WB/NB. PW/APCO.
53	221593	APPD	CO MONTEREY	CARMEL	154.3700 156.1050 FB/FB2 150 W ERP 228.2 AAT 251.4 MSL 28 AGL. WB/NB. PW/APCO.
54	221595	APPD	CO MONTEREY	CARMEL	154.3700 156.1050 FB/FB2 150 W ERP 183.3 AAT 630.3 MSL 7 AGL. WB/NB. PW/APCO.
55	221597	APPD	CO MONTEREY	BIG SUR	154.3700 156.1050 FB/FB2 200 W ERP @ 030° & 150° -101.3 AAT 92.3 MSL 30.1 AGL. WB/NB. PW/APCO.
56	221600	APPD	CO MONTEREY	SALINAS	154.3700 156.1050 FB/FB2 18 W ERP @ 170° & 260° 579.2 AAT 932.1 MSL 18.3 AGL. WB/NB. PW/APCO.
57	221630	APPD	CO MONTEREY	BIG SUR	MED 1-10, FB/FB2 280 W ERP @ 030° & 150° -101.3 AAT 92.3 MSL 27 AGL. WB/NB. PW/APCO.
58	221636	APPD	ROSEVILLE	ROSEVILLE	460/465.06250 FXO/FXOT 6 W ERP 9.4 AAT 64 MSL 11.1 AGL. IRRIG SYS. NB DATA. PW/APCO.
59	332638	APPD	ROSEVILLE	ROSEVILLE	460/465.06250 FXO/FXOT 6 W ERP -9.4 AAT 76 MSL 11.1 AGL. IRRIG SYS. NB DATA. PW/APCO.
60	94211	APPD	EAGLE MTN CASINO	PORTERVILLE	152.2700 .4350 160.0950 FB2/MO 39 W ERP 154.4900 157.5300 .6950 MO 25 W ERP 393.3 AAT 1072 MSL 17.1 AGL. IG/EWA.
61	44526	APPD	CO SAN JOAQUIN	FRENCH CAMP	453.5500 FB2/MO 10 W ERP 1.6 AAT 4 MSL 3.4 AGL. NB: P25 AND ODD EMISSION DESIGNATOR. PW/FCCA (EWA)
62	44529	APPD	LOS BANOS FIRE DEPT	LOS BANOS	154.1000 MO 35 W ERP. PW/FCCA (EWA)
63	221747	IN PROG	SOLEDAD	SOLEDAD	154.7550 FB/MO 156.0150 MO 45 W ERP (SITE DATA INCOMPLETE) NB. PW/APCO.
64	65002	APPD	MON CO S&R DOGS	STATEWIDE	155.1600 .2200 .2650 2950 MO 5 W ERP NB ANALOG & DIGI. CPRA CONCURRED. PW/PCIA/EWA.
65	44534	APPD	ST CA: CHP	SUSANVILLE	44.9800 45.1000 FB 213 W ERP 686.7 AAT 2052.8 MSL 15.2 AGL. PW/FCCA
66	221699	APPD	CARSON CITY	INCLINE VILLAGE	155.8800 FB2 2.9 W ERP 453.76250 .63750 MO 10.7 W ERP 851.5 AAT 2788 MSL 5 AGL. NB ANA & DIGI. PW/APCO.
67	44530	APPD	LOS BANOS	LOS BANOS	155.13750 .90250 MO 35 W ERP NB. PW/FCCA.

470-512 MHz POOL

68	102838	APPD	HORIZON LINES-SEALOGIC	OAKLAND (SKYLINE)	490.76250 FB2/FX1/MO 113 W ERP 383 AAT 453 MSL 59.4 AGL. NB. IG/EWA.
----	--------	------	------------------------	-------------------	--

700 Mhz PUBLIC SAFETY (SG, SY)

69	<i>Applications may be submitted at any time to the review committee.</i>				
70	IN PROG	CO SAN MATEO	CO SAN MATEO	CO SAN MATEO	SYSTEM PROPOSAL
71	IN PROG	CO MARIN	CO MARIN	CO MARIN	SYSTEM PROPOSAL
72	APPD	GG BRIDGE DIST	CO MARIN	CO MARIN	REARRANGE ALLOCATED CHANNELS TO VARIOUS SITES IN SYSTEM.
73	IN PROG	CO ALAMEDA	CO ALAMEDA	CO ALAMEDA	5 CHNLS PROPOSAL

800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

74	2/5/10	app pend	co stanislaus	co stanislaus	4 pair NPSPEC, low level.
75	44396	APPD	ST CA: DOT	LOS GATOS	858.08750 FB/FB2 139 W ERP @ 200° 802 AAT 1155 MSL 31.1 AGL. GP/FCCA.
76	44501	APPD	ST CA: P & R	FELTON	856.73750 FB/FB2 55 W ERP 62.3 AAT 236.5 MSL 10.7 AGL. GP/FCCA.
77		APPD	OAKLAND	OAKLAND	ADDS TWO NEW SITES AND ADDNL OAKLAND ALLOCATED CHANNELS.

10/26/10 note: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ SPECTRUM.

12/15/10 NOTE: Any applications involving WB will not be accepted by the FCC without additional submissions.

ALL ELEVATIONS SHOWN ARE IN METERS.

SHOWING YOUR AOP >40 KM IN HIGH-BAND OR >32 KM UHF REQUIRES ADDITIONAL JUSTIFICATION.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.