



NORTHERN CALIF APCO LOG FOR APRIL 2011



THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from March 2.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
------	-------	--------	--------	---------	------------------------------------------------

The turn around time at the FCC has apparently slipped. We now are seeing sixty day processing times again.

PUBLIC SAFETY POOL (ALL COORDINATORS)

221999	APPD	CO PLACER	ROSEVILLE	MED 1-10 FB/FB2/MO 15.2 W ERP 155.3400 FB/MO 52.9 AAT68 MSL 59.4 AGL. WB/NB. PW/APCO.
44016	APPD	ST CA: CHP	MIDDLETOWN (LK)	42.420 FB 120 W ERP 953.3 AAT 1328 MSL 56 AGL. CORRECTIONS. PW/FCCA.
44020	APPD	ST CA: EMA	MIDDLETOWN (LK)	153.7550 FB/FB2 110 W ERP 053.3 AAT 1328 MSL 30.5 AGL. REDUCE ERP & CORRECT ANT DATA. PW/FCCA.
44021	APPD	ST CA: DOJ	MIDDLETOWN (LK)	154.6800 FB/FB2 100 W ERP 953.3 AAT 1328 MSL 30.5 AGL. CORRECT ANT DATA. PW/FCCA.
44027	APPD	ST CA: CAL FIRE	GRASS VALLEY (NEV)	151.2725 .2875 .2950 .3025 .3100 FB 178.4 AAT 949.8 MSL 15.8 AGL. NB. ADD FREQS. PW/FCCA.
44456	APPD	CO SAN JOAQUIN	FRENCH CAMP	453.5250 FB2/MO 25 W ERP 4.4 AAT 3 MSL 7.6 AGL. NON P25 DIGITAL VOICE. JUV HALL. PW/FCCA.
44054	APPD	ST CA: CHP	REDDING	44.9800 45.1400 FB 213 W ERP -28.4 AAT 219.4 MSL 9.1 AGL. ADDS FREQS. PW/FCCA
44056	APPD	ST CA: CAL EMA	SUTTER BUTTES	39.4600 151.13750 FB/FB2T 154.2800 FB 154.45250 154.9200 FB/FB2T 155.75250 FB 158.73750 159.47250 70 W ERP 453.21250 .46250 .71250 .86250 FB/FB2 460.0250 FB/FB2 150 W ERP 576.7 AAT 591 MSL 30 AGL. WB/NB. PW/FCCA. LOW BAND. CORRECTS ANTENNA TOWER DATA. -186.5 AAT 950.4 MSL 21.3 AGL. PW/FCCA.
44055	APPD	ST CA: CHP	BURNEY	453.1125 FXO 1 W ERP -236.2 AAT 168 MSL 5.7 AGL. NB/DIGITAL. PW/APCO.
222151	APPD	CO HUMBOLDT	GARBERVILLE	460.5000 FB2/MO 25 W ERP 43.5 AAT 6.1 MSL 45.7 AGL. NB. ADDS 2ND FREQ. PW/IMSA.
85625	WDRN	ST CA: BD OF EQU	SACRAMENTO	154.7850 FB/FB3/MO 155.91750 FX1/MO 127.7 W ERP 62 AAT 69.2 MSL 53.3 AAT. NB. NEW. PW/APCO.
22158	APPD	LEMOOR	LEMOOR	155.69250 156.2250 FB/FB2/MO 158.9100 159.0150 FX1/MO 176 W ERP 42 AAT 72.5 MSL 30.5 AGL. NB/P25. PW/APCO.
222159	APPD	HANFORD	HANFORD	155.2500 .6100 156.1950 FB/FB2/MO 150.7750 .7900 153.9650 FX1/MO 150 W ERP V HAAT V MSL V AGL. NEW. NB/P25. PW/APCO.
222202	IN PROG	CO KINGS	AVENAL/EXETER/COALINGA	154.4000 FB2 100 W ERP 104 MSL 2807.MSL 7.6 AGL. D WB/A NB. RELOCATE 1 SITE, ADD NEW SITE, PW/APCO.
222424	APPD	N TAHOE FPD	TAHOE CI/CARSON CI	KMH603 D WB A NB 154.8050 FB/FB2 100 W ERP 765 AAT 1086 MSL 21 AGL. MOD EXIST. PW/IMSA.
78946	APPD	SAN JOSE	SAN JOSE AREA	M453.91250/458.91250 FXOT/MO 6 W ERP. NB, DIGI. PW/APCO.
222486	APPD	HOUGHSON	HOUGHSON	154.2500 155.7600 153.8600 FB/MO 100 W ERP -522.6 AAT 1573 MSL 6 AGL. NB. PW/IMSA.
86726	DENIED	PARADISE FPD (MONO)	CO MONO	452.46250 453.0125 FB8/MO8 463.9000 MO6 100 W ERP 489 AAT 944 MSL 15 AGL. NB/VNB. YG/EWA.
165415	APPD	FISHER WIRELESS SVCS	SOLEDAD	155.7150 FB2 159.0450 FX1 25 W ERP -59.6 AAT 9 MSL 18.3 AGL. NB. ADD 2ND FB2. PW/APCO.
222625	APPD	WATSONVILLE	WATSONVILLE	154.3400 A155.8950 151.4750 A154.1450 FB/FB2/MO 80 W ERP 159.0750 A153.8300 A154.4450 A156.0150 158.7600 MO 100 W ERP 450.7 AAT 588 MSL 11 AGL. NB. ADD TO SYSTEM. PW/IMSA.
87200	APPEALED	SAN MATEO PRE-HOSPITAL	HALF MOON BAY/MOSS BEACH	155.5650 154.9500 FB2T 15 W ERP. NB. PW/APCO.
222706	APPD	CO SANTA CRUZ	DAVENPORT	153.7875 FB/FB2 156.0450 FX1/MO 100 W ERP 113.9 AAT 220 MSL 18 AGL. NB. PW/IMSA.
87103	APPD	SAN MATEO PRE-HOSPITAL	SAN MATEO	154.0100 FB/FB2 62 W ERP 177.9 AAT 348 MSL 15.8 AGL. NB. PW/IMSA.
88311	APPD	CO TULARE	PORTERVILLE	153.9050 FB2/MO 155.8950 MO 110 W ERP 381 AAT 597.4 MSL 24.4 AGL. NB/VNB. PW/IMSA.
87422	APPD	CO HUMBOLDT	SHELTER COVE	453.1000 FXO 10 W ERP 11.6 AAT 23.3 MSL 9.1 AGL. NB. ADD 2 STNS. PW/FCCA.
44202	APPD	WOODLAND	WOODLAND	453.4750 FB/FB2 100 W ERP -44.1 AAT 113.1 MSL 16.8 AGL. ADD TO EXIST SYS. NB/P25. PW/APCO.
222802	APPD	CO TULARE	LINDSAY	154.0100 FB/FB2 150 W ERP 809 AAT 1737 MSL 18 AGL. ADDING FB2 MODE NB/P25. PW/APCO
222803	APPD	CO TULARE	EXETER	155.8050 FB 158.9400 FX1 50 W ERP -27.6 AAT 49 MSL 6.2 AGL. NB/P25. PW/APCO
222805	APPD	NAPA	AMERICAN CYN	453.1000 458.1000 .5000 .6000 .8000 FXO -70.5 AAT 41 MSL 12 AGL. NB. SAT RCVR LINKS. PW/IMSA.
88260	APPD	ROHNERT PARK	ROHNERT PARK	463.6000 FB/FB2/MO 10 W ERP -280 AAT 2011 MSL 7 AGL. NB. ZOO, CONV CNTR & CAMPS. PW/APCO.
222856	APPD	SACRAMENTO	SAC/TWIN BRIDGES	453.51250 FBT 10 W ERP GPS/RTK UNIT. NB. DATA. PW/APCO.
222883	APPD	CO SANTA CRUZ	CO SANTA CRUZ	154.0100 FB/FB2 170 W ERP -40 AAT 113.1 MSL 16.8 AGL. NB. ADD TO SYS. PW/IMSA
88748	APPD	CO TULARE	LINDSAY	153.9350 FB/FB2/MO 155.9700 FX1/MO 120 W ERP 35.1 AAT 98 MSL 37 AGL. ADD MO & FB2, NB. PW/FCCA/EWA
44235	APPD	VISALIA	VISALIA	153.9500 154.0100 .2800 .4300 FB/MO 154.1300 FB/FB2 159.0600 FX1/MO 200 W ERP -34.2 AAT 282 MSL 6 AGL. ADD FB2, ADD NB. ALL LOW SITES. PW/IMSA.
84829	APPD	SHASTA LAKE FPD	SHASTA LAKE	000.0000 FBT/FB2T 158.7225 MO 50 W ERP. NB. PW/APCO.
223073	IN PROG	CO DEL NORTE	CO DEL NORTE	458.38750 FXO/MO 2 W ERP -55.2 AAT 211.2 MSL 7 AGL. NB DATA. IS LICENSED ON 453 SIDE. PW/APCO.
223080	APPD	FAIRFIELD	FAIRFIELD	173.3250 (OBJECT) 173.3750 MO/MO3 5 W ERP NB. VOICE. CONFLICTS WITH IMSA APP BY COUNTY. IG/FIT.
110207	COND APPD	RWS SERVICES	CO HUMBOLDT	155.7900 FB2 250 W ERP 153.7850 MO 453/458.XXXX FXO 503.5 AAT 1108 MSL 15 AGL. NB. PW/APCO.
223114	IN PROG	CO GLENN	RED MTN	154.1450 FB2 90 W ERP 68.8 AAT 169 MSL 18.3 AGL. NB. PW/APCO.
223131	APPD	ROCKLIN	ROCKLIN	153.7550 FB 154.9800 FX1 30 W ERP -10.3 AAT 31.4 MSL 10.7 AGL. NB. PW/FCCA.
144250	APPD	ST CA: DGS	RANCHO CORDOVA	154.3400 155.8950 FB2 /MO 29 W ERP 450.7 AAT 588 MSL 11 AGL, 154.3400 155.8950 151.4750 FB2/MO 80 W ERP -106.8 AAT 18 MSL 12 AGL, 154.3400 155.8950 151.4750 FB2 /MO -17 AAT 38 MSL 7 AGL, 159.0750 153.8300 154.4450
87200	APPD	SAN MATEO PRE-HOSPITAL	DAVENPORT	

Actions taken from March 2.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
87200	APPD		SAN MATEO PRE-HOSPITAL	DAVENPORT	(continued) 156.0150 159.0105 158.7600 100 W ERP. NB. PW/IMSA.

470-512 MHz POOL

222498	APPD		SUNNYVALE	SUNNYVALE	489.11250 FB/FB2 165 W ERP -35.9 AAT 10 MSL 7.6 AGL. RELOCATE STATION. NB. PW/APCO.
87736	APPD		CO SAN MATEO	LAHONDA/PACIFICA	483.5000 FB/FB2 150 W ERP 435 AAT 747 MSL 47 AGL. ADD NEW FREQ. PW/IMSA.
87743	APPD		CO SAN MATEO	SCARLOS/SMATEO	483.5000 FB/FB2 150 W ERP 258 AAT 342.9 MSL 18.3 AGL. ADD NEW FREQ. PW/IMSA.

700 Mhz PUBLIC SAFETY (SG, SY)

Applications may be submitted at any time to the review committee.

IN PROG	CO SAN MATEO	CO SAN MATEO	SYSTEM PROPOSAL
IN PROG	CO MARIN	CO MARIN	SYSTEM PROPOSAL
IN PROG	CO ALAMEDA	CO ALAMEDA	5 CHNLS PROPOSAL
IN PROG	GG BRIDGE DIST	CO MARIN +	LOW POWER CHANNEL PROPOSAL.

800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comml Users

44015	APPD	ST CA: P&R	MIDDLETOWN (LK)	856.98750 859.73750 FB/FB2 25 W ERP 956.3 AAT 1328 MSL 33 AGL. CORRECTIONS. GP/FCCA
44017	APPD	ST CA: P&R	MIDDLETOWN (LK)	855.7125 FB/FB2 57 W ERP 956.3 AAT 1238 MSL 33.5 AGL. INCR ERP & CORRECT ANT DATA. GP/FCCA.
44055	APPD	ST CA: P&R	BIG SUR	857.98750 FB/FB2 78 W ERP -127.6 AAT 26.5 MSL 21.3 AGL. ADD FREQ TO SYS. GP/FCCA
44057	APPD	ST CA: P&R	CARMEL	855.71250 .53750 FB/FB2 158 W ERP 212.7 AAT 251.4 MSL 24.4 AGL. ADD NEW Station.
44076	APPD	ST CA: P&R	PAICENE (MONT)	856.96250 857.76250 FB/FB2/FX1 221 W ERP @207° 554 AAT 1184 MSL 25 AGL. CORRECT CORDS. GP/FCCA.

10/26/10 note: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ SPECTRUM.

12/15/10 NOTE: Any applications involving WB will not be accepted by the FCC without additional submissions.

3/25/11 note: While Art is recovering, his APCO telephone number will be answered at Pres Thomson's office.

Please do not e-mail Art as he will not be in a position to read his mail for several months.

ALL ELEVATIONS SHOWN ARE IN METERS.

SHOWING YOUR AOP >40 KM IN HIGH-BAND OR >32 KM UHF REQUIRES ADDITIONAL JUSTIFICATION.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.