



NORTHERN CALIF APCO LOG FOR OCTOBER 2011



THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from September 9

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
------	-------	--------	--------	---------	--

The turn around time at the FCC has apparently slipped. We now are seeing over ninety day processing times again.

PUBLIC SAFETY POOL (ALL COORDINATORS)

222202	APPD	CO KINGS	AVENAL/EXETER/COALI NGA	155.2500 FB/FB2/MO 150.7750 .7900 153.9650 FX1/MO 155.610 155.195 MO 150 W ERP V HAAT V MSL V AGL. NEW. NB/P25. PW/APCO.
223227	IN PROG	CO MARIPOSA	MARIPOSA	460.11250 .43750 FB/FB2/FX1/MO 80 W ERP 626.3 AAT 1294.7 MSL. 15.3 AGL. NB & P25. PW/APCO.
223232	IN PROG	CO MARIPOSA	COULTERVILLE	155.3100 .1900 FB/FB2/MO 61.7 W ERP ??? AAT 1294.7 MSL 15.3 AGL. NB & P25. PW/APCO.
224823	APPD	GRASS VALLEY	GRASS VALLEY	D154.8600 A155.7075 FB/FB2/MO 50 W ERP 165 AAT 841 MSL 18 AGL. TO ABATE INTERFERENCE TO NAPA CO. PW/APCO
224970	IN PROG	KERMAN	KERMAN	155.0100 FB2 158.7675 MO 200 W ERP 57.7 AAT 66 MSL 46 AGL. NB&VNB. PW/APCO
90762	APPD	FERNDALE FPD	FERNDALE (HUM)	154.3475 158.8650 MO 50 W ERP NB & P25?. PW/IMSA.
225035	IN PROG	MCFARLAND	NORTH WOODY (KERN)	453.18750 FB2/MO 75 W ERP 258.1 AAT 13.7 AGL. CORRECT COORDS?. NB PW/APCO-CPRA.
224990	CONCURR	CO SAN LUIS OBISPO	SAN LUIS OBISPO	460.4000 FB/FB2 250 W ERP 560.3 AAT 840 MSL 29 AGL. RELOCATING. PW/APCO-CPRA.
94597	APPD	SUNNYVALE	SUNNYVALE	153.8450 FB/MO 290 W ERP 18 AAT 7 MSL 27 AGL. NB. ADDS TO CO SYSTEM. PW/IMSA.
144371	APPD	ST CA: EMA	CO SONOMA	39.4600 154.4525 453.4625 155.7250 159.4725 453.2125 453.8625 158.7375 453.7125 151.1375 50 W ERP 426.4 AAT 702.6 MSL 56.8 AGL. MULTIPLE SITES. NB. PW/FCCA
225157	APPD	PENRYN FPD	PENRYN (PLA)	154.3550 FB/MO 158.8950 FX1/MO 100 W ERP 19.3 AAT 195 MSL 11.6 AGL. NB. PW/APCO.
11004	APPD	W CREEK CHRIST ACAD	WALNUT CREEK	151.6250 .6850 7750 .8050 .8950 .9250 154.4900 .5150 .5400 MO 5 W ERP NB. IG/PCIA.
10931	APPD	GRIFFIN WIRELESS	MT ST HELENA	454.0000 FB6/MO 9 W ERP 858 AAT 1308 MSL 30 AGL. NB & VNB. YG/AAA.
44283	APPD	ST CA: EMA	INYO/MONO + ???	151.13750 154.45250 158.73750 159.47250 FB2T 100 W ERP. NB. PW/FCCA
110971	APPD	SIGNATURE WIRELESS	NAPA (LOW LEVEL) /CORDELIA	461.78750 462.03750 463.83750 464.78750 .7875 454.0000 FB6/MO6 61 W ERP 541 MSL 34 AGL. NB/VNB. YG/AAA.
144399	APPD	ST CA: EMA	CO MARIN (VARIOUS)	453.21250 460.0250 FB/FB2 154.9200 155.75250 FB 160 W ERP 559 AAT 740 MSL 12.2 AGL. MULTIPLE SITES. PW/FCCA.
225568	APPD	So PLACER FIRE DIST	GRANITE BAY (PLA)	154.2350 .2800 .3550 FB 158.8950 159.1200 FX1 100 W ERP -1.3 AAT 99 MSL 8 AGL. ADDS NB, ADDS FIRE STATION. PW/APCO
144419	APPD	ST CA: EMA	ROSEVILLE	M154.9200 A151.1375 154.4525 155.7525 159.4725 FB 99 W ERP 41.8 AAT 45.8 MSL 54.9 AGL. NB. PW/FCCA.
1635	IN PROG	WILLOWS	WILLOWS	155.1450 FB 45 W ERP
44422	APPD	ST CA:CHP	SUSANVILLE	45.1000 FB2 (EXISTS AS FB) 213 W ERP 686.7 AAT 2052.8 MSL 15.2 AGL. PW/FCCA.
44424	APPD	ST CA: CHP	RED BLUFF	45.1400 FB2 (EXISTS AS FB) 213 W ERP 354.4 AAT 566.9 MSL 42.7 AGL. PW/FCCA.
44427	IN PROG	ST CA: CHP	CAMINO SCALES	42.2800 .3600 .7200 .7400 .8800 FB 35 W ERP 146.6 AAT 1049 MSL 10 AGL. PW/FCCA. REQUIRES WAIVER.
44428	DENIED	ST CA: CHP	SACRAMENTO	42.2800 .3600 FB 95 W ERP 81 AAT 5.8 MSL 84.4 AGL. PW/FCCA. REQUIRES WAIVER.
44428	APPD	ST CA: CHP	WILLOW CREEK (HUM)	45.2200 FB2 213 W ERP 843 AAT 1509 MSL 48.8 AGL. PW/FCCA.
225663	IN PROG	INDIAN VALLEY FPD	STONYFORD (COL)	154.3700 FB/MO 100 W ERP -175.8 AAT 362 MSL 18.3 AGL. NB. RESTORE LIC. PW/APCO.
44430	DENIED	ST CA:CHP	SACRAMENTO	42.2000 .3600 FB 71 W ERP 9.7 AAT 42 MSL 9.8 AGL. PW/FCCA. REQUIRES WAIVER.
44431	APPD	ST CA: CHP	PORTOLA (PLU)	45.6000 FB 87 W ERP 636.9 AAT 2213 MSL 29 AGL. BECKWORTH MTN. PW/FCCA.
44432	APPD	ST CA: CHP	YREKA (SISK)	45.4200 FB2 213 W ERP -41 AAT 951 MSL 29 AGL. BUTCHER HILL. PW/FCCA
44428Z	APPD	ST CA: CHP	WILLOW CREEK (HUM)	45.2200 FB2 213 W ERP 843 AAT 1509 MSL 48.8 AGL. PW/FCCA.
44434	APPD	ST CA: CHP	TRUCKEE	42.3600 FB 95 W ERP -199.8 AAT 1776.4 MSL 16.8 AGL. PW/FCCA.
44438	APPD	ST CA: CAL FIRE	VISALIA	151.1750 .3700 154.2800 FB 154.9800 159.37500 FX1 89 W ERP 30.3 AAT 104 MSL 30.5 AGL. PW/FCCA.
001670	APPD	CO GLENN	ELK CREEK (GLENN)	151.0700 FB2/MO 22 W ERP 521 AAT 22 AGL. ADD NEW FREQ FOR FIRE. PW/FCCA.
96425	APPD	SUTTER MATERNITY & SURGICAL CENTER OF SANTA CRUZ	SANTA CRUZ	155.8350 FB 50 W ERP -68.4 AAT 58 MSL 9 AGL. NB. RESTORAL WPJ852. PW/IMSA.

Actions taken from September 9

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
------	-------	--------	--------	---------	--

470-512 MHz POOL

1110955 APPD KEVIN ANDERSON MILPITAS/CUPERTINO 483.71250 FB8/MO8 225 W EERP 640.1 AAT 817.2 MSL 45.7 AGL. NB. MT ALLISON & MISSION RIDGE. IG/AAA

700 Mhz PUBLIC SAFETY (SG, SY)

No Pending applications

800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

44310 APPD ST CA KING CITY 813.9875 814.9875 858.9875 859.9875 221 W ERP 124.6 AAT 102.1 MSL 13.7 AGL GP/FCCA

APP PEND CO SACRAMENTO FOLSOM (DAM) 860.96250 FB/FB2/MO ?? W ERP ?? AAT ??MSL ?? AGL. TO ABATE AN INTERFERENCE ISSUE. GP.

10/26/10 note: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ
12/15/10 NOTE: Any applications involving WB will not be accepted by the FCC without additional submissions.
ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.
 Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION
 Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.