



NORTHERN CALIF APCO LOG FOR OCTOBER 2011



THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from September 9

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
------	-------	--------	--------	---------	--

The turn around time at the FCC has apparently slipped. We now are seeing over ninety day processing times again.

PUBLIC SAFETY POOL (ALL COORDINATORS)

1	222202	APPD	CO KINGS	AVENAL/EXETER/COALI NGA	155.2500 FB/FB2/MO 150.7750 .7900 153.9650 FX1/MO 155.610 155.195 MO 150 W ERP V HAAT V MSL V AGL. NEW. NB/P25. PW/APCO.
2	223227	APPD	CO MARIPOSA	MARIPOSA	460.11250 .43750 FB/FB2/FX1/MO 80 W ERP 626.3 AAT 1294.7 MSL. 15.3 AGL. NB & P25. PW/APCO.
3	223232	IN PROG	CO MARIPOSA	COULTERVILLE	155.3100 .1900 FB/FB2/MO 61.7 W ERP ??? AAT 1294.7 MSL 15.3 AGL. NB & P25. PW/APCO.
4	1635	APPD	WILLOWS	WILLOWS	155.1450 FB 45 W ERP
5	001670	APPD	CO GLENN	ELK CREEK (GLENN)	151.0700 FB2/MO 22 W ERP 52.1 AAT 22 AGL. ADD NEW FREQ FOR FIRE. PW/FCCA.
6	96425	APPD	SUTTER MATERNITY & SURGICAL CENTER OF SANTA CRUZ	SANTA CRUZ	155.8350 FB 50 W ERP -68.4 AAT 58 MSL 9 AGL. NB. RESTORAL WPJJ852. PW/IMSA.
7	225745	APPD	CO SAN JOAQUIN	CLEMENTS	463.0000 FB/FB2 66 W ERP
8	225813	APPD	HANFORD	HANFORD	155.6925 FB/FB2 156.2250 FB/FB2 176 W ERP 59.8 AAT 77 MSL 45.7 AGL. NB. PW/APCO.
9	9/16/11	APP PEND	CO SAN BENITO	CO SAN BENITO	151.18250 FB 50 W ERP ?? AAT 876 MSL ?? AGL. CALL MTN & FREMONT PK. AVL. DATA.
10	44459	APPD	ST CA: ??	SUSANVILLE	154.9800 159.4050 FX1 50 W ERP -264 AAT 1280.2 MSL 18 AGL. ADD NB. PW/FCCA.
11	94718	APPD	CLOVIS	CLOVIS	155.31750 FB2/MO 65 W ERP 36.2 AAT 110.3 MSL 42.6 AGL. PW/IMSA.
12	144473	APPD	ST CA: P&R	BANNER/WASHINGTON/ GRASS VALLEY	453/458.36250 .63750 .98750 FXO 6 W ERP ?? AAT ?? MSL 6,1 AGL. PW/FCCA.
13	226094	APPD	SAN FRAN POLICE DEPT	SAN FRANCISCO	453/458.1750 MO 30 W ERP. BOMB ROBOT. PW/APCO.
14	226091	APPD	CO TULARE	TULARE	153.9050 FB/FB2 62 W ERP 192.7 AAT 348 MSL 15.8 AGL. ADD TO SYSTEM. PW/APCO
15	26083	WITHDRAWN	ALISAL WATER CORP	KING CITY	3 VHF PAIRS 3 UHF PAIRS. 200 W ERP 253.1 AAT 548.6 MSL 12.1 AGL. PW/APCO. ELIGIBILITY?
16	226194	APPD	FRESNO	FRESNO	460.4750 FB/FB2 150 W ERP @ 120° 50 AAT 93.3 MSL 37 AGL. ADD TO SYSTEM. PW/APCO.
17	44490	APPD	ST CA: CHP	SALIDA	460.4500 FB/FX1 126 W ERP 18.6 AAT 23.5 MSL 18.3 AGL. ADD TO SYSTEM. PW/FCCA.
18	1875	APPD	W VALLEY SAN DIST OF SANTA CLARA CO	CAMPBELL	159.0450 MO 4 W ERP. PW/AASHTO.
19	91746	DENIED	SANTA CRUZ METRO TRANSIT	CO SANTA CRUZ	453.2250 .4250 .2750 .4500 .6875 460.1375 .6475 FB/FB2/FX1/MO 100 W ERP. 805.1 AAT1153.9 MSL 107 AGL MULTIPLE SITES. PW/IMSA
20	144504	APPD	ST CA: DOT	STOCKTON	453.91250 FXO 6 W ERP 3.8 AAT 0.9 MSL 7 AGL. F2. ADD SITE TO IRRIGATION SYS. PW/FCCA.
21	98064	APPD	NAT SKI PATROL	PINECREST	453.050 FB2 /MO 40 W ERP 345.9 AAT 2470 MSL 17 AGL. COORDS SUSPECT. PW/IMSA.
22	87640	APPD	HUM FPD #1	EUREKA	155.8350 FB/MO 110 W ERP 129.2 AAT 163 MSL 36.6 AGL. ADD FREQ TO SYSTEM. PW/IMSA.
23	226459	APPD	CO SHASTA SUP COURT	CO SHASTA	D154.8900 A159.11250 FX1/MO 90 W ERP -57 AAT 178 MSL 24.9 AGL. TO ABATE IM ISSUE. PW/APCO.
24	1144515	APPD	ST CA: CHP	REDDING	42.4400 .2800 44.9800 FB 213 W ERP -26.4 AAT 213 MSL 13.7 AGL. PW/FCCA.
25	98354	APPD	BELL'S AMBULANCE	HEALDSBURG	155.2050 FB TO FB2 150.775 INCR ERP TO 45 CORRECT HAATS. PW/IMSA.
26	226435	IN PROG	S MARIN FPD	SAUCALITO/M VALLEY	151.1750 155.5500 FB/MO 50 W ERP 3.5 AAT 48.9 MSL 12.8 AGL PW/APCO.
27	44202A	APPD	WOODLAND	WOODLAND	453.1000 FXO 9.2 AAT 23.2 MSL 9.1 AGL. F1/F2/F3. ADDS STNS TO EXIST SYS. PW/FCCA.
28	87640	APPD	HUM FPD #1	EUREKA	155.8350 FB/MO 60 W ERP 129.2 AAT 163 MSL 36 AGL. ADD FREQ TO SYSTEM. PW/IMSA.
29	44548	APPD	ST CA: CHP	GILROY	42.200 44.9200 FB 213 W ERP -116.4AAT 57 MSL 21.9 AGL. PW/FCCA.
30	44549	APPD	ST CA: CHP	GILROY	42.200 44.9200 FB 213 W ERP -151.5 AAT 80 MSL 17 AGL. PW/FCCA.
31	226525	IN PROG	YOLO CO ECA (YECA)	CO YOLO	453.1250 FB/FB2/MO 50 W ERP 29.8 AAT 157.9 MSL 30 AGL. ADDS SITES TO EXIST SYS. PW/APCO.
32	135328	APPD	M J D COLUCCIO JV	E PALO ALTO	159.7200 173.3250 MO 2 W ERP 9 KM AOP. IG/EWA.

Actions taken from September 9

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
------	-------	--------	--------	---------	--

470-512 MHz POOL

33	6165210	APPD	CRYSTAL SMR	SAN FRANCISCO	489.31250 FB6/MO 250 W ERP 190 AAT 99 MSL 115 AGL. MULTIPLE NB EMISSIONS. IG/EWA.
34	226441/2	APPD	CO SANTA CLARA	CO SANTA CLARA	482.33750 FB/FB2/MO 175 W ERP -94 AAT 304.8 MSL 7.3 AGL. INTEROP CHNL. WAIVERS. PW/APCO.

700 Mhz PUBLIC SAFETY (SG, SY)

No pending applications

800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

35	10/1/11	APP PEND	CO SACRAMENTO	FOLSOM (DAM)	860.96250 FB/FB2/MO ?? W ERP ?? AAT ??MSL ?? AGL. TO ABATE AN INTERFERENCE ISSUE. GP.
----	---------	----------	---------------	--------------	---

10/26/10 note: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ
12/15/10 NOTE: Any applications involving WB will not be accepted by the FCC without additional submissions.
ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.
 Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION
 Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.