



# NORTHERN CALIF APCO LOG FOR DECEMBER 2011



THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from November 2.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
------	-------	--------	--------	---------	--

The turn around time at the FCC has apparently slipped. We now are seeing over ninety day processing times again.

### PUBLIC SAFETY POOL (ALL COORDINATORS)

223232	APPD	CO MARIPOSA	COULTERVILLE	158.7600 .1900 FB/FB2/MO 16 W ERP 620.2 AAT 1294.7 MSL 15.3 AGL. NB & P25. PW/APCO.
226194	APPD	FRESNO	FRESNO	460.4750 FB/FB2 150 W ERP @120° 50 AAT 93.3 MSL 37 AGL. ADD TO SYSTEM. PW/APCO.
44490	APPD	ST CA: CHP	SALIDA	460.4500 FB/FX1 126 W ERP 18.6 AAT 23.5 MSL 18.3 AGL. ADD TO SYSTEM. PW/FCCA.
1875	APPD	W VALLEY SAN DIST OF SANTA CLARA CO	CAMPBELL	159.0450 MO 4 W ERP. PW/AASHTO.
91746	DENIED	SANTA CRUZ METRO TRANSIT	CO SANTA CRUZ	453.2250 .4250 .2750 .4500 .6875 460.1375 .6475 FB/FB2/FX1/MO 100 W ERP. 805.1 AAT1153.9 MSL 107 AGL MULTIPLE SITES. PW/IMSA
144504	APPD	ST CA: DOT	STOCKTON	453.91250 FXO 6 W ERP 3.8 AAT 0.9 MSL 7 AGL. F2. ADD SITE TO IRRIGATION SYS. PW/FCCA.
98064	APPD	NAT SKI PATROL	PINECREST	453.050 FB2 /MO 40 W ERP 345.9 AAT 2470 MSL 17 AGL. COORDS SUSPECT. PW/IMSA.
87640	APPD	HUM FPD #1	EUREKA	155.8350 FB/MO 110 W ERP 129.2 AAT 163 MSL 36.6 AGL. ADD FREQ TO SYSTEM. PW/IMSA.
226459	APPD	CO SHASTA SUP COURT	CO SHASTA	D154.8900 A159.11250 FX1/MO 90 W ERP -57 AAT 178 MSL 24.9 AGL. TO ABATE IM ISSUE. PW/APCO.
1144515	APPD	ST CA: CHP	REDDING	42.4400 .2800 44.9800 FB 213 W ERP -26.4 AAT 213 MSL 13.7 AGL. PW/FCCA.
98354	APPD	BELL'S AMBULANCE	HEALDSBURG	155.2050 FB TO FB2 150.775 INCR ERP TO 45 CORRECT HAATS. PW/IMSA.
226435	APPD	S MARIN FPD	SAUCALITO/M VALLEY	151.1750 155.5500 FB/MO 50 W ERP 3.5 AAT 48.9 MSL 12.8 AGL PW/APCO.
44202A	APPD	WOODLAND	WOODLAND	453.1000 FXO 9.2 AAT 23.2 MSL 9.1 AGL. F1/F2/F3. ADDS STNS TO EXIST SYS. PW/FCCA.
87640	APPD	HUM FPD #1	EUREKA	155.8350 FB/MO 60 W ERP 129.2 AAT 163 MSL 36 AGL. ADD FREQ TO SYSTEM. PW/IMSA.
44548	APPD	ST CA: CHP	GILROY	42.200 44.9200 FB 213 W ERP -116.4AAT 57 MSL 21.9 AGL. PW/FCCA.
44549	APPD	ST CA: CHP	GILROY	42.200 44.9200 FB 213 W ERP -151.5 AAT 80 MSL 17 AGL. PW/FCCA.
226525	APPD	YOLO CO ECA (YECA)	CO YOLO	453.1250 FB/FB2/MO 50 W ERP 29.8 AAT 157.9 MSL 30 AGL. ADDS SITES TO EXIST SYS. PW/APCO.
135328	APPD	M J D COLUCCIO JV	E PALO ALTO	159.7200 173.3250 MO 2 W ERP 9 KM AOP. IG/EWA.
1875A	APPD	W VALLEY SAN DIST OF SANTA CLARA CO	CAMPBELL	D159.0450 A458.4000 MO 4 W ERP. 155.1450 (FB/MO EXISTS) ADD DIGITAL MOD. PW/AASHTO.
144572	APPD	ST CA: CHP	SONOMA	42,4200 44.7200 FB 95 W ERP -61.1 AAT 258.8 MSL 30.5 AGL. PW/FCCA
2002106	APPD	ST AGNES MED CNTR	FRESNO	M157.4500 155.3400 458.025 ADDS NB VOICE AND DATA. PW/AASHTO.
226639	IN PROG	MARYSVILLE	MARYSVILLE	460.4000 453.7750 FB/FB2/MO 110 W ERP 18.8 AAT 20 MSL 20 AGL. ADD NB, ADD NEW FREQS. PW/APCO.
97443	APPD	REGENTS OF UC	SANTA CRUZ	156.2250 MO 60 W ERP. ADDS NEW MO FREQ. PW/IMSA.
44581	APPD	ST CA: CHP	REDDING	D42.4400 42.5600 A 42.2200 .4400 FB 213 W ERP -340.9 AAT 392.6 MSL 9.8 AGL. FREQ CHNG. PW/FCCA.
44582	APPD	ST CA: CHP	COTTONWOOD	D42.4400 42.5600 A 42.2200 .4400 FB 213 W ERP -19 AAT 134 MSL 23 AGL. FREQ CHNG. PW/FCCA.
97438	APPD	SAN MATEO PRE-HOSP	FOSTER CI	158.8500 MO 100 W ERP. ADD MO CHNL. PW/IMSA.
226721	APPD	CO SANTA CRUZ	DAVENPORT	151.1000 FB/FB2 264 W ERP -31 AAT 78 MSL 24.4 AGL. RELOCATE. PW/APCO.
226728	APPD	CO GLENN	WILLOWS	460/465.2500 FXO 16 W ERP 52.3 HAAT 40 MSL 46.3 AGL. NEW. PW/APCO.
226822	APPD	CO SANTA CRUZ	DAVENPORT	154.9500 155.5650 FB/FB2 264 W ERP -31 AAT 78 MSL 24.4 AGL. RELOCATE. PW/APCO.
111477	APPD	GRIFFIN WIRELESS SVC	WALNUT GROVE	451-464 (10 CHANNELS) FB6/MO6 250 W ERP 469 AAT 78 MSL 472 AGL. YG/AAA.
226882	APPD	CO SANTA CRUZ	DAVENPORT	155.0550 FB/FB2 264 W ERP -31 AAT 78 MSL 24.4 AGL. RELOCATE. PW/APCO.
226883	APPD	CO KINGS	AVENAL/COALINGA	151.0750 FB/FB2 155.85750 FX1/MO 100 W ERP 635 AAT 6706 MSL 15 AGL. NEW. PW/APCO.
226886	APPD	CO PLUMAS	BECKWORTH	453.9375 FXO 1 W ERP -158 AAT 1493.2 MSL 6.8 AGL. AIRPORT WX. PW/APCO
226887	APPD	CO PLUMAS	QUINCY	453.9375 FXO 1 W ERP -158 AAT 1493.2 MSL 6.8 AGL. AIRPORT WX. PW/APCO
226889	APPD	CO SANTA CRUZ	DAVENPORT	154.3250 FB/FB2 264 W ERP -31 AAT 78 MSL 24.4 AGL. RELOCATE. PW/APCO.
1098687	APPD	LEMORE	LEMORE	155.3550 MO 50 W ERP. NEW. PW/IMSA.
230007	APPD	DENIOS FARMERS MKT	ROSEVILLE	154.4900 154.5150 FB/MO 75 W ERP 4 AAT 38 MSL 18 AGL. IG/PCIA.
226401	CONCURR	R/M MANAGEMENT CO	GRANTS PASS/MERLIN	154.1075 FB/MO 158.9175 FX1 154.1750 FB/MO 150.7750 FX1 70 W ERP 664 AAT 1353 MSL 22 AGL. MOD. PW/APCO
226402	CONCURR	R/M MANAGEMENT CO	GRANTS PASS	154.1075 FB/MO 158.9175 FX1 154.1750 FB/MO 150.7750 FX1 38 W ERP -211 AAT 276 MSL 9 AGL. MOD. PW/APCO
0026211	APPD	TREMONT LAND CO	TRUCKEE	157.6200 173.3750 .2250 FB/MO 110 W ERP -70.7 AAT 2622 MSL 11 AGL. MOD. IG/AAR
144603	APPD	ST CA: CHP	SUSANVILLE	42.0800 44.9800 FB 213 W ERP -196.4 AAT 1261.9 MSL 29.3 AGL. ADDS FREQS. PW/FCCA.
144604	APPD	ST CA: CAL FIRE	SPRINGVILLE (TUL)	159.2250 .3000 .3300 FX1 40 W ERP -458.5 AAT 452 MSL 12.2 AGL. ADDS FREQS. PW/FCCA.
144608	APPD	ST CA: CHP	MILFORD (LASSEN)	44.9800 FB 213 W ERP 600.6 AAT 2182 MSL 19.8 AGL. ADD FREQ. PW/FCCA.

Actions taken from November 2.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
	226976	DENIED	CO DEL NORTE	CRESCENT CITY	155.75250 FB 100 W ERP -54.6 AAT 7.3 MSL 12.2 AGL. NEW: VCALL. PW/APCO. NEEDS STATE PROCESSING.

**470-512 MHz POOL**

<i>6165210</i>	<i>APPD</i>	<i>CRYSTAL SMR</i>	<i>SAN FRANCISCO</i>	<i>489.31250 FB6/MO 250 W ERP 190 AAT 99 MSL 115 AGL. MULTIPLE NB EMISSIONS. IG/EWA.</i>
<i>194619</i>	<i>APPD</i>	<i>CRYSTAL SMR</i>	<i>SAN FRANCISCO</i>	<i>489.28750 FB6/MO 250 W ERP 190 AAT 99 MSL 115 AGL. IG/EWA.</i>
<i>226441/2</i>	<i>APPD</i>	<i>CO SANTA CLARA</i>	<i>CO SANTA CLARA</i>	<i>482.33750 FB/FB2/MO 175 W ERP -94 AAT 304.8 MSL 7.3 AGL. INTEROP CHNL. WAIVERS. PW/APCO.</i>
<i>3154626</i>	<i>APPD</i>	<i>ALI NADIA</i>	<i>LOS ALTOS</i>	<i>482.7750 .8500 483.400 .6250 484.4750 .6000 .7250 483.2500 FB8/MO8 71 W ERP 567.6 AAT 796.4 MSL 15.5 AGL. VNB. YG/EWA.</i>
<i>111465</i>	<i>APPD</i>	<i>TADLOCK &amp; ASSOC.</i>	<i>SAN RAFAEL</i>	<i>483.68750 FB6/MO 238 W ERP 254 AAT 320 MSL 27 AGL. MOD: ADD NB &amp; VNM. IG/AAA.</i>
<i>152141</i>	<i>APPD</i>	<i>CRYSTAL SMR</i>	<i>LOS GATOS</i>	<i>490.06250 FB6/MO6 119 W ERP 722 AAT 1036 MSL 30 AGL. NEW. IG/EWA</i>

**700 Mhz PUBLIC SAFETY (SG, SY)**

No pending applications

**800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users**

10/1/11	APP PEND	CO SACRAMENTO	FOLSOM (DAM)	860.96250 FB/FB2/MO ?? W ERP ?? AAT ??MSL ?? AGL. TO ABATE AN INTERFERENCE ISSUE. GP.
9/16/11	APP PEND	CO SAN BENITO	CO SAN BENITO	451.48250 FB 50 W ERP ?? AAT 876 MSL ?? AGL. CALL MTN & FREMONT PK. AVL. DATA.

**10/26/10 note: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ**  
**12/15/10 NOTE: Any applications involving WB will not be accepted by the FCC without additional submissions.**  
**ALL ELEVATIONS SHOWN ARE IN METERS.**

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.  
 Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION  
 Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.