



# NORTHERN CALIF APCO LOG FOR JANUARY 2012



THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from December 7.

| ITEM | COORD | STATUS | AGENCY | TX CITY | FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS |
|------|-------|--------|--------|---------|--|
|------|-------|--------|--------|---------|--|

The turn around time at the FCC has apparently slipped. We now are seeing over ninety day processing times again.

## PUBLIC SAFETY POOL (ALL COORDINATORS)

|         |         |  |                                     |                         |  |
|---------|---------|--|-------------------------------------|-------------------------|--|
| 1875A   | APPD    |  | W VALLEY SAN DIST OF SANTA CLARA CO | CAMPBELL                | D159.0450 A458.4000 MO 4 W ERP. 155.1450 (FB/MO EXISTS) ADD DIGITAL MOD. PW/AASHTO.                    |
| 223232  | APPD    |  | CO MARIPOSA                         | COULTERVILLE            | 158.7600 .1900 FB/FB2/MO 16 W ERP 620.2 AAT 1294.7 MSL 15.3 AGL. NB & P25. PW/APCO.                    |
| 144572  | APPD    |  | ST CA: CHP                          | SONOMA                  | 42.4200 44.7200 FB 95 W ERP -61.1 AAT 258.8 MSL 30.5 AGL. PW/FCCA                                      |
| 2002106 | APPD    |  | ST AGNES MED CNTR                   | FRESNO                  | M157.4500 155.3400 458.025 ADDS NB VOICE AND DATA. PW/AASHTO.  |
| 226639  | APPD    |  | MARYSVILLE                          | MARYSVILLE              | 460.4000 453.7750 .5125 FB/FB2/MO 110 W ERP 18.8 AAT 20 MSL 20 AGL. ADD NB, ADD NEW FREQS. PW/APCO.    |
| 97443   | APPD    |  | REGENTS OF UC                       | SANTA CRUZ              | 156.2250 MO 60 W ERP. ADDS NEW MO FREQU. PW/IMSA.  |
| 44581   | APPD    |  | ST CA: CHP                          | REDDING                 | D42.4400 42.5600 A 42.2200 .4400 FB 213 W ERP -340.9 AAT 392.6 MSL 9.8 AGL. FREQ CHNG. PW/FCCA.        |
| 44582   | APPD    |  | ST CA: CHP                          | COTTONWOOD              | D42.4400 42.5600 A 42.2200 .4400 FB 213 W ERP -19 AAT 134 MSL 23 AGL. FREQ CHNG. PW/FCCA.              |
| 97438   | APPD    |  | SAN MATEO PRE-HOSP                  | FOSTER CI               | 158.8500 MO 100 W ERP. ADD MO CHNL. PW/IMSA.   |
| 226721  | APPD    |  | CO SANTA CRUZ                       | DAVENPORT               | 151.1000 FB/FB2 264 W ERP -31 AAT 78 MSL 24.4 AGL. RELOCATE. PW/APCO.                                  |
| 226728  | APPD    |  | CO GLENN                            | WILLOWS                 | 460/465.2500 FXO 16 W ERP 52.3 HAAT 40 MSL 46.3 AGL. NEW. PW/APCO.                                     |
| 226822  | APPD    |  | CO SANTA CRUZ                       | DAVENPORT               | 154.9500 155.5650 FB/FB2 264 W ERP -31 AAT 78 MSL 24.4 AGL. RELOCATE. PW/APCO.                         |
| 111477  | APPD    |  | GRIFFIN WIRELESS SVC                | WALNUT GROVE            | 451-464 (10 CHANNELS) FB6/MO6 250 W ERP 469 AAT 78 MSL 472 AGL. YG/AAA.                                |
| 226882  | APPD    |  | CO SANTA CRUZ                       | DAVENPORT               | 155.0550 FB/FB2 264 W ERP -31 AAT 78 MSL 24.4 AGL. RELOCATE. PW/APCO.                                  |
| 226883  | APPD    |  | CO KINGS                            | AVENAL/COALINGA         | 151.0750 FB/FB2 155.85750 FX1/MO 100 W ERP 635 AAT 6706 MSL 15 AGL. NEW. PW/APCO.                      |
| 226886  | APPD    |  | CO PLUMAS                           | BECKWORTH               | 453.9375 FXO 1 W ERP -158 AAT 1493.2 MSL 6.8 AGL. AIRPORT WX. PW/APCO                                  |
| 226887  | APPD    |  | CO PLUMAS                           | QUINCY                  | 453.9375 FXO 1 W ERP -158 AAT 1493.2 MSL 6.8 AGL. AIRPORT WX. PW/APCO                                  |
| 226889  | APPD    |  | CO SANTA CRUZ                       | DAVENPORT               | 154.3250 FB/FB2 264 W ERP -31 AAT 78 MSL 24.4 AGL. RELOCATE. PW/APCO.                                  |
| 1098687 | APPD    |  | LEMORE                              | LEMORE                  | 155.3550 MO 50 W ERP. NEW. PW/IMSA.  |
| 230007  | APPD    |  | DENIOS FARMERS MKT                  | ROSEVILLE               | 154.4900 154.5150 FB/MO 75 W ERP 4 AAT 38 MSL 18 AGL. IG/PCIA.   |
| 226401  | CONCURR |  | R/M MANAGEMENT CO                   | GRANTS PASS/MERLIN      | 154.1075 FB/MO 158.9175 FX1 154.1750 FB/MO 150.7750 FX1 70 W ERP 664 AAT 1353 MSL 22 AGL. MOD. PW/APCO |
| 226402  | CONCURR |  | R/M MANAGEMENT CO                   | GRANTS PASS             | 154.1075 FB/MO 158.9175 FX1 154.1750 FB/MO 150.7750 FX1 38 W ERP -211 AAT 276 MSL 9 AGL. MOD. PW/APCO  |
| 0026211 | APPD    |  | TREMONT LAND CO                     | TRUCKEE                 | 157.6200 173.3750 .2250 FB/MO 110 W ERP -70.7 AAT 2622 MSL 11 AGL. MOD. IG/AAR                         |
| 144603  | APPD    |  | ST CA: CHP                          | SUSANVILLE              | 42.0800 44.9800 FB 213 W ERP -196.4 AAT 1261.9 MSL 29.3 AGL. ADDS FREQS. PW/FCCA.                      |
| 144604  | APPD    |  | ST CA: CAL FIRE                     | SPRINGVILLE (TUL)       | 159.2250 .3000 .3300 FX1 40 W ERP -458.5 AAT 452 MSL 12.2 AGL. ADDS FREQS. PW/FCCA.                    |
| 144608  | APPD    |  | ST CA: CHP                          | MILFORD (LASSEN)        | 44.9800 FB 213 W ERP 600.6 AAT 2182 MSL 19.8 AGL. ADD FREQ. PW/FCCA.                                   |
| 226976  | DENIED  |  | CO DEL NORTE                        | CRESCENT CITY           | 155.75250 FB 100 W ERP -54.6 AAT 7.3 MSL 12.2 AGL. NEW: VCALL. PW/APCO. NEEDS STATE PROCESSING.        |
| 44610   | APPD    |  | ST CA: CHP                          | TAYLORSVILLE (PLU)      | 44.9800 FB 213 W ERP ADD FREQ AND MINOR MODS. PW/FCCA.   |
| 44611   | APPD    |  | ST CA: CHP                          | ALTURAS (MODOC)         | 44.9800 FB 213 W ERP. ADD FREQ & MINOR MODS. PW/FCCA.  |
| 44612   | APPD    |  | ST CA: CHP                          | QUINCY (PLUMAS)         | 42.7600 44.9800 42.0800 42.2200 FB 213 W ERP. ADD FREQ & MINOR MODS. PW/FCCA.                          |
| 44614   | APPD    |  | ST CA: CHP                          | BELDEN (PLUMAS)         | 44.9800 FB 213 W ERP. ADD FREQ & MINOR MODS. PW/FCCA.  |
| 44615   | APPD    |  | ST CA: CHP                          | QUINCY (PLUMAS)         | 44.9800 FB 213 W ERP. ADD FREQ & MINOR MODS. PW/FCCA.  |
| 44616   | APPD    |  | ST CA: CHP                          | BURNEY/NUBIEBER (SHA)   | 42.4400 FB 213 W ERP. ADD FREQ & MINOR MODS. PW/FCCA.  |
| 44617   | APPD    |  | ST CA: CHP                          | TRINIDAD (HUM)          | 42.2200 FB 213 W ERP. ADD FREQ & MINOR MODS. PW/FCCA.  |
| 44619   | APPD    |  | ST CA: CHP                          | CEDERVILLE(MONO)/LIKELY | 44.9800 FB 213 W ERP. ADD FREQ & MINOR MODS. PW/FCCA.  |
| 44620   | APPD    |  | ST CA: CHP                          | BLUELAKE (HUM)          | 42.2200 FB 213 W ERP. ADD FREQ & MINOR MODS. PW/FCCA.  |
| 44621   | APPD    |  | ST CA: CHP                          | CRESCENT CITY           | D75.7600 A 42.2200 FB 213 W ERP. ADD/DEL FREQ & MINOR MODS. PW/FCCA.                                   |
| 227146  | IN PROG |  | CO COLUSA                           | CO COLUSA               | 155.2200 MO 100 W ERP. PW/APCO   |
| 227115  | IN PROG |  | CO MERCED                           | BULLION?                | 154.8900 FB2 (IS FB) 159.15750 FX1/MO 100 W ERP ?? AAT 1280 MSL ?? AGL. PW/APCO.                       |
| 97440   | DENIED  |  | SAN MATEO PRE-HOSP                  | FOSTER CI               | 158.9700 MO 100 W ERP. PW/IMSA.  |
| 104918  | APPD    |  | PANELLA TRUCKING                    | RIVERTON (EI D)         | 154.4900 159.7200 MO 50 W ERP. IG/EWA.   |
| 227206  | APPD    |  | ANDERSON                            | ANDERSON                | 156.0300 MO 90 W ERP. ADD FREQ TO EXIST. PW/APCO.  |
| 111606  | APPD    |  | BISHOP PAIUTE TRIBE                 | BISHOP                  | 173.2100 FXO 10 W ERP -390 AAT 1311.2 MSL 15 AGL. IG/AAA.  |
| 226094  | IN PROG |  | CI/CO SAN FRANCISCO                 | SAN FRANCISCO           | 453/458.31250 MO 30 W ERP. BOMB ROBOT. PW/APCO.  |

Actions taken from December 7.

| ITEM   | COORD | STATUS  | AGENCY    | TX CITY   | FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS  |
|--------|-------|---------|-----------|-----------|---|
| 227327 |       | IN PROG | LODI      | LODI      | 453.3500 .4500 90 W ERP FB/FB2/FX1/MO 90 W ERP 14 MSL 27 AGL. NB ADD P25. CONSOLIDATES EXIST. PW/APCO |
| 227240 |       | COMMENT | CO WASHOE | CO WASHOE | 157.7400 FB 360 W ERP 864 AAT 2896 MSL 24 AGL (MULTIPLE SITES) NEW IB CHANNEL. PW/APCO.               |

**470-512 MHz POOL**

|        |  |      |                  |                 |  |
|--------|--|------|------------------|-----------------|--|
| 194619 |  | APPD | CRYSTAL SMR      | SAN FRANCISCO   | 489.28750 FB6/MO 250 W ERP 190 AAT 99 MSL 115 AGL. IG/EWA.   |
| 111465 |  | APPD | TADLOCK & ASSOC. | SAN RAFAEL      | 483.68750 FB6/MO 238 W ERP 254 AAT 320 MSL 27 AGL. MOD: ADD NB & VNM. IG/AAA.  |
| 152141 |  | APPD | CRYSTAL SMR      | LOS GATOS       | 490.06250 FB6/MO6 119 W ERP 722 AAT 1036 MSL 30 AGL. NEW. IG/EWA   |
| 115959 |  | APPD | THE RADIO GUYS   | SF (TWIN PEAKS) | 482.6750 .7000 .800 .8250 .8750 .9500 483.7250 .7500 .7750 .8500 FB8/FX1/MO 225 W ERP 238 AAT 241 MSL 23 AGL. VNB. YG/EWA. |

**700 Mhz PUBLIC SAFETY (SG, SY)**

No pending applications

**800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users**

|         |  |          |               |               |   |
|---------|--|----------|---------------|---------------|---|
| 10/1/11 |  | APP PEND | CO SACRAMENTO | FOLSOM (DAM)  | 860.96250 FB/FB2/MO ?? W ERP ?? AAT ??MSL ?? AGL. TO ABATE AN INTERFERENCE ISSUE. GP. |
| 9/16/11 |  | APP PEND | CO SAN BENITO | CO SAN BENITO | 454.48250 FB 50 W ERP ?? AAT 876 MSL ?? AGL. CALL MTN & FREMONT PK. AVL. DATA.        |

**10/26/10 note: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ**  
**12/15/10 NOTE: Any applications involving WB will not be accepted by the FCC without additional submissions.**  
**ALL ELEVATIONS SHOWN ARE IN METERS.**

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.  
 Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION  
 Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.