



NORTHERN CALIF APCO LOG FOR MARCH 2012



THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from February 9.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
------	-------	--------	--------	---------	--

The turn around time at the FCC has apparently slipped. We now are seeing over ninety day processing times again.

244022		APPD	ST CA: CHP	PORTOLA (PLU)	A44.9800 FB 213 W ERP 636.9 AAT 2213 MSL 29 AGL. ADD FREQ TO SITE. PW/FCCA.
172756		APPD	FIRST STUDENT	CI YUBA CI	155.1750 FB/MO 100 W ERP
44011		APPD	CO MERCED	MARIPOSA/SANTA NELLA	154.4000 FB/FB2/FBT/MO 110 W ERP629.4 AAT 1294 MSL 24 AGL. PW/FCCA.
44041		APPD	ST CA: CAL FIRE	PINE GROVE (AMA)	M151.3850 FB A159.2250 .3000 .3300 FX1 50 W ERP 27.5 AAT 716.3 MSL 5.8 AGL. PW/FCCA.
44045		APPD	ST CA: CHP	CRESCENT CI	458.2625 FXO 30 W ERP -63.4 AAT 18.3 MSL 9.1 AGL. PW/FCCA.
44046		APPD	ST CA: CHP	GASQUET (HUM)	453.26250 FXO 30 W ERP 485.9 AAT 1143 MSL 29 AGL. PW/FCCA.
227680		APPD	CO PLACER	TRUCKEE	M45.1200 FX1 55 W ERP -150.9 AAT 1901.6 MSL 5 AGL. RELOCATE. PW/APCO
227703		APPD	CO INYO	BISHOP/MAMMOTH LAKE	M155.8050 FB/MO A155.475 FB2/FB/MO 158.7300 FX1/MO138.8 AAT 2797 MSL 5 AGL. ADD FB2, RELOCATE A FB, REDUCE AOP. PW/APCO. TRANSIT SYS.
227858		APPD	COYOTE VALLEY BAND OF POMO INDIANS	REDWOOD VLY (MENDO)	154.7850 FB/FB2/MO 159.0225 MO 37 W ERP -208.6 AAT 226 MSL 5.3 AGL. PW/APCO.
102745	IN PROG		CLEARLAKE	CLEARLAKE	155.8050 FB/MO -136.3 AAT 421 MSL 16 AGL. PW/IMSA.
244062	APPD		ST CA: EMSA	STATEWIDE	155.34750 .48250 MO 100 W ERP PW/FCCA. NEED CONCUR NV, OR, S CA.
244067	APPD		ST CA: DWR	LOS BANOS	453.8500 FB/FB2/MO 13 W ERP -55.4 AAT 84.4 MSL 6 AGL. PW/FCCA.
227955	IN PROG		ELK CSD	ELK (MENDO)	154.0700 FB/FB2 100 W ERP 395.1 AAT 10 AGL. RELOCATE. PW/APCO.
228039	IN PROG		CO SUTTER	CO SUTTER	155.8725 FB/FB2/MO 159.0675 FX1/MO 210 W ERP 586.0 AAT 591.0 MSL 46 AGL. PW/APCO.
227986	APPD		MAMMOTH USD	MAMMOTH	155.2050 .2650 FB2/MO 158.9550 159.0750 FX1/MO -219.6 AAT 2396 MSL 12 AGL. PW/APCO
000228	DENIED		LIVINGSTON (MERCED)	LIVINGSTON	155.6850 FB2/MO 158.9850 MO 0.08 W ERP 1048 AAT 1039 MSL 45.7 AGL. SUSPECTED DATA. PW/AASHTO.
000228a	APPD		LIVINGSTON (MERCED)	LIVINGSTON	155.6850 FB2/MO 158.9850 MO 0.08 W ERP? 48 AAT 39 MSL 45.7 AGL. SUSPECTED DATA. PW/AASHTO.
44078	APPD		ST CA: CHP	BRYTE (YOLO)	44.7400 .8400 39.4200 42.3600 39.2200 .8000 .6000 42.2800 44.6600 42.200 FB 71 W ERP 14.9 AAT 4.6 MSL 18.3 AGL. PW/FCCA.
228049	APPD		TULARE	TULARE	453.28750 FBS/FB2S 100 W ERP 31.7 AAT 88 MSL 21.1 AGL. ADDNL STA TO SYS. PW/APCO.
44085	APPD		ST CA: CHP	RANCHO CORDOVA	42.0800 FB 42.7600 FX1 100 W ERP 26.5 AAT 37.2 MSL 36.6 AGL PW/FCCA
91746	APPD		SANTA CRUZ METRO TRANSIT DIST	CO SANTA CRUZ	453.4250 460.1375 .6375 FB/FB2/FX1/MO 100 W ERP 805.1 AAT 1153.9 MSL 18.2 AGL. ADD FREQS & SITES. PW/IMSA.NB/P25/7K60
120112	APPD		YUOK TRIBE	KLAMATH (DEL NORTE)	153.64250 FB2/MO 158.43750 MO 40 W ERP 128.2 AAT 253 MSL 18.3 AGL. IG/FIT
121211	APPD		DEL ORO WATER CO	CHICO/PARADISE	173.33750 FXO 20 W ERP 49.1 AAT 514 MSL 7.9 AGL. (OREGON PK) TELEMETRY. IG/FIT
000341	APPD		VISALIA (TRANSIT)	VISALIA	453.26250 FB2/FX1/MO 50 W ERP 40.7 AAT 102 MSL 40 AGL. PW/AASHTO.
44088	APPD		ST CA: CAL FIRE	MONTEREY	159.2850 .3000 .3300 .4050 .3750 154.9800 FX1 154.2800 FB 200 W ERP -22.3 AAT 58.2 MSL 30.5 AGL RELOCATE. PW/FCCA.
228199	APPD		CO SAN JOAQUIN	FRENCH CAMP	460.1000 FB/FB2/MO 16.4 W ERP 19 AAT 8.5 MSL 20 AGL.RELOCATE. ADD FB2 TO FB. PW/APCO.
228200	APPD		CO SAN JOAQUIN	FRENCH CAMP	460.4750 FB/FX1 465.1250 .3500 FX1 40 W ERP 7 AAT 3.9 MSL 9 AGL. RELOCATE. PW/APCO
228201	APPD		CO SAN JOAQUIN	FRENCH CAMP	453.0500 FB2/MO 40 W ERP 19 AAT 8.5 MSL 20 AGL. RELOCATE. PW/APCO.
228202	APPD		CO SAN JOAQUIN	FRENCH CAMP	453.5500 FB2 25 W ERP 1.6 AAT 3.9 MSL 3.4 AGL. RELOCATE. PW/APCO.
480027	APPD		C&H SUGAR	CROCKETT	465.000 FB 25 W ERP -12 AAT 12 MSL 41 AGL. PAGING. IG/PCIA.
228278	IN PROG		CO LAKE	KELSEYVILLE (LAKE)	155.9700 .1150 .0250 158.8050 FB/FB2 155.9550 154.0550 MO 15.7 W ERP 619.9 AAT 1155 MSL 22.9 AGL. ADD SITE TO EXISTING SYSTEM. PW/APCO.

470-512 MHz POOL

228282	APPD		GOLDEN GATE BRIDGE	SAN FRANCISCO	482.38750 FB/FB2 60 W ERP@130° 38 AAT 60 MSL 15 AGL. ADD STATION TO SYS. (TOLL PLAZA) PW/APCO.
228283	APPD		GOLDEN GATE BRIDGE	SAN FRANCISCO	482.53750 FB/FB2 60 W ERP@130° 38 AAT 60 MSL 15 AGL. ADD STATION TO SYS. (TOLL PLAZA) PW/APCO.
228284	APPD		GOLDEN GATE BRIDGE	SAN FRANCISCO	482.68750 FB/FB2 60 W ERP@130° 38 AAT 60 MSL 15 AGL. ADD STATION TO SYS. (TOLL PLAZA) PW/APCO.

700 Mhz PUBLIC SAFETY (SG, SY)

No pending applications

Actions taken from February 9.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users					
10/1/11	IN PROG	CO SACRAMENTO	FOLSOM (DAM)	860.96250	FB/FB2/MO ?? W ERP ?? AAT ??MSL ?? AGL. TO ABATE AN INTERFERENCE ISSUE. GP.
9/16/11	APP PEND	CO SAN BENITO	CO SAN BENITO	454.48250	FB 50 W ERP ?? AAT 876 MSL ?? AGL. CALL MTN & FREMONT PK. AVL. DATA.
2/2/2012	APP PEND	ROSEVILLE	ROSEVILLE	851.0875	MO 5 W ERP. GP/PF. ELECTRICAL WORK ACTIVITIES.
226232	IN PROG	CO CONTRA COSTA	LIVERMORE/BERKELEY	5 CHNLS	FB/FB2/MO 80 W ERP ?? AAT ?? MSL ?? AGL. YE/APCO

10/26/10 note: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ

12/15/10 NOTE: Any applications involving WB will not be accepted by the FCC without additional submissions.

ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.