



NORTHERN CALIF APCO LOG FOR APRIL 2012



THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from March 7.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
The turn around time at the FCC has apparently slipped. We now are seeing over ninety day processing times again.					
4/4/2012	227703	PEND APP APPD	EAST BAY REGIONAL PARKS CO INYO	ALAMEDA/CONTRA COSTA BISHOP/MAMMOTH LAKE	153.86750 MO/MO3 2 W ERP. M155.8050 FB/MO A155.475 FB2/FB/MO 158.7300 FX1/MO138.8 AAT 2797 MSL 5 AGL. ADD FB2, RELOCATE A FB, REDUCE AOP. PW/APCO. TRANSIT SYS.
227858		APPD	COYOTE VALLEY BAND OF POMO INDIANS	REDWOOD VLY (MENDO)	154.7850 FB/FB2/MO 159.0225 MO 37 W ERP -208.6 AAT 226 MSL 5.3 AGL. PW/APCO.
102745		APPD	CLEARLAKE	CLEARLAKE	155.8050 FB/MO -136.3 AAT 421 MSL 16 AGL. PW/IMSA.
227955		APPD	ELK CSD (FIRE)	ELK (MENDO)	154.0700 FB/FB2 100 W ERP 395.1 AAT 613 MSL 10 AGL. RELOCATE. PW/APCO.
228039		IN PROG	CO SUTTER	CO SUTTER	155.8750 FB/FB2/MO 159.0675 FX1/MO 210 W ERP 586.0 AAT 591.0 MSL 46 AGL. PW/APCO.
000228a		APPD	LIVINGSTON (MERCED)	LIVINGSTON	155.6850 FB2/MO 158.9850 MO 0.08 W ERP? 48 AAT 39 MSL 45.7 AGL. SUSPECTED DATA. PW/AASHTO.
44078		APPD	ST CA: CHP	BRYTE (YOLO)	44.7400 .8400 39.4200 42.3600 39.2200 .8000 .6000 42.2800 44.6600 42.200 FB 71 W ERP 14.9 AAT 4.6 MSL 18.3 AGL. PW/FCCA.
228049		APPD	TULARE	TULARE	453.28750 FBS/FB2S 100 W ERP 31.7 AAT 88 MSL 21.1 AGL. ADDNL STA TO SYS. PW/APCO.
44085		APPD	ST CA: CHP	RANCHO CORDOVA	42.0800 FB 42.7600 FX1 100 W ERP 26.5 AAT 37.2 MSL 36.6 AGL PW/FCCA
91746		APPD	SANTA CRUZ METRO TRANSIT DIST	CO SANTA CRUZ	453.4250 460.1375 .6375 FB/FB2/FX1/MO 100 W ERP 805.1 AAT 1153.9 MSL 18.2 AGL. ADD FREQS & SITES. PW/IMSA.NB/P25/7K60
120112		APPD	YUROK TRIBE	KLAMATH (DEL NORTE)	153.64250 FB2/MO 158.43750 MO 40 W ERP 128.2 AAT 253 MSL 18.3 AGL. IG/FIT
121211		APPD	DEL ORO WATER CO	CHICO/PARADISE	173.33750 FXO 20 W ERP 49.1 AAT 514 MSL 7.9 AGL. (OREGON PK) TELEMETRY. IG/FIT
000341		APPD	VISALIA (TRANSIT)	VISALIA	453.26250 FB2/FX1/MO 50 W ERP 40.7 AAT 102 MSL 40 AGL. PW/AASHTO.
44088		APPD	ST CA: CAL FIRE	MONTEREY	159.2850 .3000 .3300 .4050 .3750 154.9800 FX1 154.2800 FB 200 W ERP -22.3 AAT 58.2 MSL 30.5 AGL RELOCATE. PW/FCCA.
228199		APPD	CO SAN JOAQUIN	FRENCH CAMP	460.1000 FB/FB2/MO 16.4 W ERP 19 AAT 8.5 MSL 20 AGL.RELOCATE. ADD FB2 TO FB. PW/APCO.
228200		APPD	CO SAN JOAQUIN	FRENCH CAMP	460.4750 FB/FX1 465.1250 .3500 FX1 40 W ERP 7 AAT 3.9 MSL 9 AGL. RELOCATE. PW/APCO
228201		APPD	CO SAN JOAQUIN	FRENCH CAMP	453.0500 FB2/MO 40 W ERP 19 AAT 8.5 MSL 20 AGL. RELOCATE. PW/APCO.
228202		APPD	CO SAN JOAQUIN	FRENCH CAMP	453.5500 FB2 25 W ERP 1.6 AAT 3.9 MSL 3.4 AGL. RELOCATE. PW/APCO.
480027		APPD	C&H SUGAR	CROCKETT	465.000 FB 25 W ERP -12 AAT 12 MSL 41 AGL. PAGING. IG/PCIA.
228278		APPD	CO LAKE	KELSEYVILLE (LAKE)	155.9700 .1150 .0250 158.8050 FB/FB2 155.9550 154.0550 MO 15.7 W ERP 619.9 AAT 1155 MSL 22.9 AGL. ADD SITE TO EXISTING SYSTEM. PW/APCO.
44057		APPD	CO SONOMA	ANNAPOLIS	39.3200 FB/FB2/MO 45.2600 MO 300 W ERP 429.8 AAT 712.9 MSL 24 AGL. NEW. PW/FCCA.
44082		APPD	CO SONOMA	JENNER	39.3800 FB/FB2/MO 45.1800 MO 100 W ERP 453.1500 FB/FB2/MO 50 W ERP 48.8 AAT 492.4 MSL 10.7 AGL.NEW. PW/FCCA.
228341		APPD	MILLBRAE	MILLBRAE	453/458.96250 FXO/FXOT 5 W ERP 6 AAT 91.2 MSL 6 AGL. DIGITAL. PW/APCO.
104197		APPD	CO CALAVERAS	BEAR MTN	453.8000 FB2 32 W ERP 486.8 AAT 861 MSL 36 AGL. RELOCATE. PW/IMSA. NEEDS LOC FROM GALT.
228501		APPD	SACRAMENTO	SACRAMENTO (SOUTH)	453.53750 FXO/FXOT 6 W ERP 18.8 AAT 16.7 MSL 6.9 AGL. 9K65F1D, IRRIGATION SYS. PW/APCO.
228532		IN PROG	CLOVERDALE (SON)	CLOVERDALE	155.5350 FB/FB2/MO 156.225 FX1/MO 45 W ERP ?? AAT 149 MSL 22.9 AGL. NEW. PW/APCO.
228495		APPD	CO PLACER	GLENBROOK, NV	161.5050 FB/FB2 100 W ERP 173.8 AAT 2119.6 MSL 8 AGL. ADD RR FREQ TO EXIST SITE. PW/APCO.
228547		IN PROG	HOLLISTER	SCHOOL PK(NR FREEMONT PK)	155.8050 FB2 316 W ERP 575 AAT 880.2 MSL 18.2 AGL. NEW STATION ON EXIST SYS. PW/APCO.
244116		APPD	ST CA: CHP	WILLITS	M42.5600 M42.7200 A42.2200 FB 213 W ERP -144 AAT 409 MSL 10 AGL. MOD EXIST. PW/FCCA.
228619		APPD	FARMERSVILLE	FARMERSVILLE (TUL)	453.7275 FB/MO 458.7250 .6500 .8500 .9750 FX1 150 W ERP 10.5 AAT 109 MSL 9 AGL. MOD EXIST. PW/APCO.
228544		APPD	MAMMOTH LAKES	MAMMOTH LAKES (INYO)	155.5950 158.7600 FB/FB2/MO 155.9250 159.0150 155.9250 MO/FX1 80 W ERP -110.7 AAT 2463 MSL 11 AGL. PW/APCO
228629		APPD	CO DEL NORTE	CO DEL NORTE	151.22750 .46250 MO 5 W. PROBATION DEPT. PW/APCO.
228738		APPD	PETALUMA	PETALUMA	154.0250 FB 204 W ERP -54.5 AAT 10 MSL 34 AGL. ADDS TO EXIST SYS. PW/APCO.
44142		APPD	ST CA: CAL FIRE	SUSANVILLE	159.2250 .3000 .3300 .4050 FX1 40 W ERP -187 AAT 1391.7 MSL 13.7 AGL. PW/FCCA.
163840		APPD	CLOS DU BOIS WINERY	GEYSERVILLE (SONOMA)	453.0000 FB2/FX1/MO 28 W ERP -71.7 AAT 170 MSL 8.5 AGL. IG/EWA.
00018		APPD	ST CA: CHP	ATLAS PK (NAPA)	M42.4200 .3400 44.7200 FB 126 W ERP 563.8 AAT 805.8 MSL 41.1 AGL. PW/FCCA.
228821		CONCURED	CO DOUGLAS	CARSON CI (NEVADA)	159.29250 FB2 120 W ERP -233 AAT 1502 MSL 21 AGL. PW/APCO.
00007		APPD	CO SONOMA	SONOMA MTN/OAKRIDGE	39.9400 .6600 FB/FB2/MO 45.4800 .3400 MO 300 W ERP 575.2 AAT 744.4 MSL 24.4 AGL. PW/FCCA
00017		APPD	KETTENPOM-ZENIA FD	ZENIA (TRIN)	156.1650 FB2/MO 153.92750 MO 150 W ERP 288.1 AAT 1063 MSL 12.1 AGL. PW/FCCA.
00049		APPD	ST CA: ?	MIRAMONTE (FRS)	155.5050 MO 50 W ERP. PW/FCCA.
00051		APPD	ST CA: ?	BISHOP (INYO)	155.5050 MO 50 W ERP. PW/FCCA.

Actions taken from March 7.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
00019	APPD	CO SONOMA	MT JACKSON	151.0100 FB2/MO 50 W ERP 156.1800 FX1/MO 100 W ERP 155.5350 MO 5 W ERP. 322.2 AAT 469.8 MSL 21.4 AGL. PW/FCCA.	
00114	DENIED	WESTSIDE MOSQ ABT DIST	MARICOPA (TUL)	M158.7450 FX1/MO INCR ERP TO 100 W. INCONGRUENT DATA. PW/FCCA.	
00132	APPD	ST CA: CAL FIRE	SUSANVILLE	151.1450 .1750 .4000 FB 159.1350 .1950 FX1 238 W ERP -146.3 AAR 1392.3 MSL 24.4 AGL. ADD FREQS. PW/FCCA.	

470-512 MHz POOL

228282	APPD	GOLDEN GATE BRIDGE	SAN FRANCISCO	482.38750 FB/FB2 60 W ERP@130° 38 AAT 60 MSL 15 AGL. ADD STATION TO SYS. (TOLL PLAZA) PW/APCO.
228283	APPD	GOLDEN GATE BRIDGE	SAN FRANCISCO	482.53750 FB/FB2 60 W ERP@130° 38 AAT 60 MSL 15 AGL. ADD STATION TO SYS. (TOLL PLAZA) PW/APCO.
228284	APPD	GOLDEN GATE BRIDGE	SAN FRANCISCO	482.68750 FB/FB2 60 W ERP@130° 38 AAT 60 MSL 15 AGL. ADD STATION TO SYS. (TOLL PLAZA) PW/APCO.

700 Mhz PUBLIC SAFETY (SG, SY)

No pending applications

800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

10/1/11	IN PROG	CO SACRAMENTO	FOLSOM (DAM)	860.96250 FB/FB2/MO ?? W ERP ?? AAT ??MSL ?? AGL. TO ABATE AN INTERFERENCE ISSUE. GP.
9/16/11	APP PEND	CO SAN BENITO	CO SAN BENITO	454.48250 FB 50 W ERP ?? AAT 876 MSL ?? AGL. CALL MTN & FREMONT PK. AVL. DATA.
1/9/2526	IN PROG	ROSEVILLE	ROSEVILLE	851.0875 MO 5 W ERP. GP/PF. ELECTRICAL WORK ACTIVITIES.
226232	IN PROG	CO CONTRA COSTA	LIVERMORE/BERKELEY	5 CHNLS FB/FB2/MO 80 W ERP ?? AAT ?? MSL ?? AGL. YE/APCO
100504	APPD	REGENTS OF THE UC..	SANTA CRUZ/MONTEREY CO	854.03750 FB2/FX1/MO* 84 W ERP 121.2 AAT 244 MSL 29 AGL. *REQUESTS MO IN S'CRUZ AND MONTEREY CO. GE/MSA

10/26/10 note: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ SPECTRUM.

12/15/10 NOTE: Any applications involving WB will not be accepted by the FCC without additional submissions.

4/06/12 note: As of 4/1/12 I have discontinued my FAX number due to disuse. It has been over a year since last fax was received,
ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.