



NORTHERN CALIF APCO LOG FOR MAY 2012



THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from April 11 to May 9.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
The turn around time at the FCC has apparently slipped. We now are seeing over ninety day processing times again.					
1	4/4/2012	PEND APP	EAST BAY REGIONAL PARKS	ALAMEDA/CONTRA COSTA	153.86750 MO/MO3 2 W ERP.
2	228039	IN PROG	CO SUTTER	CO SUTTER	151.1525 FB/FB2/MO ????.????? FX1/MO 210 W ERP 586.0 AAT 591.0 MSL 46 AGL. PW/APCO.
3	228532	APPD	CLOVERDALE (SON)	CLOVERDALE	153.9200 FB/FB2/MO 156.225 FX1/MO 45 W ERP -320 AAT 149 MSL 22.9 AGL. NEW. PW/APCO.
4	228547	IN PROG	HOLLISTER	HOLLISTER	155.8050 FB2 100 W ERP ? AAT ? MSL ? AGL. ADD NEW FB2. ADD STATION 1. PW/APCO.
5	244116	APPD	ST CA: CHP	WILLITS	M42.5600 M42.7200 A42.2200 FB 213 W ERP -144 AAT 409 MSL 10 AGL. MOD EXIST. PW/FCCA.
6	228619	APPD	FARMERSVILLE	FARMERSVILLE (TUL)	453.7275 FB/MO 458.7250 .6500 .8500 .9750 FX1 150 W ERP 10.5 AAT 109 MSL 9 AGL. MOD EXIST. PW/APCO.
7	228544	APPD	MAMMOTH LAKES	MAMMOTH LAKES (INYO)	155.5950 158.7600 FB/FB2/MO 155.9250 159.0150 155.9250 MO/FX1 80 W ERP -110.7 AAT 2463 MSL 11 AGL. PW/APCO
8	228629	APPD	CO DEL NORTE	CO DEL NORTE	151.22750 .46250 MO 5 W. PROBATION DEPT. PW/APCO.
9	228738	APPD	PETALUMA	PETALUMA	154.0250 FB 204 W ERP -54.5 AAT 10 MSL 34 AGL. ADDS TO EXIST SYS. PW/APCO.
10	44142	APPD	ST CA: CAL FIRE	SUSANVILLE	159.2250 .3000 .3300 .4050 FX1 40 W ERP -187 AAT 1391.7 MSL 13.7 AGL. PW/FCCA.
11	163840	APPD	CLOS DU BOIS WINERY	GEYSERVILLE (SONOMA)	453.0000 FB2/FX1/MO 28 W ERP -71.7 AAT 170 MSL 8.5 AGL. IG/EWA.
12	00018	APPD	ST CA: CHP	ATLAS PK (NAPA)	M42.4200 .3400 44.7200 FB 126 W ERP 563.8 AAT 805.8 MSL 41.1 AGL. PW/FCCA.
13	228821	CONCURED	CO DOUGLAS	CARSON CI (NEVADA)	159.29250 FB2 120 W ERP -233 AAT 1502 MSL 21 AGL. PW/APCO.
14	00007	APPD	CO SONOMA	SONOMA MTN/OAKRIDGE	39.9400 .6600 FB/FB2/MO 45.4800 .3400 MO 300 W ERP 575.2 AAT 744.4 MSL 24.4 AGL. PW/FCCA
15	00017	APPD	KETTENPOM-ZENIA FD	ZENIA (TRIN)	156.1650 FB2/MO 153.92750 MO 150 W ERP 288.1 AAT 1063 MSL 12.1 AGL. PW/FCCA.
16	00049	APPD	ST CA: CDCR	MIRAMONTE (FRS)	155.5050 MO 50 W ERP. PW/FCCA.
17	00051	APPD	ST CA: CDCR	BISHOP (INYO)	155.5050 MO 50 W ERP. PW/FCCA.
18	00019	APPD	CO SONOMA	MT JACKSON (SON)	151.0100 FB2/MO 50 W ERP 156.1800 FX1/MO 100 W ERP 155.5350 MO 5 W ERP. 322.2 AAT 469.8 MSL 21.4 AGL. PW/FCCA.
19	00114	DENIED	WESTSIDE MOSQ ABT DIST	MARICOPA (TUL)	M158.7450 FX1/MO INCR ERP TO 100 W. INCONGRUENT DATA. PW/FCCA.
20	00132	APPD	ST CA: CAL FIRE	SUSANVILLE	151.1450 .1750 .4000 FB 159.1350 .1950 FX1 238 W ERP -146.3 AAR 1392.3 MSL 24.4 AGL. ADD FREQS. PW/FCCA.
21	229113	APPD	GRIDLEY	GRIDLEY	158.8050 FB/MO 40 W ERP 17 AAT 28 MSL 18 AGL. PW/APCO.
22	00149	APPD	ST CA: CDCR	SUSANVILLE	155.5050 MO 50 W ERP. PW/FCCA.
23	229175	APPD	NEVADA CO FIRE AGY	CO NEVADA	153.9650 CHNG MOD TO FB, ADD FB2 MODE INCR MO ERP 428 AAT 1582 MSL 18 AGL. EXISTING SYS. PW/APCO
24	000656a	APPD	CO GLENN	WILLOWS	D151.0700 A158.8350 25 W ERP 4.3 AAT 33.5 MSL 18.2 AGL. PW/AASHTO.
25	00188	APPD	ST CA: CDCR	JAMESTOWN (TUO)	155.5050 MO 50 W ERP. PW/FCCA.
26	00189	APPD	ST CA: CDCR	ANGLES CAMP (CALIV)	155.5050 MO 50 W ERP. PW/FCCA.
27	00228	APPD	HUMBOLDT CO FIRE CHS	CO HUMBOLDT	154.0700 FB2 159.0000 FX1/MO 100 W ERP 812 AAT 1509 MSL 23 AGL. HORSE, PRATT, PIERCE. PW/IMSA.
28	00227	APPD	ST CA: CDCR	LEWISTON (TRIN)	155.5050 MO 50 W ERP. PW/FCCA.
29	00233	APPD	ST CA: CDCR	PASKENTA (THE)	155.5050 MO 50 W ERP. PW/FCCA.
30	00234	APPD	ST CA: CDCR	JAMESTOWN (TUO)	155.5050 MO 50 W ERP. PW/FCCA.
31	229381	IN PROG	CHICO	CO BUTTE	155.5125 FB/FB2/MO 158.???? MO 100 W ERP -27 AAT 53 MSL 30 AGL. PW/APCO.
32	00196	APPD	SUTTER WEST BAY HOSP	SANTA ROSA	155.3400 .3550 FB/MO 140 W ERP -46.7 AAT 82 MSL 29 AGL. PW/IMSA.
33	00298	APPD	ST CA: CDCR	BIEBER (LASSEN)	155.5050 MO 50 W ERP. PW/FCCA.
34	00299	APPD	ST CA: CDCR	REDWAY (HUM)	155.5050 MO 50 W ERP. PW/FCCA.
35	00296	APPD	ST CA: CDCR	ELK CREEK (GLENN)	155.5050 MO 50 W ERP. PW/FCCA.
36	00297	APPD	ST CA: CDCR	WEOTT (HUM)	155.5050 MO 50 W ERP. PW/FCCA.
37	229477	APPD	CO PLACER	AUBURN	453.4250 FB2 230 W ERP 218.1 AAT 620 MSL 54.9 AGL. PW/APCO. RELOCATE.
38	229454	APPD	CO PLACER	AUBURN	MED 1-8 FB2 208 W ERP 218.1 AAT 620 MSL 54.9 AGL. PW/APCO. RELOCATE.
39	229455	APPD	CO PLACER	AUBURN	39.5400 FB2 45 W ERP 218.1 AAT 620 MSL 54.9 AGL. PW/APCO. RELOCATE.
40	229480	APPD	CO PLACER	AUBURN	161.2650 FB2 100 W ERP 218.1 AAT 620 MSL 54.9 AGL. PW/APCO. RELOCATE.
41	229494	APPD	CO PLACER	AUBURN	39.9800 FB2 95 W ERP 218.1 AAT 620 MSL 54.9 AGL. PW/APCO. RELOCATE.
42	229488	IN PROG	CO MADERA	CO MADERA	453/458.31250 MO 55 W ERP. PW/APCO. TAC OPS CHNL.
43	00203	APPD	ST CA: CAL FIRE	YREKA	151.1900 .3400 FB 154.9800 FX1 138 W ERP -177.8 AAT 829.4 MSL 30.5 AGL. PW/FCCA.
44	00308	APPD	ST CA: CAL FIRE	FT BRAGG (MEN)	D159.2250 A159.3300 .3450 FX1 40 W ERP -93.8 AAT 67 MSL 16 AGL. PW/FCCA.
45	11-270	APPD	ST CA: CAL FIRE	WILLITS	154.9800 159.3450 31.9800 FX1 102 W ERP 117.3 AAT 586.7 MSL 42.7 AGL. PW/FCCA.
46	229589	IN PROG	ALAMEDA CO WATER DIS	FREMONT	453/458.???? FXO 16 W ERP V AAT V MSL V AGL. SCADA. PW/APCO.
47	00344	APPD	ST CA: CDCR	ALTURAS (MODOC)	155.5050 MO 50 W ERP. PW/FCCA.

Actions taken from April 11 to May 9.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
470-512 MHz POOL					
48	1201117	APPD	PG&E	DALY CITY	483.3250 484.3250 .5000 .6500 .7500 488.9500 FB8/MO8 500 W ERP 367.5 AAT 373.7 MSL 35 AGL. 4K00F1W. YG/AAA
49	1201118	APPD	PG&E	SUNOL	483.3250 484.3250 .5000 .6500 .7500 488.9500 FB8/MO8 500 W ERP 489.7 AAT 661.4 MSL 15.4 AGL. 4K00F1W. YG/AAA
50	1201114	APPD	PG&E	MILPITAS	483.2750 .4500 .6500 484.3000 .6250 .6750 FB8/MO8 500 W ERP 579 AAT 767.8 MSL 40 AGL. 4K00F1W. YG/AAA.
51	1201113	APPD	PG&E	MILL VALLEY	483.2750 .4500 .6500 484.3000 .6250 .6750 FB8/MO8 500 W ERP 645 AAT 765 MSL 10 AGL. 4K00F1W. YG/AAA.
52	1201116	APPD	PG&E	CROCKETT	483.3250 484.3250 .5000 .6500 .7500 488.9500 FB8/MO8 221.6 AAT 273 MSL 21 AGL. 4K00F1W. YG/AAA.
53	1201115	APPD	PG&E	CLAYTON	483.2750 .4500 .6500 484.3000 .6250 .6750 FB8/MO8 500 W ERP 407.9 AAT 571.5 MSL 25.9 AGL. 4K00F1W. YG/AAA.
700 Mhz PUBLIC SAFETY (SG, SY)					
54		APP PEND	CO MONTEREY	CO MONTEREY	
800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users					
55	9/16/11	APP PEND	CO SAN BENITO	CO SAN BENITO	151.48250 FB 50 W ERP ?? AAT 876 MSL ?? AGL. CALL MTN & FREMONT PK. AVL. DATA.
56	228652	IN PROG	ROSEVILLE	ROSEVILLE	851.0875 MO 5 W ERP. GE/PF. ELECTRICAL WORK ACTIVITIES.
57	226232	IN PROG	CO CONTRA COSTA	LIVERMORE/BERKELEY	5 CHNLS FB/FB2/MO 80 W ERP ?? AAT ?? MSL ?? AGL. YE/APCO
58	200782	APPD	SAM GARDALI	JACKSON, SONORA, MARIPOSA	856.86250 858.91250 855.76250 854.83750 FB2/MO 100 W ERP 616.7 AAT 1218 MSL 99.1 AGL. JACKSON BUTTE, BALD MTN, BULLION RDG YB/AAA
59	00223	APPD	ST CA: DOT	SANTA CRUZ	856.76250 FB 70 W ERP -73.2 AAT 24.4 MSL 18.3 AGL. GP/FCCA.
60	0086A	APPD	KNOX LA RUE	STOCKTON	855.26250 ,31250 860.86250 FB2/MO 49 W ERP 29.4 AAT 4.3 MSL 37 AGL. YB/AAA
61	00235	APPD	ST CA: DOT	SALINAS	811.98750 FX1 88 W ERP -118.4 AAT 21.3 MSL 7.6 AGL. GP/FCCA.

10/26/10 note: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ SPECTRUM.
12/15/10 note: Any applications involving WB will not be accepted by the FCC without additional submissions.
4/06/12 note: As of 4/1/12 I have discontinued my FAX number due to disuse. It has been over a year since last fax was received,
ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.
 Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION
 Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.