



# NORTHERN CALIF APCO LOG FOR JUNE 2012



THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from May 9 to June 13.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
<b>The turn around time at the FCC has apparently slipped. We now are seeing over ninety day processing times again.</b>					
1	229809	APPD	EAST BAY REGIONAL PARKS	ALAMEDA/CONTRA COSTA	150.8050 (EXISTS) 153.86750 (NEW) MO/MO3 2 W ERP. PW/APCO
2	228039	IN PROG	CO SUTTER	CO SUTTER	151.1525 FB/FB2/MO ??? ????? FX1/MO 210 W ERP 586.0 AAT 591.0 MSL 46 AGL. PW/APCO.
3	228532	APPD	CLOVERDALE (SON)	CLOVERDALE	153.9200 FB/FB2/MO 156.225 FX1/MO 45 W ERP -320 AAT 149 MSL 22.9 AGL. NEW. PW/APCO.
4	228547	IN PROG	HOLLISTER	HOLLISTER	155.8050 FB2 100 W ERP ? AAT ? MSL ? AGL. ADD NEW FB2. ADD STATION 1. PW/APCO.
5	229175	APPD	NEVADA CO FIRE AGY	CO NEVADA	153.9650 CHNG MOD TO FB, ADD FB2 MODE INCR MO ERP 428 AAT 1582 MSL 18 AGL. EXISTING SYS. PW/APCO
6	000656a	APPD	CO GLENN	WILLOWS	D151.0700 A158.8350 25 W ERP 4.3 AAT 33.5 MSL 18.2 AGL. PW/AASHTO.
7	000656b	APPD	CO GLENN	WILLOWS	154.4000 FB 158.3500 FB2 154.0700 FX1 25 W ERP 4.3 AAT 33.5 MSL 18.2 AGL. PW/AASHTO.
8	00188	APPD	ST CA: CDCR	JAMESTOWN (TUO)	155.5050 MO 50 W ERP. PW/FCCA.
9	00189	APPD	ST CA: CDCR	ANGLES CAMP (CALIV)	155.5050 MO 50 W ERP. PW/FCCA.
10	00228	APPD	HUMBOLDT CO FIRE CHS	CO HUMBOLDT	154.0700 FB2 159.0000 FX1/MO 100 W ERP 812 AAT 1509 MSL 23 AGL. HORSE, PRATT, PIERCE. PW/IMSA.
11	00227	APPD	ST CA: CDCR	LEWISTON (TRIN)	155.5050 MO 50 W ERP. PW/FCCA.
12	00233	APPD	ST CA: CDCR	PASKENTA (TEH)	155.5050 MO 50 W ERP. PW/FCCA.
13	00234	APPD	ST CA: CDCR	JAMESTOWN (TUO)	155.5050 MO 50 W ERP. PW/FCCA.
14	229381	APPD	CHICO	CO BUTTE	155.5125 FB/FB2/MO 158.78250 MO 100 W ERP -27 AAT 53 MSL 30 AGL. PW/APCO.
15	00196	APPD	SUTTER WEST BAY	SANTA ROSA	155.3400 .3550 FB/MO 140 W ERP -46.7 AAT 82 MSL 29 AGL. PW/IMSA.
16	00298	APPD	ST CA: CDCR	BIEBER (LASSEN)	155.5050 MO 50 W ERP. PW/FCCA.
17	00299	APPD	ST CA: CDCR	REDWAY (HUM)	155.5050 MO 50 W ERP. PW/FCCA.
18	00296	APPD	ST CA: CDCR	ELK CREEK (GLENN)	155.5050 MO 50 W ERP. PW/FCCA.
19	00297	APPD	ST CA: CDCR	WEOTT (HUM)	155.5050 MO 50 W ERP. PW/FCCA.
20	229477	APPD	CO PLACER	AUBURN	453.4250 FB2 230 W ERP 218.1 AAT 620 MSL 54.9 AGL. PW/APCO. RELOCATE.
21	229454	APPD	CO PLACER	AUBURN	MED 1-8 FB2 208 W ERP 218.1 AAT 620 MSL 54.9 AGL. PW/APCO. RELOCATE.
22	229455	APPD	CO PLACER	AUBURN	39.5400 FB2 45 W ERP 218.1 AAT 620 MSL 54.9 AGL. PW/APCO. RELOCATE.
23	229480	APPD	CO PLACER	AUBURN	161.2650 FB2 100 W ERP 218.1 AAT 620 MSL 54.9 AGL. PW/APCO. RELOCATE.
24	229494	APPD	CO PLACER	AUBURN	39.9800 FB2 95 W ERP 218.1 AAT 620 MSL 54.9 AGL. PW/APCO. RELOCATE.
25	229488	APPD	CO MADERA	CO MADERA	453/458.31250 MO 55 W ERP. PW/APCO. TAC OPS CHNL.
26	00203	APPD	ST CA: CAL FIRE	YREKA	151.1900 .3400 FB 154.9800 FX1 138 W ERP -177.8 AAT 829.4 MSL 30.5 AGL. PW/FCCA.
27	00308	APPD	ST CA: CAL FIRE	FT BRAGG (MEN)	D159.2250 A159.3300 .3450 FX1 40 W ERP -93.8 AAT 67 MSL 16 AGL. PW/FCCA.
28	11-270	APPD	ST CA: CAL FIRE	WILLITS	154.9800 159.3450 31.9800 FX1 102 W ERP 117.3 AAT 586.7 MSL 42.7 AGL. PW/FCCA.
29	229589	IN PROG	ALAMEDA CO WATER DIS	FREMONT	453/458.4000 FXO 16 W ERP V AAT V MSL V AGL. SCADA. PW/APCO.
30	00344	APPD	ST CA: CDCR	ALTURAS (MODOC)	155.5050 MO 50 W ERP. PW/FCCA.
31	229632	IN PROG	CLOVERDALE (SON)	CLOVERDALE	154.8900 FB (EXISTS) /FB2 158.9400 MO 50 E ERP ?? AAT 149 MSL 18 AGL. PW/EWA/APCO.
32	01084	office approval	BRISBANE	BRISBANE	D159.0450 A155.8200 MO 5 W ERP. F1D. PW/AASHTO
33	00372	APPD	ST CA: CDCR	FT BRAGG (MEN)	155.5050 MO 50 W ERP. PW/FCCA.
34	00373	APPD	ST CA: CDCR	LOWER LAKE	155.5050 MO 50 W ERP. PW/FCCA.
35	00375	APPD	ST CA: CDCR	KLAMATH	155.5050 MO 50 W ERP. PW/FCCA.
36	00376	APPD	ST CA: CDCR	SUSANVILLE	155.5050 MO 50 W ERP. PW/FCCA.
37	00384	APPD	ST CA: CDCR	FT JONES (SIS)	155.5050 MO 50 W ERP. PW/FCCA.
38	00399	APPD	ST CA: CDCR	MARIPOSA	155.5050 MO 50 W ERP. PW/FCCA.
39	00400	APPD	ST CA: CDCR	PAYNES CRK(TEHAMA)	155.5050 MO 50 W ERP. PW/FCCA.
40	11-296	APPD	ST CA: CDCR	FT BRAGG (MEN)	155.5050 MO 50 W ERP. PW/FCCA.
41	229891	APPD	CO PLACER	AUBURN	M45.3800 FX1 39.8400 FB2 RELOCATE. M45.4800 154.8900 MO 155,0100 MO/MO2. PW/APCO.
42	00416	APPD	ST CA: CDCR	SPRINGVALE (TUL)	155.5050 MO 50 W ERP. PW/FCCA.
43	00417	APPD	ST CA: CDCR	BELLEVIEWA (SHA)	155.5050 MO 50 W ERP. PW/FCCA.
44	230012	APPD	CO BUTTE	BLOOMER/OROVILLE	151.4900 FB/FB2 60 W ERP 480 AAT 912 MSL 32 AGL. ADD STATION TO SYS. PW/APCO
45	230022	APPD	CO BUTTE	BLOOMER/OROVILLE	154.4150 FB/FB2 26 W ERP 480 AAT 912 MSL 32 AGL. ADD STATION TO SYS. PW/APCO
46	230023	APPD	CO BUTTE	OROVILLE	151.0550 FB/FB2 60 W ERP 57 AAT 281.6 MSL 32 AGL. ADD STATION TO SYS. PW/APCO
47	230025	APPD	CO BUTTE	BLOOMER/OROVILLE	154.7250 FB/FB2 60 W ERP 480 AAT 912 MSL 32 AGL. ADD STATION TO SYS. PW/APCO
48	230027	APPD	CO BUTTE	BLOOMER/OROVILLE	155.9400 FB/FB2 60 W ERP 480 AAT 912 MSL 32 AGL. ADD STATION TO SYS. PW/APCO
49	230056	IN PROG	DEER PARK FD	CO NAPA	154.1900 FB/FB2 60 W ERP ??? ????? FX1/MO ? ERP 480 AAT 912 MSL 32 AGL. ADD STATION TO SYS. PW/APCO

Actions taken from May 9 to June 13.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
50	01187	APPD	LOLITA	LOLITA (HUM)	151.03250 FB/MO 100 W ERP -15.7 AAT 30 MSL 39 AGL. NEW. PW/AASHTO.
51	00462	PARTIAL	CO SONOMA	CO SONOMA	460.1000 .53750 .56250 MO 50 W ERP. <i>Frequencies are limited to 2 watts per 90.20, note 84.</i> PW/AASHTO.
52	109226	APPD	CLOVIS	CLOVIS	173.36250 FXO/FXOT 20 WATT. F2D. 12 AAT 108 MSL 15 AGL. IG/UTC.
	00498	APPD	ST CA: DOT	SHA/LAS/MOD/SIS/THE/P LU	453.26250 460.2250 MO/MO3 2 W ERP. PW/FCCA.
53					
54	00499	APPD	ST CA: CDCR	CRESCENT CITY (HUM)	155.5050 FB/MO 60 W ERP -101 AAT 24 MSL 24.4 AGL. PW/AASHTO.
55	00500	APPD	ST CA: CDCR	CHOWCHILLA	155.5050 FB/MO 60 W ERP 22.7AAT 85 MSL 24.4 AGL. PW/AASHTO.
56	00501	APPD	ST CA: CDCR	SUSANVILLE	155.5050 FB/MO 60 W ERP -150.0 AAT 1250.0 MSL 8.0 AGL. PW/AASHTO.
	230186	IN PROG	CO SANTA CRUZ	CO SANTA CRUZ	151.0700 .1750 155.5200 FB/FB2/MO 159.2250 .2700 .3150 .3600 FX1/MO 17.7/100 W ERP. 585.2 AAT 958.8 MSL 10 AGL. PW/APCO.
57					
	230187	IN PROG	CO SANTA CRUZ	CO SANTA CRUZ	154.1600 .3850 155.1750 .2500 .5500 FB/FB2/MO 158.9250 159.0150 FX1/MO 75.5/100 W ERP -73.3 AAT7 MSL 28 AGL. PW/APCO.
58					
59	00462	APPD	CO SONOMA	CO SONOMA	460.1000 458.28750 .9250 50 W ERP 465.53750 .56250 MO 6 W ERP. PW/AASHTO.

470-512 MHz POOL

60	1201117	APPD	PG&E	DALY CITY	483.3250 484.3250 .5000 .6500 .7500 488.9500 FB8/MO8 500 W ERP 367.5 AAT 373.7 MSL 35 AGL. 4K00F1W. YG/AAA
61	1201118	APPD	PG&E	SUNOL	483.3250 484.3250 .5000 .6500 .7500 488.9500 FB8/MO8 500 W ERP 489.7 AAT 661.4 MSL 15.4 AGL. 4K00F1W. YG/AAA
62	1201114	APPD	PG&E	MILPITAS	483.2750 .4500 .6500 484.3000 .6250 .6750 FB8/MO8 500 W ERP 579 AAT 767.8 MSL 40 AGL. 4K00F1W. YG/AAA.
63	1201113	APPD	PG&E	MILL VALLEY	483.2750 .4500 .6500 484.3000 .6250 .6750 FB8/MO8 500 W ERP 645 AAT 765 MSL 10 AGL. 4K00F1W. YG/AAA.
64	1201116	APPD	PG&E	CROCKETT	483.3250 484.3250 .5000 .6500 .7500 488.9500 FB8/MO8 221.6 AAT 273 MSL 21 AGL. 4K00F1W. YG/AAA.
65	1201115	APPD	PG&E	CLAYTON	483.2750 .4500 .6500 484.3000 .6250 .6750 FB8/MO8 500 W ERP 407.9 AAT 571.5 MSL 25.9 AGL. 4K00F1W. YG/AAA.

700 Mhz PUBLIC SAFETY (SG, SY)

APP PEND CO MONTEREY CO MONTEREY

800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

66	9/16/11	APP PEND	CO SAN BENITO	CO SAN BENITO	3 CHNLS FB/FB2 50 W ERP ?? AAT 876 MSL ?? AGL. CALL MTN & FREMONT PK. AVL. DATA.
67	226232	IN PROG	CO CONTRA COSTA	LIVERMORE/BERKELEY	5 CHNLS FB/FB2/MO 80 W ERP ?? AAT ?? MSL ?? AGL. YE/APCO
68	00223	APPD	ST CA: DOT	SANTA CRUZ	856.76250 FB 70 W ERP -73.2 AAT 24.4 MSL 18.3 AGL. GP/FCCA.
69	0086A	APPD	KNOX LA RUE	STOCKTON	855.26250 ,31250 860.86250 FB2/MO 49 W ERP 29.4 AAT 4.3 MSL 37 AGL. YB/AAA
70	00235	APPD	ST CA: DOT	SALINAS	811.98750 FX1 88 W ERP -118.4 AAT 21.3 MSL 7.6 AGL. GP/FCCA.
71	230022	APPD	CO BUTTE	BLOOMER	855.46250 FB/FB2 175 W ERP 480 AAT 912 MSL 32 AGL. ADD STATION TO SYS. GP/APCO

10/26/10 note: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ

12/15/10 note: Any applications involving WB will not be accepted by the FCC without additional submissions.

4/06/12 note: As of 4/1/12 I have discontinued my FAX number due to disuse. It has been over a year since last fax was received,

ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.