



NORTHERN CALIF APCO LOG FOR JULY 2012



THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from June 13 to July 11.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
The turn around time at the FCC has apparently slipped. We now are seeing over ninety day processing times again.					
1	229809	APPD	EAST BAY REGIONAL PARKS	ALAMEDA/CONTRA COSTA	150.8050 (EXISTS) 153.86750 (NEW) MO/MO3 2 W ERP. PW/APCO
2	228039	IN PROG	CO SUTTER	CO SUTTER	151.1525 FB/FB2/MO 159.3075 FX1/MO 210 W ERP 586.0 AAT 591.0 MSL 46 AGL. PW/APCO.
3	228547	IN PROG	HOLLISTER	HOLLISTER	155.8050 FB2 100 W ERP ? AAT ? MSL ? AGL. ADD NEW FB2. ADD STATION 1. PW/APCO.
4	229381	APPD	CHICO	CO BUTTE	155.5125 FB/FB2/MO 158.78250 MO 100 W ERP -27 AAT 53 MSL 30 AGL. PW/APCO.
5	229488	APPD	CO MADERA	CO MADERA	453/458.31250 MO 55 W ERP. PW/APCO. TAC OPS CHNL.
6	229589	IN PROG	ALAMEDA CO WATER DIS	FREMONT	453/458.4000 FXO 16 W ERP V AAT V MSL V AGL. SCADA. PW/APCO.
7	229632	APPD	CLOVERDALE	CLOVERDALE (SON)	154.8900 FB (EXISTS) /FB2 158.9400 MO 50 E ERP ?? AAT 149 MSL 18 AGL. PW/EWA/APCO.
8	01084	office approval	BRISBANE	BRISBANE	D159.0450 A155.8200 MO 5 W ERP. F1D. PW/AASHTO
9	00372	APPD	ST CA: CDCR	FT BRAGG (MEN)	155.5050 MO 50 W ERP. PW/FCCA.
10	00373	APPD	ST CA: CDCR	LOWER LAKE	155.5050 MO 50 W ERP. PW/FCCA.
11	00375	APPD	ST CA: CDCR	KLAMATH	155.5050 MO 50 W ERP. PW/FCCA.
12	00376	APPD	ST CA: CDCR	SUSANVILLE	155.5050 MO 50 W ERP. PW/FCCA.
13	00384	APPD	ST CA: CDCR	FT JONES (SIS)	155.5050 MO 50 W ERP. PW/FCCA.
14	00399	APPD	ST CA: CDCR	MARIPOSA	155.5050 MO 50 W ERP. PW/FCCA.
15	00400	APPD	ST CA: CDCR	PAYNES CRK(TEHAMA)	155.5050 MO 50 W ERP. PW/FCCA.
16	11-296	APPD	ST CA: CDCR	FT BRAGG (MEN)	155.5050 MO 50 W ERP. PW/FCCA.
17	229891	APPD	CO PLACER	AUBURN	M45.3800 FX1 39.8400 FB2 RELOCATE. M45.4800 154.8900 MO 155.0100 MO/MO2. PW/APCO.
18	00416	APPD	ST CA: CDCR	SPRINGVALE (TUL)	155.5050 MO 50 W ERP. PW/FCCA.
19	00417	APPD	ST CA: CDCR	BELLEVIDA (SHA)	155.5050 MO 50 W ERP. PW/FCCA.
20	230012	APPD	CO BUTTE	BLOOMER/OROVILLE	151.4900 FB/FB2 60 W ERP 480 AAT 912 MSL 32 AGL. ADD STATION TO SYS. PW/APCO
21	230022	APPD	CO BUTTE	BLOOMER/OROVILLE	154.4150 FB/FB2 26 W ERP 480 AAT 912 MSL 32 AGL. ADD STATION TO SYS. PW/APCO
22	230023	APPD	CO BUTTE	OROVILLE	151.0550 FB/FB2 60 W ERP 57 AAT 281.6 MSL 32 AGL. ADD STATION TO SYS. PW/APCO
23	230025	APPD	CO BUTTE	BLOOMER/OROVILLE	154.7250 FB/FB2 60 W ERP 480 AAT 912 MSL 32 AGL. ADD STATION TO SYS. PW/APCO
24	230027	APPD	CO BUTTE	BLOOMER/OROVILLE	155.9400 FB/FB2 60 W ERP 480 AAT 912 MSL 32 AGL. ADD STATION TO SYS. PW/APCO
25	230056	IN PROG	DEER PARK FD	CO NAPA	154.1900 FB/FB2 60 W ERP ????.???? FX1/MO ? ERP 480 AAT 912 MSL 32 AGL. ADD STATION TO SYS. PW/APCO
26	01187	APPD	LOLITA	LOLITA (HUM)	151.03250 FB/MO 100 W ERP -15.7 AAT 30 MSL 39 AGL. NEW. PW/AASHTO.
27	109226	APPD	CLOVIS	CLOVIS	173.36250 FXO/FXOT 20 WATT. F2D. 12 AAT 108 MSL 15 AGL. IG/UTC.
28	00498	APPD	ST CA: DOT	SHA/LAS/MOD/SIS/THE/PL U	453.26250 460.2250 MO/MO3 2 W ERP. PW/FCCA.
29	00499	APPD	ST CA: CDCR	CRESCENT CITY (HUM)	155.5050 FB/MO 60 W ERP -101 AAT 24 MSL 24.4 AGL. PW/AASHTO.
30	00500	APPD	ST CA: CDCR	CHOWCHILLA	155.5050 FB/MO 60 W ERP 22.7AAT 85 MSL 24.4 AGL. PW/AASHTO.
31	00501	APPD	ST CA: CDCR	SUSANVILLE	155.5050 FB/MO 60 W ERP -150.0 AAT 1250.0 MSL 8.0 AGL. PW/AASHTO.
32	230186	IN PROG	CO SANTA CRUZ	CO SANTA CRUZ	151.0700 .1750 155.5200 FB/FB2/MO 159.2250 .2700 .3150 .3600 FX1/MO 17.7/100 W ERP. 585.2 AAT 958.8 MSL 10 AGL. PW/APCO.
33	230187	IN PROG	CO SANTA CRUZ	CO SANTA CRUZ	154.1600 .3850 155.1750 .2500 .5500 FB/FB2/MO 158.9250 159.0150 FX1/MO 75.5/100 W ERP -73.3 AAT7 MSL 28 AGL. PW/APCO.
34	00462	APPD	CO SONOMA	CO SONOMA	460.1000 458.28750 .9250 50 W ERP 465.53750 .56250 MO 6 W ERP. PW/AASHTO.
35	00632	APPD	CO SONOMA	CO SONOMA	M453/458.2750 MO INCR MO # TO 1000. DEL WB. PW/FCCA
36	00633	APPD	CO SONOMA	CO SONOMA	M453.4375 MO INCR MO # TO 1000. MOD EMISSIONS. PW/FCCA.
37	00634	APPD	CO SONOMA	CO SONOMA	M154.8900 TO 100 W ERP M460.1750/465.1750 MO TO 5 W ERP M460.4250 TO 5 W ERP 465/465.4750 MO INCR # TO 1000 & 50 W ERP. PW/FCCA.
38	00637	APPD	CO SONOMA	CO SONOMA	M45.6000 MO TO 110 W ERP M465.5750 MO3 2.5 W ERP 460/465.5750 MO INCR # TO 1000 50 W ERP. PW/FCCA.
39	120501	APPD	HUMBOLDT STATE UNIV	ARCATA	154.4900 FB2/MO 151.3850 158.3400 MO 50 W ERP. -46 AAT 69 MSL 23 AGL. IG/FIT.
40	00650	APPD	ST CA: CAL FIRE	STATEWIDE	151.145 ETC. INCR #MO TO 9150. A154.2650 .2800 .2950 .27250 .2875 .3025 MO 100 W ERP. PW/FCCA
41	230592	APPD	CO LAKE	LKPRT/MIDLTON/C/LAKE	463.1500 FB/FX1 50 W ERP -69.4 AAT 490 MSL 12 AGL. ADDING MED 7. PW/APCO
42	230593	APPD	CO LAKE	LKPRT/MIDLTON	463.1500 FB/FX1 50 W ERP -82.6 AAT 424 MSL 12 AGL. ADDING MED 7. PW/APCO
43	230598	APPD	CO LAKE	CLEARLAKE	463.1500 FB/FB2 50 W ERP -102 AAT 426 MSL 12.3 AGL. ADDING MED 7. PW/APCO
44	00636	APPD	CO SONOMA	CO SONOMA	INCR MO # TO 1000. A460/465.48750 MO 6 W ERP. PW/FCCA.

Actions taken from June 13 to July 11.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
45	230613	IN PROG	ST CA DEPT OF TRANSPORTATION, EQUIP DIV	SACRAMENTO	460.2500 FB 40 W ERP 7.9 AAT 9 MSL 8 AGL. PAGING. PW/APCO.
46	230624	APPD	SO LK TAHOE	SO LK TAHOE	156.15750 155.8650 MO 50 W ERP. TACTICAL USES. PW/APCO.
47	230585	APPD	CO CHURCHILL	FALLON NV	460.3000 FB/MO 18 W ERP 12.9 AAT 1208 MSL 10.9 AGL. NEW. PW/APCO
48	00726	CONCUR	PINE LAKE FIRE DEPT	KINGMAN AZ	153.9200 FX1 155.0550 FB 158.9250 FB2 50 W ERP 706 AAT 2149.4 MSL 24.4AGL. 154.3700 153.8300 154.2500 155.8950 154.2950 156.0150 154.0700 154.4000 154.2050 151.27250 MO 100 W ERP. PW/EWA.
49	2110861	APPD	CONTRA COSTA WATER DIST	CONCORD	154.471250 FXO/FXOT 3 W ERP. TELEMETRY. IG/UTC.
50	00857	CONCUR	NV DIV FORESTRY	SW NV Cos	151.1900 FB/FX1/MO 158.8950 FB2 100 W ERP 606 AAT 2376 MSL 9 AGL. MINERAL,NYE ESMERALDS, LINCOLN,CLARK & WH PINE COUNTIES. PW/FCCA.
51	00871	APPD	CO SONOMA	CO SONOMA	156.1500 .0675 .1200 .2100 MO 100 W ERP USED IN VARIOUS AREAS OF CO. PW/FCCA.
52	0511	APPD	NV DIV FORESTRY	WINNEMUCCA	156.0750 FX1/MO 50 W ERP. ADD 6 METER FX1S TO EXIST SYS. PW/FCCA.
53	230781	APPD	CO CLARK	NR KINGMAN AZ	153.8150 (IB) FX1 28 W ERP 464.7 AAT 1235 MSL 20 AGL. ADD FX1 TO EXIST SYS. PW/APCO.
54	230782	IN PROG	CO CLARK	LAUGHLIN NV	MED 1-10 FX1 150 W ERP -208.8 AAT 188 MSL 36.6 AGL. RELOCATE 1.2 KM. PW/APCO.

470-512 MHz POOL

700 Mhz PUBLIC SAFETY (SG, SY)

APP PEND CO MONTEREY CO MONTEREY

800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

9/16/11 APP PEND CO SAN BENITO CO SAN BENITO 3 CHNLS FB/FB2 50 W ERP ?? AAT 876 MSL ?? AGL. CALL MTN & FREMONT PK. AVL. DATA.
 226232 IN PROG CO CONTRA COSTA LIVERMORE/BERKELEY 5 CHNLS FB/FB2/MO 80 W ERP ?? AAT ?? MSL ?? AGL. YE/APCO
 230022 APPD CO BUTTE BLOOMER 855.46250 FB/FB2 175 W ERP 480 AAT 912 MSL 32 AGL. ADD STATION TO SYS. GP/APCO

10/26/10 note: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ SPECTRUM.

12/15/10 note: Any applications involving WB will not be accepted by the FCC without additional submissions.

4/06/12 note: As of 4/1/12 I have discontinued my FAX number due to disuse. It has been over a year since last fax was received, ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.

Yellow highlighted text are Nevada applications