



# NORTHERN CALIF APCO LOG FOR AUG 2012



THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from July 12.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
<b>The turn around time at the FCC has apparently slipped. We now are seeing over ninety day processing times again.</b>					
228039		IN PROG	CO SUTTER	CO SUTTER	151.1525 FB/FB2/MO 159.3075 FX1/MO 210 W ERP 586.0 AAT 591.0 MSL 46 AGL. PW/APCO.
228547		IN PROG	HOLLISTER	HOLLISTER	155.8050 FB2 100 W ERP ? AAT ? MSL ? AGL. ADD NEW FB2. ADD STATION 1. PW/APCO.
229589		IN PROG	ALAMEDA CO WATER DIS	FREMONT	453/458.4000 FXO 16 W ERP V AAT V MSL V AGL. SCADA. PW/APCO.
229632		APPD	CLOVERDALE (SON)	CLOVERDALE	154.8900 FB (EXISTS) /FB2 158.9400 MO 50 E ERP ?? AAT 149 MSL 18 AGL. PW/EWA/APCO.
01084	office approval		BRISBANE	BRISBANE	D159.0450 A155.8200 MO 5 W ERP. F1D. PW/AASHTO
230056		IN PROG	DEER PARK FD	CO NAPA	154.1900 FB/FB2 60 W ERP ????.???? FX1/MO ? ERP 480 AAT 912 MSL 32 AGL. ADD STATION TO SYS. PW/APCO
230186		IN PROG	CO SANTA CRUZ	CO SANTA CRUZ	151.0700 .1750 155.5200 FB/FB2/MO 159.2250 .2700 .3150 .3600 FX1/MO 17.7/100 W ERP. 585.2 AAT 958.8 MSL 10 AGL. PW/APCO.
230187		IN PROG	CO SANTA CRUZ	CO SANTA CRUZ	154.1600 .3850 155.1750 .2500 .5500 FB/FB2/MO 158.9250 159.0150 FX1/MO 75.5/100 W ERP -73.3 AAT7 MSL 28 AGL. PW/APCO.
00632		APPD	CO SONOMA	CO SONOMA	M453/458.2750 MO INCR MO # TO 1000. DEL WB. PW/FCCA
00633		APPD	CO SONOMA	CO SONOMA	M453.4375 MO INCR MO # TO 1000. MOD EMISSIONS. PW/FCCA.
00634		APPD	CO SONOMA	CO SONOMA	M154.8900 TO 100 W ERP M460.1750/465.1750 MO TO 5 W ERP M460.4250 TO 5 W ERP 465/465.4750 MO INCR # TO 1000 & 50 W ERP. PW/FCCA.
00637		APPD	CO SONOMA	CO SONOMA	M45.6000 MO TO 110 W ERP M465.5750 MO3 2.5 W ERP 460/465.5750 MO INCR # TO 1000 50 W ERP. PW/FCCA.
120501		APPD	HUMBOLDT STATE UNIV	ARCATA	154.4900 FB2/MO 151.3850 158.3400 MO 50 W ERP. -46 AAT 69 MSL 23 AGL. IG/FIT.
00650		APPD	ST CA: CAL FIRE	STATEWIDE	151.145 ETC. INCR #MO TO 9150. A154.2650 .2800 .2950 .27250 .2875 .3025 MO 100 W ERP. PW/FCCA
230592		APPD	CO LAKE	LKPRT/MIDLTOWN/C/LAK	463.1500 FB/FX1 50 W ERP -69.4 AAT 490 MSL 12 AGL. ADDING MED 7. PW/APCO
230593		APPD	CO LAKE	LKPRT/MIDLTOWN	463.1500 FB/FX1 50 W ERP -82.6 AAT 424 MSL 12 AGL. ADDING MED 7. PW/APCO
230598		APPD	CO LAKE	CLEARLAKE	463.1500 FB/FB2 50 W ERP -102 AAT 426 MSL 12.3 AGL. ADDING MED 7. PW/APCO
00636		APPD	CO SONOMA	CO SONOMA	INCR MO # TO 1000. A460/465.48750 MO 6 W ERP. PW/FCCA.
230613		IN PROG	ST CA DEPT OF TRANSPORTATION, EQUIP DIV	SACRAMENTO	460.2500 FB 40 W ERP 7.9 AAT 9 MSL 8 AGL. PAGING. PW/APCO.
230624		APPD	SO LK TAHOE	SO LK TAHOE	156.15750 155.8650 MO 50 W ERP. TACTICAL USES. PW/APCO.
230585		APPD	CO CHURCHILL	FALLON NV	460.3000 FB/MO 18 W ERP 12.9 AAT 1208 MSL 10.9 AGL. NEW. PW/APCO
00726	CONCUR		PINE LAKE FIRE DEPT	KINGMAN AZ	153.9200 FX1 155.0550 FB 158.9250 FB2 50 W ERP 706 AAT 2149.4 MSL 24.4AGL. 154.3700 153.8300 154.2500 155.8950 154.2950 156.0150 154.0700 154.4000 154.2050 151.27250 MO 100 W ERP. PW/EWA.
2110861		APPD	CONTRA COSTA WATER DIST	CONCORD	154.471250 FXO/FXOT 3 W ERP. TELEMETRY. IG/UTC.
00857		APPD	NV DIV FORESTRY	SW NV Cos	151.1900 FB/FX1/MO 158.8950 FB2 100 W ERP 606 AAT 2376 MSL 9 AGL. MINERAL,NYE ESMERALD, LINCOLN,CLARK & WHITE PINE COUNTIES. PW/FCCA.
00871		APPD	CO SONOMA	CO SONOMA	156.1500 .0675 .1200 .2100 MO 100 W ERP USED IN VARIOUS AREAS OF CO. PW/FCCA.
0511		APPD	NV DIV FORESTRY	WINNEMUCCA	156.0750 FX1/MO 50 W ERP. ADD 6 METER FX1S TO EXIST SYS. PW/FCCA.
230781		APPD	CO CLARK	NR KINGMAN AZ	153.8150 (IB) FX1 28 W ERP 464.7 AAT 1235 MSL 20 AGL. ADD FX1 TO EXIST SYS. PW/APCO.
230782		APPD	CO CLARK	LAUGHLIN NV	MED 1-10 FX1 150 W ERP -208.8 AAT 188 MSL 36.6 AGL. RELOCATE 1.2 KM. PW/APCO.
230813		IN PROG	PLUMAS LK ELE SD	OLIVEHURST (YUBA)	???????? FB/MO 45 W ERP 8.8 AAT 18 MSL 9.4 AGL. PW/APCO. UNABLE TO IDENTIFY A FREQUENCY.
00899		APPD	CO SONOMA	CO SONOMA	453/458.4250 MO 50 W. PW/I/MSA.
222808		APPD	SOUTHWEST AIRLINES	LAS VEGAS NV	453.000 FB2/MO 20 W ERP -21 AAT 646 MSL 7.9 AGL. IG/EWA.
00858		APPD	NV DIV FORESTRY	TONOPA/BEATY/RED MTN/WARM SPRINGS	158.8950 FB2 90 W ERP 513.6 AAT 2776.3 MSL 15.3 AGL. PW/FCCA. WAIVER 90.205 PETITION.
230895		IN PROG	SANTA CRUZ METRO TRANSIT DIST	DAVENPORT	460.13750 FB2 300 W ERP 21.5 AAT 36 MSL 107 AGL. PW/APCO
230867		APPD	CO CLARK	ST GEORGE UT	MED 1-10 FB2 100 W ERP -1075.3 AAT 2336 MSL 17 AGL. NEW. PW/APCO.

### 470-512 MHz POOL

### 700 Mhz PUBLIC SAFETY (SG, SY)

APP PEND CO MONTEREY

CO MONTEREY

Actions taken from July 12.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
<b>800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) &amp; Comm Users</b>					
9/16/11	APP PEND	CO SAN BENITO	CO SAN BENITO	3 CHNLS FB/FB2 50 W ERP ?? AAT 876 MSL ?? AGL. CALL MTN & FREMONT PK. AVL. DATA.	
226232	IN PROG	CO CONTRA COSTA	LIVERMORE/BERKELEY	5 CHNLS FB/FB2/MO 80 W ERP ?? AAT ?? MSL ?? AGL. YE/APCO	

10/26/10 note: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ

12/15/10 note: Any applications involving WB will not be accepted by the FCC without additional submissions.

4/06/12 note: As of 4/1/12 I have discontinued my FAX number due to disuse. It has been over a year since last fax was received,  
ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.

Entries highlighted in YELLOW are NV APCO applications handled temporarily.