



NORTHERN CALIF APCO LOG FOR SEPT 2012



THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from August 9 to Sept 12.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
The turn around time at the FCC has apparently slipped. We now are seeing over ninety day processing times again.					
1	228039	IN PROG	CO SUTTER	CO SUTTER	151.1525 FB/FB2/MO 159.3075 FX1/MO 210 W ERP 586.0 AAT 591.0 MSL 46 AGL. PW/APCO.
2	228547	IN PROG	HOLLISTER	HOLLISTER	155.8050 FB2 100 W ERP ? AAT ? MSL ? AGL. ADD NEW FB2. ADD STATION 1. PW/APCO.
3	230186	IN PROG	CO SANTA CRUZ	CO SANTA CRUZ	151.0700 .1750 155.5200 FB/FB2/MO 159.2250 .2700 .3150 .3600 FX1/MO 17.7/100 W ERP. 585.2 AAT 958.8 MSL 10 AGL. PW/APCO.
4	230187	IN PROG	CO SANTA CRUZ	CO SANTA CRUZ	154.1600 .3850 155.1750 .2500 .5500 FB/FB2/MO 158.9250 159.0150 FX1/MO 75.5/100 W ERP -73.3 AAT7 MSL 28 AGL. PW/APCO.
5	230813	IN PROG	PLUMAS LK ELE SD	OLIVEHURST (YUBA)	??????? FB/MO 45 W ERP 8,8 AAT 18 MSL 9.4 AGL. PW/APCO. UNABLE TO IDENTIFY A FREQUENCY.
6	00899	APPD	CO SONOMA	CO SONOMA	453/458.4250 MO 50 W. PW/IMSA.
7	222808	APPD	SOUTHWEST AIRLINES	LAS VEGAS NV	453.000 FB2/MO 20 W ERP -21 AAT 646 MSL 7.9 AGL. IG/EWA.
8	00858	APPD	NV DIV FORESTRY	TONOPAH/BEATY/RED MTN/WARM SPRINGS	158.8950 FB2 90 W ERP 513.6 AAT 2776.3 MSL 15.3 AGL. PW/FCCA. WAIVER 90.205 PETITION.
9	230867	APPD	CO CLARK	ST GEORGE UT	MED 1-10 FB2 100 W ERP -1075.3 AAT 2336 MSL 17 AGL. NEW. PW/APCO.
10	00359	APPD	CO SONOMA	ANNAPOLIS/PETALUMA	39.6200 .7600 FB/FB2/MO 44.8800 453/458.58750 MO 100 W ERP 575.2 AAT 744.2 MSL 24.4 AGL. MULTI SITES
11	120330	APPD	DEL ORO WATER CO	MAGALIA (BUTTE)	173.33750 FXO 20 W ERP 90.2 AAT 841 MSL 9.1 AGL. IG/FIT.
12	?	APPD	NEV DIV FORESTRY	INDIAN SPRINGS	151.1900 FX1 100 W ERP -138 AAT 1024.6 MSL 15 AGL. PW/FCCA
13	00934	APPD	FRESNO CO FIRE PROT	PANOCH/HUNTITING LK	154.4450 153.8900 FB2 159.0600 .1950 MO 100 W ERP 269.6 AAT 2652 MSL 10 AGL. PW/FCCA.
14	231007	APPD	ROSEVILLE	ROSEVILLE	453.4500 FB/FB2 100 W ERP 50.3 AAT 48.5 MSL 60 AGL. CORRECT COORDS. PW/APCO.
15	231008	APPD	ROSEVILLE	ROSEVILLE	158.8050 FB/MO 28 W ERP 50.3 AAT 48.5 MSL 60 AGL. RELOCATE, INCR MO#. PW/APCO.
16	231009	APPD	ROSEVILLE	ROSEVILLE	154.0400 FB/FB2 175 W ERP 50.3 AAT 48.5 MSL 60 AGL. RELOCATE, INCR MO#. PW/APCO.
17	0020	APPD	ST FRANCIS OF ASSISI	CONCORD	465.0000 FB 25 W ERP -127 AAT 24 MSL 5 AGL. PAGING. IG/PCIA.
18	0021	APPD	LAKESIDE UNION ELE SD	HANFORD	465.0000 FB 25 W ERP14 AAT 69 MSL 5 AGL. PAGING. IG/PCIA.
19	231022	APPD	N AZ CONSOL FD	CHLORIDE (MOJAVE)	453.6250 FB2/MO/FX1 50 W ERP -25.8 AAT 1217 MSL 12 AGL. 153.8900 MO/FX1 TO 100 W ERP. PW/APCO.
20	110195	DENIED	FIRST RESPONDER	BERRY CRK/CHICO	453.8250 FB2/FB/MO 100 W ERP 434.7 AAT 903 MSL 30 AGL. PW/IMSA. 90.205 ISSUE.
21	231245	APPD	CO CLARK NV	LAS VEGAS NV	MED 1-10 FB2 150 W ERP 23.3 AAT 622 MSL 47.9 AGL. RELOCATE. PW/APCO.
22	231289	APPD	CO LANDER NV	CO LANDERS NV	155.8950 FB/FB2/MO 154.8150 153.7550 MO 3.7-90 W ERP 1048 AAT 3441 MSL 7 AGL. MULTI-SITE SIML. NEW. PW/APCO
23	111541	APPD	YUCCA FIRE DIST	YUCCA AZ	M154.1900 MO A158.96250 100 W ERP. PW/IMSA.
24	401151	APPD	ST CA: CAL FIRE	BISHOP	151.2500 .3700 FB 159.3000 .4050 FX1 40 W ERP -456.0 AAT 1393.9 MSL 7.6 AGL. ADD STATION. PW/FCCA.
25	401155	APPD	ST CA: CAL FIRE	COLUMBIA	D151.2950 FB A159.3520 FX1 A151.2750 FB 48 W ERP 27.4 AAT 646.2 MSL. PW/FCCA.
26	401153	APPD	ST CA: CAL FIRE	WILLITS	159.3000 .3300 .2700 .3450 FX1 40 W ERP 8.2 AAT 580.9 MSL 8.2 AGL. PW/FCCA
27	401156	APPD	ST CA: CAL FIRE	PHILO (MEND)	151.4450 31.1800 FB/FB2 138/58 W ERP 562.9 AAT 833.3 MSL 42,7 AGL. PW/FCCA.
28	01916	APPD	YREKA	YREKA (SISK)	154.4300 FB/FB2 159.1050 MO 90 W ERP -116.6 AAT 823 MSL 18 AGL. PW/AASHTO.
29	231400	APPD	CO CLARK	LAS VEGAS NV	154.1000 FB2 MED 1-10 FB2 100 W ERP 70.9 AAT 640 MSL 89.9 AGL. RELOCATE .71 KM. PW/APCO.
30	231394	IN PROG	CO MADERA	CO MADERA	MED 1-10 FB/FB2/FX1/MO (MULTI-SITES) 300 W ERP ?? AAT 1378 MSL 17 AGL. PW/APCO.
31	1096	APPD	CO SONOMA	GUERNVILLE	39.8200 FB/FB2 45.7600 FX1/MO 45.8000 MO 110 W ERP 322.2 AAT 469.8 MSL 21.4 AGL. PW/FCCA.
32	10950	APPD	SF WATER PUC	SAN MATEO	458.9750 FXO/MO 10 W ERP -16 AAT 96.2 MSL 6.1 AGL. 2 LOCATIONS. F3 & F1. PW/AASHTO.
33	1098	APPD	CO SONOMA	HESLDSBURG/FORESTVILLE/GUERNVILLE	M 45.6000 MO TO 110 W ERP A39.7800 FB/FB2 A45.6000 FX1 355.7 AAT 469.8 MSL 21.4 AGL. ADDS NB & P25. PW/FCCA.
34	124745	APPD	SWITCH COMM GP	LAS VEGAS NV	453/458.0000 460.3000 MO 4 W ERP. IG/EWA.
35	113078	APPD	CO TULARE	PORTERVILLE	462.9500 FB/FB2 50 W ERP 383.1 AAT 1066 MSL 18 AGL. PW/IMSA.
36	1188	APPD	CO SONOMA	GEYSERVILLE	151.0100 FB2 156.09750 MO 460.3000 FB2/MO 100 W ERP 144.5 AAT 403.9 MSL 36.6 AGL. PW/FCCA.
37	12563	APPD	CO LANDER SO	BATTLE MTN/AUSTIN NV	155.8650 FB2/MO 158.94750 FX1/MO 74 W ERP 1059 AAT 2534 MSL 6 AGL. PW/IMSA.
38	1226	APPD	ST CA: DOT	KIRKWOOD	453.23750 FXO 25 W ERP 7.2 AAT 2408 MSL 6.1 AGL. PW/FCCA.
39	1227	DENIED	ST CA: DOT	MARKLEEVILLE	458.23750 FXO 50 W ERP. SITE DATA PROBLEM. PW/FCCA.
40	1126	APPD	CO SONOMA	COASTAL	154.15250 FB/FB2/MO 150.7900 FX1/MO 155.2650 FX1 100 W ERP PW/IMSA.
41	1199	DENIED	CLOVIS	CLOVIS	458.4250 MO/MO3 5 W ERP. OBJECTION BY TULARE CO @BLUE RIDGE. PW/FCCA/EWA.
42	1228	APPD	ST CA: CAL FIRE	MAGALIA (BUTTE)	151.2500 .3850 .4450 .4600 FB 40 W ERP 48.5 AAT 817.2 MSL 19.8 AGL. PW/FCCA.
43	231511	APPD	EUREKA CO SD	CARLIN/EUREKA NV	154.7700 FB/FB2/MO 158.7900 FX1/MO 100 W ERP 650/984 AAT 2917 MSL 10 AGL. PW/APCO.
44	231561	IN PROG	CO TULARE	THREE RIVERS	453.6500 .8500 .9750 FB/FB2 12.5 W ERP 787.4 AAT 2053 MSL 6.5 AGL. ADDS NEW SITE TO EXIST. PW/APCO.
45	202371	APPD	PACIFIC GAS&ELECT	STATEWIDE	INCR MO# ERP TO 180 W: 153.5150 .5600 .900 .6200 .6350 .6500 .7100 .7250 .158.1300 .1900 .2050 .2500 .2650 153.6050 158.2350 .5450 (MO/MO3 & 2 W & 5 W) IG/AAA.

Actions taken from August 9 to Sept 12.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
46	202397	APPD	ZEPHYR COVE RESORTS	ZEPHYR COVE NV	173.2750 FXO 10 W ERP 18.8 AAT 1959 MSL 11.6 AGL. IG/AAA.
47	01236	APPD	ST CA: CAL FIRE	LOS GATOS	M151.2200 .2750 .2800 .2875 .2950 .3025 .3180 FB 159.3300 .3450 FX1 40 W ERP -105.4 AAT 229.5 MSL 10.7 AGL PW/FCCA.
48	231562	APPD	CO TULARE	THREE RIVERS	154.0100 153.9050 FB/FB2 3.4 W ERP 787.4 AAT 2053 MSL 6.5 AGL. PW/APCO.
49	01320	APPD	ST CA: CHP	MT TAM	M453.4500 .8250 FB/FB2 A 453.8500 FB/FB2 683.1 AAT 772.7 MSL 9.1 AGL. RELOCATE 0.9 KM. PW/FCCA.
50	01227A	APPD	ST CA: DOT	MARKLEEVILLE	458.2375 FXO 50 W ERP @290° 177. AAT 2603 MSL 6.1 AGL. PW/FCCA.
51	01163	APPD	SIERRA NEVADA MEM HOSP	NEVADA CI	155.2200 FB/MO 440 W ERP 63.2 AAT 766 MSL 28 AGL. RESTORE LICENSE. PW/IMSA.

470-512 MHz POOL

This spectrum is currently under freeze orders by the FCC. Waivers may be needed for certain license modifications.

52	153651	APPD	RFC WIRELESS	SF/PALO ALTO/NOVATO	484.41250 490.4250 .48750 FB8/MO8 250 W ERP 595 AAT 823 MSL 31.7 AGL. IG/EWA
----	--------	------	--------------	---------------------	--

700 Mhz PUBLIC SAFETY (SG, SY)

53		APP PEND	CO MONTEREY		
----	--	----------	-------------	--	--

800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

54	9/16/11	APP PEND	CO SAN BENITO	SCHOOL PK/CALL MTN	3 CHNLS FB/FB2 50 W ERP ?? AAT 876 MSL ?? AGL. CALL MTN & FREMONT PK. AVL. DATA.
----	---------	----------	---------------	--------------------	--

10/26/10 note: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ
 12/15/10 note: Any applications involving WB will not be accepted by the FCC without additional submissions.
 4/06/12 note: As of 4/1/12 I have discontinued my FAX number due to disuse. It has been over a year since last fax was received,
 ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.
 Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION
 Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.
 Entries highlighted in YELLOW are NV APCO applications handled temporarily.