



NORTHERN CALIF APCO LOG FOR OCT 2012



THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from September 13.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
The turn around time at the FCC has apparently slipped. We now are seeing over ninety day processing times again.					
228039		IN PROG	CO SUTTER	CO SUTTER	151.1525 FB/FB2/MO 159.3075 FX1/MO 210 W ERP 586.0 AAT 591.0 MSL 46 AGL. PW/APCO.
228547		IN PROG	HOLLISTER	HOLLISTER	155.8050 FB2 100 W ERP ? AAT ? MSL ? AGL. ADD NEW FB2. ADD STATION 1. PW/APCO.
230186		IN PROG	CO SANTA CRUZ	CO SANTA CRUZ	151.0700 .1750 155.5200 FB/FB2/MO 159.2250 .2700 .3150 .3600 FX1/MO 17.7/100 W ERP. 585.2 AAT 958.8 MSL 10 AGL. PW/APCO.
230187		IN PROG	CO SANTA CRUZ	CO SANTA CRUZ	154.1600 .3850 155.1750 .2500 .5500 FB/FB2/MO 158.9250 159.0150 FX1/MO 75.5/100 W ERP -73.3 AAT7 MSL 28 AGL. PW/APCO.
230813		APPD	PLUMAS LK ELE SD	OLIVEHURST (YUBA)	154.0250 FB/MO 45 W ERP 8,8 AAT 18 MSL 9.4 AGL. PW/APCO.
110195		DENIED	FIRST RESPONDER	BERRY CRK/CHICO	453.8250 FB2/FB/MO 100 W ERP 434.7 AAT 903 MSL 30 AGL. PW/IMS. 90.205 ISSUE.
231245		APPD	CO CLARK NV	LAS VEGAS NV	MED 1-10 FB2 150 W ERP 23.3 AAT 622 MSL 47.9 AGL. RELOCATE. PW/APCO.
231289		APPD	CO LANDER NV	CO LANDERS NV	155.8950 FB/FB2/MO 154.8150 153.7550 MO 3.7-90 W ERP 1048 AAT 3441 MSL 7 AGL. MULTI-SITE SIML. NEW. PW/APCO
111541		APPD	YUCCA FIRE DIST	YUCCA AZ	M154.1900 MO A158.96250 100 W ERP. PW/IMS.
401151		APPD	ST CA: CAL FIRE	BISHOP	151.2500 .3700 FB 159.3000 .4050 FX1 40 W ERP -456.0 AAT 1393.9 MSL 7.6 AGL. ADD STATION. PW/FCCA.
401155		APPD	ST CA: CAL FIRE	COLUMBIA	D151.2950 FB A159.3520 FX1 A151.2750 FB 48 W ERP 27.4 AAT 646.2 MSL. PW/FCCA.
401153		APPD	ST CA: CAL FIRE	WILLITS	159.3000 .3300 .2700 .3450 FX1 40 W ERP 8.2 AAT 580.9 MSL 8.2 AGL. PW/FCCA
401156		APPD	ST CA: CAL FIRE	PHILO (MEND)	151.4450 31.1800 FB/FB2 138/58 W ERP 562.9 AAT 833.3 MSL 42.7 AGL. PW/FCCA.
01916		APPD	YREKA	YREKA (SISK)	154.4300 FB/FB2 159.1050 MO 90 W ERP -116.6 AAT 823 MSL 18 AGL. PW/AASHTO.
231400		APPD	CO CLARK	LAS VEGAS NV	154.1000 FB2 MED 1-10 FB2 100 W ERP 70.9 AAT 640 MSL 89.9 AGL. RELOCATE .71 KM. PW/APCO.
231394		APPD	CO MADERA	CO MADERA	MED 1-10 FB/FB2/FX1/MO (MULTI-SITES) 300 W ERP ?? AAT 1378 MSL 17 AGL. PW/APCO.
1096		APPD	CO SONOMA	GUERNVILLE	39.8200 FB/FB2 45.7600 FX1/MO 45.8000 MO 110 W ERP 322.2 AAT 469.8 MSL 21.4 AGL. PW/FCCA.
10950		APPD	SF WATER PUC	SAN MATEO	458.9750 FXO/MO 10 W ERP -16 AAT 96.2 MSL 6.1 AGL. 2 LOCATIONS. F3 & F1. PW/AASHTO.
1098		APPD	CO SONOMA	HESLDSBURG/FORESTVILLE/GUERNVILLE	M 45.6000 MO TO 110 W ERP A39.7800 FB/FB2 A45.6000 FX1 355.7 AAT 469.8 MSL 21.4 AGL. ADDS NB & P25. PW/FCCA.
124745		APPD	SWITCH COMM GP	LAS VEGAS NV	453/458.0000 460.3000 MO 4 W ERP. IG/EWA.
113078		APPD	CO TULARE	PORTERVILLE	462.9500 FB/FB2 50 W ERP 383.1 AAT 1066 MSL 18 AGL. PW/IMS.
1188		APPD	CO SONOMA	GEYSERVILLE	151.0100 FB2 156.09750 MO 460.3000 FB2/MO 100 W ERP 144.5 AAT 403.9 MSL 36.6 AGL. PW/FCCA.
12563		APPD	CO LANDER SO	BATTLE MTN/AUSTIN NV	155.8650 FB2/MO 158.94750 FX1/MO 74 W ERP 1059 AAT 2534 MSL 6 AGL. PW/IMS.
1226		APPD	ST CA: DOT	KIRKWOOD	453.23750 FXO 25 W ERP 7.2 AAT 2408 MSL 6.1 AGL. PW/FCCA.
1227		DENIED	ST CA: DOT	MARKLEEVILLE	458.23750 FXO 50 W ERP. SITE DATA PROBLEM. PW/FCCA.
1126		APPD	CO SONOMA	COASTAL	154.15250 FB/FB2/MO 150.7900 FX1/MO 155.2650 FX1 100 W ERP PW/IMS.
1199		DENIED	CLOVIS	CLOVIS	458.4250 MO/MO3 5 W ERP. OBJECTION BY TULARE CO @BLUE RIDGE.PW/FCCA/EWA.
1228		APPD	ST CA: CAL FIRE	MAGALIA (BUTTE)	151.2500 .3850 .4450 .4600 FB 40 W ERP 48.5 AAT 817.2 MSL 19.8 AGL. PW/FCCA.
231511		APPD	EUREKA CO SD	CARLIN/EUREKA NV	154.7700 FB/FB2/MO 158.7900 FX1/MO 100 W ERP 650/984 AAT 2917 MSL 10 AGL. PW/APCO.
231561		APPD	CO TULARE	THREE RIVERS	453.6500 .8500 .9750 FB/FB2 12.5 W ERP 787.4 AAT 2053 MSL 6.5 AGL. ADDS NEW SITE TO EXIST. PW/APCO.
202371		APPD	PACIFIC GAS&ELECT	STATEWIDE	INCR MO# ERP TO 180 W: 153.5150 .5600 ..900 .6200 .6350 .6500 .7100 .7250 .158.1300 .1900 .2050 .2500 .2650 153.6050 158.2350 .5450 (MO/MO3 & 2 W & 5 W) IG/AAA.
202397		APPD	ZEPHYR COVE RESORTS	ZEPHYR COVE NV	173.2750 FXO 10 W ERP 18.8 AAT 1959 MSL 11.6 AGL. IG/AAA.
01236		APPD	ST CA: CAL FIRE	LOS GATOS	M151.2200 .2750 .2800 .2875 .2950 .3025 .3180 FB 159.3300 .3450 FX1 40 W ERP -105.4 AAT 229.5 MSL 10.7 AGL PW/FCCA.
231562		APPD	CO TULARE	THREE RIVERS	154.0100 153.9050 FB/FB2 3.4 W ERP 787.4 AAT 2053 MSL 6.5 AGL. PW/APCO.
01320		APPD	ST CA: CHP	MT TAM	M453.4500 .8250 FB/FB2 A 453.8500 FB/FB2 683.1 AAT 772.7 MSL 9.1 AGL. RELOCATE 0.9 KM. PW/FCCA.
01227A		APPD	ST CA: DOT	MARKLEEVILLE	458.2375 FXO 50 W ERP @290° 177. AAT 2603 MSL 6.1 AGL. PW/FCCA.
01163		APPD	SIERRA NEVADA MEM HOSP	NEVADA CI	155.2200 FB/MO 440 W ERP 63.2 AAT 766 MSL 28 AGL. RESTORE LICENSE. PW/IMS.
12715		APPD	NV DEPT OF CORRECTIONS	STEWART NV	154.6650 155.4150 .4750 .5800 FB INCR TO 88 W ERP 159.1050 FB2/MO 116 W ERP 155.4150 154.7100 155.6550 MO 5 W ERP -255 AAT 1425 MSL 18 AGL. PW/IMS.
12724		APPD	NV DEPT OF CORRECTIONS	LOVELOCK NV	155.5800 FB2 8 W ERP 154.7100 .8300 155.4750 .6550 .9100 .5800 FB 134 W ERP -92 AAT 2059 MSL 10 AGL. PW/IMS.
12730		APPD	NV DEPT OF CORRECTIONS	CARSON CI	154.8150 155.5800 MO 5 W ERP. PW/IMS.
12784		APPD	NV DEPT OF CORRECTIONS	CARLIN/CARSON/W/MUC CA/WELLS	154.7100 FB/MO 30 W ERP 155.5800 MO 30 W ERP 155.4150 FB/MO 30 W ERP 155.6550 MO 5 W ERP V AAT V MSL v AGL. MULTIPLE LOCATIONS. PW/IMS
012131		COND APPD	CO GLENN	CO GLENN	158.8350 ??? 76 W ERP 6.1 PW/AASHTO. PROPOSES FX1s ON FB2 SIDE OF CHANNEL.
0195A		APPD	FIRST RESPONDER	BERRY CRK/CHICO	458.3500 MO 100 W ERP. AMMENDS APP IN PROGRESS TO ADD MOBILE UNITS ON SYSTEM. PW/AASHTO.
231773		APPD	CO CLARK	LAS VEGAS NV	155.8800 FB2 250 W ERP 153.8000 MO 100 W ERP. -66.1 AAT 580 MSL 14 AGL. ADDS TO EXIST SYS. PW/APCO.
231780		APPD	CO CLARK	LAS VEGAS NV	453.7750 .7000 FB2 350 W ERP 3.4 AAT 629.1 MSL 32 AGL. PW/APCO.
123309		APPD	FIRST STUDENT	YUBA CI	155.1750 FB/MO 150 W ERP 13.3 AAT 15 MSL 16 AGL. PW/EWA

Actions taken from September 13.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
	01227	APPD	ST CA: DOT	KIRKWOOD	458.23750 FXO 50 W ERP@290° 175.1 AAT 2600.6 MSL 6.1 AGL. PW/FCCA.
	231809	APPD	CO CLARK	LAS VEGAS NV	154.4300 FB TO 200 W ERP -49.5 AAT 767 MSL 14 AGL. CORRECTS MSL AND ADDS MISSING ERP. PW/APCO.
	01120	APPD	LODI MEM HOSP	LODI	460.5000 FB2/MO 80 W ERP 458.7750 .4375 .5000 .7250 .5375 MO 4 W ERP 28 AAT 12 MSL 30 AGL. PW/FCCA.
	231820	WDRN	CO CLARK	LAS VEGAS NV	WYZ423. MINOR SITE DATA CORRECTION . PW/APCO.
	0314	APPD	CERES	CERES	153.7700 154.2800 .4300 FB 115 W ERP 14.4 AAT 30 MSL 15.5 AGL. ADD NEW FIRE STN TO SYS. PW/IMSA.
	231846	APPD	CO SAN JOAQUIN	RIPON	460.2250 FB/FB2 126 W ERP 55 AAT 17 MSL 56 AGL. RELOCATE 0.31 KM. PW/APCO.
	01362	APPD	BUTTE CO SHERIFF S&R	PILGA (BUTTE)	156.000 FB2/MO 151.12250 MO 40 W ERP 380.5 AAT 1300.3 MSL 18.3 AGL. PW/IMSA.
	01095	APPD	SF PUB UTIL COMMIS	SAN MATEO	458.9750 FXO/MO 10 W ERP -16 AAT 96.2 MSL 6.1 AGL. 2 LOCATIONS. F3 & F1. PW/FCCA.
	3112715	APPD	NV DEPT OF CORRECTIONS	STEWART NV	154.6650 155.4150 .4750 .5800 FB INCR TO 88 W ERP 159.1050 FB2/MO 116 W ERP 155.4150 154.7100 155.6550 MO 5 W ERP -255 AAT 1425 MSL 18 AGL. PW/IMSA.
	401199	APPD	CLOVIS	CLOVIS	465.61250 MO/MO3. 5 W ERP. PW/FCCA.
	231917	APPD	CO SAN JOAQUIN	TRACY	460.2250 FB/FB2 40 W ERP-0.5 AAT 15 MSL 30.5 AGL. ADDS TO EXIST SYS. PW/APCO.
	231921	APPD	BISHOP TRIBAL POLICE	BISHOP	153.9650 FB/MO 100 W ERP -225.0 AAT 1288 MSL 6 AGL. NEW. PW/APCO.
	112540	APPD	CO LANDER	BATTLE MTN/AUSTIN NV	ADDS BACK UP STATIONS AT EXISTING SITES, CORRECTS COORDS, ADJUST ERP ADD NB. PW/AASHTO
	02397A	APPD	ZEPHYR COVE RESORTS	ZEPHYR COVE NV	452.2750 FXO 10 W ERP 18.8 AAT 1959 MSL 11.6 AGL. IG/AAA. AMMENDS FCC 0005374393..
	231935	APPD	CO TULARE	CO TULARE	453/458.31250 MO 125 W ERP. NEW MULTI-COUNTY MUTUAL AID CHANNEL. PW/APCO.
	01482	APPD	COALINGA	COALINGA	154.4000 FB2/MO 156.1650 FX1/MO 100 W ERP 47.1 AAT 302 MSL 15 AGL. PW/FCCA/EWA.
	232034	IN PROG	CO DOUGLAS	CO DOUGLAS	155.0250 FB2/MO 158.7750 MO 460.2250 FXO 7.1 W ERP ?? AAT ?? MSL ?? AGL. PW/APCO.
	401495	APPD	ST CA: CAL FIRE	CLOVIS	159.2700 .3000 .3300 .3600 FX1 40 W ERP -6.5 AAT 374 MSL 7.6 AGL. RELOCATE, PW/FCCA.
	401496	APPD	ST CA: CAL FIRE	SEA RANCH (SON)	159.3000 .3300 .3900 FX1 50 W ERP -5.8 AAT 112.2 MSL 9.1 AGL. CORRECTS SITE DATA. PW/FCCA.
	401497	APPD	ST CA: CAL FIRE	BERRY CRK (BUTTE)	M159.3300 D159.3600 M159.3750 A159.3900/40 W ERP -22.8 AAT 470.6 MSL 7.6 AGL. CORRECTS SITE DATA. PW/FCCA.
	401499	APPD	ST CA: CHP	FOLSOM	44.6200 FB 141 W ERP@240° 49.8 AAT 182.9 MSL 15.2 AGL. PW/FCCA.
	401505	APPD	ST CA: ?	SANTA CRUZ-APTOS	460/465.5620 FXO 2 W ERP 6.1 AAT 171 MSL 6.1 AGL. PW/FCCA.

470-512 MHz POOL

This spectrum is currently under freeze orders by the FCC. Waivers required for certain license modifications.

153651 APPD RFC WIRELESS SF/PALO ALTO/NOVATO 484.41250 490.4250 .48750 FB8/MO8 250 W ERP 595 AAT 823 MSL 31.7 AGL. IG/EWA

700 Mhz PUBLIC SAFETY (SG, SY)

APP PEND CO MONTEREY

800 Mhz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm'l Users

9/16/11 APP PEND CO SAN BENITO SCHOOL PK/CALL MTN 3 CHNLN FB/FB2 50 W ERP ?? AAT 876 MSL ?? AGL. CALL MTN & FREMONT PK. AVL. DATA.

10/26/10 note: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ

12/15/10 note: Any applications involving WB will not be accepted by the FCC without additional submissions.

4/06/12 note: As of 4/1/12 I have discontinued my FAX number due to disuse. It has been over a year since last fax was received,

ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.

Entries highlighted in YELLOW are NV APCO applications handled temporarily.