



# NORTHERN CALIF APCO LOG FOR DEC 2012



THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from November 8 to December 12.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
<b>The turn around time at the FCC has apparently slipped. We now are seeing over ninety day processing times again.</b>					
1	228039	IN PROG	CO SUTTER	CO SUTTER	151.1525 FB/FB2/MO 159.3075 FX1/MO 210 W ERP 586.0 AAT 591.0 MSL 46 AGL. PW/APCO.
2	228547	IN PROG	HOLLISTER	HOLLISTER	155.8050 FB2 100 W ERP ? AAT ? MSL ? AGL. ADD NEW FB2. ADD STATION 1. PW/APCO.
3	230186	APPD	CO SANTA CRUZ	CO SANTA CRUZ	151.0700 .1750 155.5200 FB/FB2/MO 159.2250 .2700 .3150 .3600 FX1/MO 17.7/100 W ERP. 585.2 AAT 958.8 MSL 10 AGL. PW/APCO. <b>OBJECTION BY FCCA.</b>
4	230187	APPD	CO SANTA CRUZ	CO SANTA CRUZ	154.1600 .3850 155.1750 .2500 .5500 FB/FB2/MO 158.9250 159.0150 FX1/MO 75.5/100 W ERP -73.3 AAT7 MSL 28 AGL. PW/APCO. <b>OBJECTION BY FCCA.</b>
5	232130	IN PROG	CHICO	CHICO	155.1450 FB25 W ERP ?? AAT 42 MSL 4.6 AGL. ADD FB TO EXIST MO. PW/APCO.
6	232153	APPD	MADERA	MADERA	154.7850 FB2 158.7300 MO 50 W ERP 42 AAT 90 MSL 42 AGL(TANK) INCL 7K60FXE. PW/APCO.
7	401569	APPD	ST CA: CAL FIRE	SUSANVILLE	159.4050 (2 STN) .3000 .3300 FX1 135 W ERP -128.8 AAT 1251 MSL 15.2 AGL PW/FCCA
8	401247	APPD	ATWATER	ATWATER	154.2800 .2650 .2950 156.1050 A154.2050 MO 110 W ERP. PW/IMSA
9	401573	APPD	SUSANVILLE INDIAN	SUSANVILLE	154.0325 FB/MO 25 W ERP -266.1 AAT 1298.7 MSL 6.9 AGL. PW/FCCA
10	401625	APPD	ST CA: ??	BEN LOMOND/B CREEK/LOS GATOS/FELTON	460.2375 .3625 .6875 FXO 6 W ERP 673.2 AAT 1025.3 MSL 18.3 AGL. PW/FCCA.
11	401626	APPD	CO SHASTA	RED BLUFF	158.7300 FB/FB2 150 W ERP 379 AAT 889.1 MSL 7.6 AGL. PW/FCCA.
12	401608	APPD	ST CA: VET	YOUNTVILLE	153.7400 FB/FB2/MO (EXISTS AS FB) 155.73750 MO 75 W ERP -142.4 AAR 54.6 MSL 26.2 AGL. PW/FCCA
13	23-Oct	CONC	CO SAN LUIS OBISPO	AIRPORT	154.0250 FB/MO 153.7850 FB/FB2 70 W ERP ?? AAT 55 MSL 26.6 AGL. PW/APCO
14	232201	APPD	CO LAKE	CONOCTI	CORRECT COORDS WQPK986. MINOR MOD. PW/APCO.
15	401637	APPD	ST CA: CAL FIRE	RIVER PINES (AMA)	159.2250 .3300 FX1 40 W ERP 5.5 AAT 594 MSL 4.6 AGL. MINOR MODS. PW/FCCA.
16	401650	APPD	ST CA: CAL FIRE	CLAYTON (CC)	M159.3000 .3450 FX1 35 W ERP -30.9 AAT 186.5 MSL 18.3 AGL. CORR COORDS& ANT DATA. PW/FCCA.
17	401651	APPD	ST CA: DOT	SACRAMENTO	460.2500 FB 2 W ERP 7.7 AAT 10.7 MSL 7.6 AGL. (PAGING?) PW/FCCA.
18	232327	APPD	CO SAN JOAQUIN	RIPON/STOCKTON	460.3125 FB/FB2/MO 100 W ERP 18.4 AAT 41.2 MSL 55 AGL. PW/APCO.
19	232329	APPD	CO SAN JOAQUIN	TRACY	460.2250 FB2 225 W ERP 148.4 AAT 454 MSL 21 AGL. MODS. PW/APCO.
20	232330	APPD	CO SUTTER	YUBA CI	460.4250 FB2/FX1/MO 30 W ERP 17.4 AAT 17 MSL 7.6 AGL. PW/APCO.
21	232280	APPD	CO MONTEREY	SALINAS CARMEL  SALINAS CARMEL VLY BIG SUR BIG SUR SAN ARDO PARKFIELD	155.7300 154.3700 152.1350 .2400 FB2 150 W ERP 154.3100 153.8150 152.1650 FB2 152.2400 FB 150 W ERP 152.1350 FB2 158.7000 .8500 .9775 9.8 W ERP 152.2400 FB 500 W ERP 152.2400 500 W ERP 154.3100 FB2 12.6 W ERP 158.8500 158.9775 MO 200 W ERP 158.8500 158.9775 159.0900 FX1 150 ERP <b>783.9 AAT 1231 MSL 48.9 AGL.</b> WAIVERS. PW/APCO.
22	232281	APPD	CO MONTEREY	CARMEL VLY BIG SUR OROSI	154.0250 159.1125 FB2 152.2400 158.8050 .9775 FB 150/150/500/24.7/24.7 W ERP 155.7300 FB2 44.9 W ERP 155.9100 154.1750 155.8350 FB2 99 W ERP 154.0250 153.8150 FB2 158.7000 FB 250 W ERP 159.0900 158.8500 158.9775 MO/FX1. WAIVER. PW/APCO.
23	232161	APPD	CO TULARE	FARMERSVILLE	158.7000 FX1 75 W ERP -33 AAT 111 MSL 9.8 AGL RELOCATION. PW/APCO.
24	232162	APPD	CO TULARE	TRACY	159.0300 FX1 75 W ERP14 AAT 108 MSL7.6 AGL. RELOCATION. PW/APCO
25	12-00796	APPD	JEFFERSON SD	SACRAMENTO	155.2950 FB/MO 55 W ERP 157.7250 159.8950 .6600 MO 5 W ERP -38.4 AAT 35 MSL 20 AGL. IG/MRFAC.
26	401701	APPD	ST CA: DGS	SACRAMENTO	453.5500 FB/FB2/MO 15 W ERP (INCR) 4.2 AAT 17.4 MSL 10.7 AGL. PW/FCCA.
27	401702	APPD	ST CA: CAL FIRE	COALINGA	M159.060 .1950 FX1 40 W ERP -42.5 AAT 180.4 MSL 10.7 AGL. RELOCATION OF FIRE STN. PW/FCCA.
28	401703	APPD	ST CA: CAL FIRE	COALINGA	151.3250 .3400 .3700 FB 40 W ERP -42.5 AAT 180.4 MSL 10.7 AGL. RELOCATE, D WB. PW/FCCA.
29	401704	APPD	ST CA: CAL FIRE	CLOVIS	159.2700 .3000 .3300 .3600 FX1 40 W ERP -196.5 AAT 324 MSL 10.7 AGL RELOCATE. PW/FCCA.
30	401705	APPD	ST CA: CAL FIRE	CLOVIS	159.0600 .1950 FX1 40 W ERP -196.5 AAT 324 MSL 10.7 AGL RELOCATE. PW/FCCA.
31	401708	APPD	ST CA: CAL FIRE	CAMINO (EL D)	151.1600 151.3700 .3850 FB 126 W ERP 159.2250 .3000 .3300 FX1 40 W ERP 168.1 AAT 1029.9 MSL 7.6 AGL. PW/FCCA.
32	401713	APPD	CO SONOMA	CO SONOMA	460/465.23750 MO 50 W ERP PW/FCCA.
33	232555	APPD	MENDOCINO FPD	MENDOCINO	154.2050 FB/MO 150 W ERP 18.4 AAT 61 MSL 15 AGL. RESTORE. PW/APCO.
34	401735	APPD	CO SONOMA	GUERNEVILLE	460.28750 MO 50 W ERP PW/IMSA.
35	401767	APPD	CO SONOMA	JENNER	154.4000 FB/FB2 159.17250 50 W ERP 343.4 AAT 491.3 MSL 12.2 AGL. PW/FCCA.
36	401723	APPD	CO SONOMA	S ROSA FORESTVILLE	460.6250 FB/MO 453.4500 FB/FB2/MO 465.6250 MO3 460.5875 FB/FB2/MO 10 W ERP. -68 AAT 37.2 MSL 6.1 AGL. PW/IMSA.
37	116588	APPD	FRESNO CO FPD	CARUTHERS	153.8900 154.4450 159.1950 FB 70 W ERP. 10.3 AAT 74 MSL 10 AGL. RELOCATE. PW/IMSA.
38	401126A	APPD	CO SONOMA	ANNAPOLIS	A159.1650 FX1/MO 100 W ERP AMMEND APPD APP. PW/IMSA.
39	116565	APPD	FRESNO CO FPD	CO FRESNO	153.8900 154.2800 154.4450 159.0600 159.1950 MO 110 W ERP. INCR MO #. PW/AASHTO.
40	232760	APPD	CO TULARE	VISILIA	154.7400 FB2 159.0975 MO 15/5 W ERP 1 AAT 96 MSL 6.7 AGL. JUV HALL. PW/APCO.
41	401806	APPD	THE COUNTY OF HUMBOLDT DISTRICT ATTORNEY'S OFFICE	CO HUMBOLDT	159.23250 MO3 5 W ERP. <b>NOTE: APP CONTAINS MULTIPLE FLAWS.</b> PW/FCCA.

Actions taken from November 8 to December 12.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
42	11656	APPD	FRESNO CO FPD	FRESNO	159.0600 .1950 FX1 40 W ERP 23.1 AAT 101.8 MSL 26.2 AGL PW/FCCA.
43	401753	APPD	SOLEDAD	SOLEDAD	D458.8250 A 458.0500 MO 20 W ERP IRRIGATION SYS. PW/FCCA.
44	401847	APPD	CO SONOMA	GUERNEVILLE	453/458.06250 460/465.5125 MO 6 W ERP. PW/FCCA.
45	401736	APPD	CO SONOMA	S'ROSA, BODEGA BAY, HEALDSBURG, FORESTVILLE	453.0375 .8875 .1125 .9375 FB/FB2/MO 6 W ERP -25.8 AAT 106.4 MSL 14.2 AGL. LOW SITES. PW/FCCA.
46	401737	DENIED	CO SONOMA	WINDSOR, S'ROSA, GUERNEVILLE	453.91250 .98750 460.08750 FB/FB2/MO 6 W ERP 465.5000 MO/MO3 6 W ERP -64 AAT 160 MSL 6.1 AGL. MULTI-SITES. PW/FCCA.
47	401840	APPD	CHABOT COLLEGE	HAYWARD	460.36250 .21250 FB8/MO8/FX1 60 W ERP -53.1 AAT 13 MSL 9.1 AGL. 11K2FXE. YW/FCCA.
48	401891	DENIED	CO SONOMA	GUERNEVILLE	154.7850 FB/FB2/MO/FBT/FB2T 159.1500 MO 43 W ERP 370.9 AAT 503.3 MSL 36.6 AGL. MT JACKSON. PW/FCCA.
49	401689	APPD	CO HUMBOLDT	CO HUMBOLDT	155.8800 .8050 MO 50 W ERP. PW/FCCA.
50	401987	APPD	ST CA: DMV	SACRAMENTO	460.1250 FB/FB2/FX1 25 W ERP 28.5 AAT 7.3 MSL 30.5 AGL. ADDS 2ND STN TO EXIST SYS IN SACTO. PW/FCCA.
51	002779	APPD	GUSTINE	GUSTINE	453.91250 MO 15 W ERP ADDS F1D & F3E TO EXIST. PW/AASHTO.
52	402006	APPD	ST CA: ??	S LK TAHOE	453.96250 FXO 6 W ERP\$ 317° -182.9 AAT 1956.8 MSL 6.1 AGL. F1D. PW/FCCA.
53	402007	APPD	ST CA: ??	S LK TAHOE	453.96250 FXO 6 W ERP\$ 335° -12 AAT 2031.2 MSL 6.1 AGL. F1D. ADDS 2 SITES TO EXIST SYS. PW/FCCA.
54	402008	APPD	ST CA: ??	TAHOMA	460.5125 FXO 3 W ERP @308° & 139° -113 AAT 1927.9 MSL 6.1 AGL. ADDS 5 NEW SITES TO SYS. F1D. PW/FCCA.
55	402011	APPD	ST CA: ??	PAICINES/SOLEDAD	453/458.7750 FXO 25 W ERP 834.8 AAT 1362 MSL 10.7 AGL. NEW LINK. F3. PW/FCCA.
56	401767	APPD	CO SONOMA	JENNERS	154.4000 FB/FB2 158.8725 50 W ERP 343.4 AAT 491.3 MSL 12.2 AGL. PW/FCCA.
57	401990	APPD	MADERA	MADERA	154.0700 FB/FBS/FB2/FB2S 150 W ERP 23.7 AAT 84.1 MSL 24 AGL. 154.3850 159.0150 154.2800 .2950 .28750 .27250 30250 MO 25 W ERP. RESTORE+. PW/IMSA.
58	402031	APPD	ST CA: CHP	CHOWCHILLA	42.4400 .2200 44.9800 42.5200 .0800 FB 213 W ERP 17.4 AAT 69.5 MSL 16.8 AGL. PW/FCCA.
59	402032	APPD	ST CA: CHP	REDDING	42.2800 .4400 .2200 .2600 .1600 .7200 .7600 .2400 FB 213 W ERP -28.4 AAT 219.4 MSL 9.1 AGL. PW/FCCA.
60	402033	APPD	ST CA: CHP	OAKHURST	44.9800 45.9400 42.3400 .8800 FB 213 W ERP -216.2 AAT 712 MSL 37 AGL. ADDS FREQS TO EXIST SITE. PW/FCCA
61	402074	APPD	ST CA: ??	ORICK (HUM)	453.8500 FXO 35 W ERP ?? AAT 378 MSL 9 AGL. CORRECTS COORDS. F2 DATA. PW/FCCA.
62	118534	APPD	WALNUT CREEK	WALNUT CREEK	156.1650 FB2 159.1200 FX1/MO -96 AAT 61 MSL 33 AGL. ADDS MO TO EXIST. ADDS 7K60FXE. PW/AASHTO

470-512 MHz POOL

This spectrum is currently under freeze orders by the FCC. Waivers are required for certain license modifications.

700 Mhz PUBLIC SAFETY (SG, SY)

63	11/23/2012	IN PROG	EBRCS-WQMY906	SAN RAMON VLY	771.75625 772.05625 .35625 .65625 .88125 773.15625 773.90625 774.18125 .45625 .73125 FB/FB2 300 W ERP -117.6 AAT 120 MSL16 AGL. RELOCATE EXIST STN. SY/????.
64	11/23/2012	IN PROG	EBRCS-WQMY908	WALNUT CREEK	771.75625 772.05625 .35625 .65625 .88125 773.15625 773.90625 774.18125 .45625 .73125 FB/FB2 300 W ERP -69.4 AAT 90.2 MSL43.3 AGL. RELOCATE EXIST STN. SY/????.
65	11/23/2012	IN PROG	EBRCS-WQNA436	HAYWARD	769.29375 .58125 .86875 770.33125 .76875 771.04375 .34275 .64375 .94375 772.24375 .54375 .84375 FB/FB2 225 W ERP -51.4 AAT 22 MSL 16.8 AGL. RELOCATE EXIST STN. SY/????.

800 Mhz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

66	9/16/11	APP PEND	CO SAN BENITO	SCHOOL PK/CALL MTN	3 CHNLS FB/FB2 50 W ERP ?? AAT 876 MSL ?? AGL. CALL MTN & FREMONT PK. AVL. DATA.
67	232681	IN PROG	BARTD	BAY	851.1000 FB/FB2/MO 150 ERP 535 AAT 787 MSL 30 AGL (5 SITES). R6 APPROVAL RECEIVED. GE/APCO.
68	-	PEND	CO SAN JOAQUIN	CO SAN JOAQUIN	851.93750 FB/MO/FX1 150 W ERP 75 AAT 51 MSL 76.2 AGL (4 SITES) ADD TO EXIST DATA SYS. GE/APCO.
69	117423	IN PROG	SO SAN FRANCISCO	SO SAN FRANCISCO	800.000 FB2 801.000 MO. UNABLE TO PROCESS; SPECTRUM DESIRED NOT IDENTIFIED. PW/IMSA.

10/26/10 note: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ

12/15/10 note: Any applications involving WB will not be accepted by the FCC without additional submissions.

4/06/12 note: As of 4/1/12 I have discontinued my FAX number due to disuse. It has been over a year since last fax was received,

ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.