



NORTHERN CALIF APCO LOG FOR JAN 2013



THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from December 14.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
The turn around time at the FCC has apparently slipped. We now are seeing over ninety day processing times again.					
228039		IN PROG	CO SUTTER	CO SUTTER	151.1525 FB/FB2/MO 159.3075 FX1/MO 210 W ERP 586.0 AAT 591.0 MSL 46 AGL. PW/APCO.
228547		IN PROG	HOLLISTER	HOLLISTER	155.8050 FB2 100 W ERP ? AAT ? MSL ? AGL. ADD NEW FB2. ADD STATION 1. PW/APCO.
230186		APPD	CO SANTA CRUZ	CO SANTA CRUZ	151.0700 .1750 155.5200 FB/FB2/MO 159.2250 .2700 .3150 .3600 FX1/MO 17.7/100 W ERP. 585.2 AAT 958.8 MSL 10 AGL. PW/APCO. OBJECTION BY FCCA.
230187		APPD	CO SANTA CRUZ	CO SANTA CRUZ	154.1600 .3850 155.1750 .2500 .5500 FB/FB2/MO 158.9250 159.0150 FX1/MO 75.5/100 W ERP -73.3 AAT7 MSL 28 AGL. PW/APCO. OBJECTION BY FCCA.
232130		IN PROG	CHICO	CHICO	155.1450 FB25 W ERP ?? AAT 42 MSL 4.6 AGL. ADD FB TO EXIST MO. PW/APCO.
401701		APPD	ST CA: DGS	SACRAMENTO	453.5500 FB/FB2/MO 15 W ERP (INCR) 4.2 AAT 17.4 MSL 10.7 AGL. PW/FCCA.
401767		APPD	CO SONOMA	JENNER	154.4000 FB/FB2 159.17250 50 W ERP 343.4 AAT 491.3 MSL 12.2 AGL. PW/FCCA.
401723		APPD	CO SONOMA	S ROSA FORESTVILLE	460.6250 FB/MO 453.4500 FB/FB2/MO 465.6250 MO3 460.5875 FB/FB2/MO 10 W ERP. -68 AAT 37.2 MSL 6.1 AGL. PW/IMSA.
116588		APPD	FRESNO CO FPD	CARUTHERS	153.8900 154.4450 159.1950 FB 70 W ERP. 10.3 AAT 74 MSL 10 AGL. RELOCATE. PW/IMSA.
401126A		APPD	CO SONOMA	ANNAPOLIS	A159.1650 FX1/MO 100 W ERP AMMEND APPD APP. PW/IMSA.
116565		APPD	FRESNO CO FPD	CO FRESNO	153.8900 154.2800 154.4450 159.0600 159.1950 MO 110 W ERP. INCR MO #. PW/AASHTO.
232760		APPD	CO TULARE	VISILIA	154.7400 FB2 159.0975 MO 15/5 W ERP 1 AAT 96 MSL 6.7 AGL. JUV HALL. PW/APCO.
401806		APPD	THE COUNTY OF HUMBOLDT DISTRICT ATTORNEY'S OFFICE	CO HUMBOLDT	159.23250 MO3 5 W ERP. NOTE: APP CONTAINS MULTIPLE FLAWS. PW/FCCA.
11656		APPD	FRESNO CO FPD	FRESNO	159.0600 .1950 FX1 40 W ERP 23.1 AAT 101.8 MSL 26.2 AGL PW/FCCA.
401753		APPD	SOLEDAD	SOLEDAD	D458.8250 A 458.0500 MO 20 W ERP IRRIGATION SYS. PW/FCCA.
401847		APPD	CO SONOMA	GUERNEVILLE	453/458.06250 460/465.5125 MO 6 W ERP. PW/FCCA.
401736		APPD	CO SONOMA	S'ROSA, BODEGA BAY, HEALDSBURG, FORESTVILLE WINDSOR, S'ROSA, GUERNEVILLE	453.0375 .8875 .1125 .9375 FB/FB2/MO 6 W ERP -25.8 AAT 106.4 MSL 14.2 AGL. LOW SITES. PW/FCCA.
401737		DENIED	CO SONOMA	HAYWARD	453.91250 .98750 460.08750 FB/FB2/MO 6 W ERP 465.5000 MO/MO3 6 W ERP -64 AAT 160 MSL 6.1 AGL. MULTI-SITES. PW/FCCA.
401840		APPD	CHABOT COLLEGE	HAYWARD	460.36250 .21250 FB8/MO8/FX1 60 W ERP -53.1 AAT 13 MSL 9.1 AGL. 11K2FXE. YW/FCCA.
401891		DENIED	CO SONOMA	GUERNEVILLE	154.7850 FB/FB2/MO/FBT/FB2T 159.1500 MO 43 W ERP 370.9 AAT 503.3 MSL 36.6 AGL. MT JACKSON. PW/FCCA.
401689		APPD	CO HUMBOLDT	CO HUMBOLDT	155.8800 .8050 MO 50 W ERP. PW/FCCA.
401987		APPD	ST CA: DMV	SACRAMENTO	460.1250 FB/FB2/FX1 25 W ERP 28.5 AAT 7.3 MSL 30.5 AGL. ADDS 2ND STN TO EXIST SYS IN SACTO. PW/FCCA.
002779		APPD	GUSTINE	GUSTINE	453.91250 MO 15 W ERP ADDS F1D & F3E TO EXIST. PW/AASHTO.
402006		APPD	ST CA: ??	S LK TAHOE	453.96250 FXO 6 W ERPS 317° -182.9 AAT 1956.8 MSL 6.1 AGL. F1D. PW/FCCA.
402007		APPD	ST CA: ??	S LK TAHOE	453.96250 FXO 6 W ERPS 335° -12 AAT 2031.2 MSL 6.1 AGL. F1D. ADDS 2 SITES TO EXIST SYS. PW/FCCA.
402008		APPD	ST CA: ??	TAHOA	460.5125 FXO 3 W ERP @308° & 139° -113 AAT 1927.9 MSL 6.1 AGL. ADDS 5 NEW SITES TO SYS. F1D. PW/FCCA.
402011		APPD	ST CA: ??	PAICINES/SOLEDAD	453/458.7750 FXO 25 W ERP 834.8 AAT 1362 MSL 10.7 AGL. NEW LINK. F3. PW/FCCA.
401767		APPD	CO SONOMA	JENNERS	154.4000 FB/FB2 158.8725 50 W ERP 343.4 AAT 491.3 MSL 12.2 AGL. PW/FCCA.
401990		APPD	MADERA	MADERA	154.0700 FB/FBS/FB2/FB2S 150 W ERP 23.7 AAT 84.1 MSL 24 AGL. 154.3850 159.0150 154.2800 .2950 .28750 .27250 30250 MO 25 W ERP. RESTORE+. PW/IMSA.
402031		APPD	ST CA: CHP	CHOWCHILLA	42.4400 .2200 44.9800 42.5200 .0800 FB 213 W ERP 17.4 AAT 69.5 MSL 16.8 AGL. PW/FCCA.
402032		APPD	ST CA: CHP	REDDING	42.2800 .4400 .2200 .2600 .1600 .7200 .7600 .2400 FB 213 W ERP -28.4 AAT 219.4 MSL 9.1 AGL. PW/FCCA.
402033		APPD	ST CA: CHP	OAKHURST	44.9800 45.9400 42.3400 .8800 FB 213 W ERP -216.2 AAT 712 MSL 37 AGL. ADDS FREQS TO EXIST SITE. PW/FCCA.
402074		APPD	ST CA: ??	ORICK (HUM)	453.8500 FXO 35 W ERP ?? AAT 378 MSL 9 AGL. CORRECTS COORDS. F2 DATA. PW/FCCA.
118534		APPD	WALNUT CREEK	WALNUT CREEK	156.1650 FB2 159.1200 FX1/MO -96 AAT 61 MSL 33 AGL. ADDS MO TO EXIST. ADDS 7K60FXE. PW/AASHTO
118535		APPD	WALNUT CREEK	WALNUT CREEK	453.2000 FB2 50 W ERP -131.3 AAT 43 MSL 21 AGL. ADDS ADDNL STN AT EXIST LOCN. PW/IMSA.
402193		APPD	WILLOW CREEKFPD	WILLOW CRK SALLYER HAWKINS BAR (TRIN)	153.8300 MO 100 W ADD FREQ TO EXSIST. AOP=70 WAIVER REQUESTED. PW/IMSA
233538		APPD	ANTELOPE VLY FPD	COLEVILLE (MONO)	154.3475 FB/MO 200 W ERP -507.6 AAT 1599 MSL 11 AGL. NEW. PW/APCO
233547		IN PROG	CO MONTEREY	SOLEDAD ROYAL OAKS SAN ARDO	151.3400 154.3550 155.5950 151.1000 155.2500 FB8 46.8 W ERP 84 AAT 152.6000 154.3850 151.0700 154.995 156.2400 FB8 0.5 W ERP 45.8 AAT 154.4300 155.3100 155.6100 155.6850 FB8 85.1 W ERP 500.8 AAT 159.2100 155.7450 156.0600 158.8950 158.9850 153.9500 158.7450 155.7550 158.5200 159.1050 154.8450 156.1950 158.8650 159.0150 MO8/FX1 50 W ERP. YW/APCO
233548		IN PROG	CO MONTEREY	CO MONTEREY	159.9950 151.0250 153.8600 155.2950 156.0150 158.96250 159.1750 MO. 10 W ERP PW/APCO.

Actions taken from December 14.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
402269		APPD	ST CA: CHP	CO TRINITY	453.26250 460.2250 MO/MO3 2 W ERP. ADDS NEW FREQS TO EXIST SYS. PW/FCCA.
402261		APPD	ST CA: ??	WATSONVILLE-MORGAN HILL	453/458.7750 FXO 6 W ERP 460/465.5500 FXO 4 W ERP 349.2 AAT 975.7 MSL 18.3 AGL. NEW . PW/FCCA.
233707		IN PROG	CI/CO SAN FRANCISCO	SAN FRANCISCO	460.51250 FB2 6 W ERP 152.4 AAT 177 MSL 2.6 AGL. ADD FB2 TO MO EXISTING. PW/APCO.

470-512 MHz POOL

This spectrum is currently under freeze orders by the FCC. Waivers are required for certain license modifications.

700 MHz PUBLIC SAFETY (SG, SY)

11/23/2012		IN PROG	EBRCS-WQMY906	SAN RAMON VLY	771.75625 772.05625 .35625 .65625 .88125 773.15625 773.90625 774.18125 .45625 .73125 FB/FB2 300 W ERP -117.6 AAT 120 MSL16 AGL. RELOCATE EXIST STN. SY/????.
11/23/2012		IN PROG	EBRCS-WQMY908	WALNUT CREEK	771.75625 772.05625 .35625 .65625 .88125 773.15625 773.90625 774.18125 .45625 .73125 FB/FB2 300 W ERP -69.4 AAT 90.2 MSL43.3 AGL. RELOCATE EXIST STN. SY/????.
11/23/2012		IN PROG	EBRCS-WQNA436	HAYWARD	769.29375 .58125 .86875 770.33125 .76875 771.04375 .34275 .64375 .94375 772.24375 .54375 .84375 FB/FB2 225 W ERP -51.4 AAT 22 MSL 16.8 AGL. RELOCATE EXIST STN. SY/????.
117423		SENT BACK	SO SAN FRANCISCO	SO SAN FRANCISCO	800.000 FB2/MO (4 SITES) 801.000 MO. 141 AAT 177 MSL 12 AGL. 4K00F1W, 8K30F7W. PW/IMSA.

800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

9/16/11		APP PEND	CO SAN BENITO	SCHOOL PK/CALL MTN	3 CHNLS FB/FB2 50 W ERP ?? AAT 876 MSL ?? AGL. CALL MTN & FREMONT PK. AVL. DATA.
232681		IN PROG	BARTD	BAY	851.1000 FB/FB2/MO 150 ERP 535 AAT 787 MSL 30 AGL (5 SITES). R6 APPROVAL RECEIVED. GE/APCO.
-		PEND	CO SAN JOAQUIN	CO SAN JOAQUIN	851.93750 FB/MO/FX1 150 W ERP 75 AAT 51 MSL 76.2 AGL (4 SITES) ADD TO EXIST DATA SYS. GE/APCO.
402264		APPD	ST CA: P&R	SAN JUAN BAUTISTA	M855.48750 FB/FB2 124 W ERP 372.5 AAT 975.7 MSL 19.8 AGL. MINOR MOVE OF STN. GE/FCCA.

10/26/10 note: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ

12/15/10 note: Any applications involving WB will not be accepted by the FCC without additional submissions.

4/06/12 note: As of 4/1/12 I have discontinued my FAX number due to disuse. It has been over a year since last fax was received, ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.