

LOG FOR APRIL 2013

THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from March 20 to April 17.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
We now are seeing over ninety day FCC processing times.					
1	228039	IN PROG	CO SUTTER	CO SUTTER	151.1525 FB/FB2/MO 159.3075 FX1/MO 210 W ERP 586.0 AAT 591.0 MSL 46 AGL. PW/APCO.
2	229381	IN PROG	CHICO	CHICO	155.3700 FB2/MO 154.7700 MO 100 W ERP -27 AAT 130 MSL 30 AGL. PW/APCO. ADDS 2ND CHNL.
3	232130	IN PROG	CHICO	CHICO	155.1450 FB 25 W ERP ?? AAT 42 MSL 4.6 AGL. ADD FB TO EXIST MO. PW/APCO.
4	233547	IN PROG	CO MONTEREY	SOLEDAD ROYAL OAKS SAN ARDO	151.3400 154.3550 155.5950 151.1000 155.2500 FB8 46.8 W ERP 84 AAT 152.6000 154.3850 151.0700 154.995 156.2400 FB8 0.5 W ERP 45.8 AAT 154.4300 155.3100 155.6100 155.6850 FB8 85.1 W ERP 500.8 AAT 159.2100 155.7450 156.0600 158.8950 158.9850 153.9500 158.7450 155.7550 158.5200 159.1050 154.8450 156.1950 158.8650 159.0150 MO8/FX1 50 W ERP. YW/APCO
5	233548	IN PROG	CO MONTEREY	CO MONTEREY	150.9950 151.0025 153.8600 155.9250 156.0150 158.9625 159.1725 MO. 10 W ERP PW/APCO.
6	234484	APPD	CO TUOLUMNE	SONORA-GROVELAND	460.2000 .2500 .2750 3250 .5250/465.ditto FXO 147 W ERP 30.8 AAT 1245 MSL 24 AGL. PW/APCO
7	PENDING		MANTECA	MANTECA	155.8650 FB/FB2 158.9550 MO 45 W ERP 35.3 AAT 9 MSL 36.5 AGL. PW/APCO.
8	235190	APPD	RIPON CON FIRE DIST	RIPON	153.7850 155.9850 154.8300 MO 100 W ERP. ADD TACTICAL CHANNELS. PW/APCO.
9	234807	APPD	CORTE MADERA	LAKSPUR	159.0750 FB 89 W ERP -60.2 AAT 2 MSL 21 AGL. ADD TO EXIST SYS. PW/APCO.
10	234808	APPD	CORTE MADERA	CORTE MADERA	158.7450 FB 89 W ERP -64.3 AAT 10 MSL 10.8 AGL. ADD 3 LOCNS TO EXIST. PW/APCO.
11	234809	APPD	CO SAN MATEO	COASTAL (3 SITES)	159.0600 FX1 25 W ERP -72 AAT 16 MSL 11.7 AGL. ADD STNS TO EXIST SYS.F1D. PW/APCO.
12	400453	APPD	ST CA: DOT	KYBURZ ARNOLD KIT CARSON OAKDALE	453/458.76250 .83750 150 W ERP 613 AAT 2312 MSL 18.3 AGL.PW/FCCA.
13	400503	APPD	OAKDALE	OAKDALE	155.9250 FB2S 282 W ERP 27.1 AAT 14.9 MSL 27 AGL. PW/FCCA/EWA
14	234898	APPD	CO SAN MATEO	COASTAL (3 SITES)	159.0600 FX1 25 W ERP -39 AAT 11 MSL 11.7 AGL. ADD TO EXIST SYS. F1D. PW/APCO.
15	234859	APPD	YOLO EMERG COMM	CO YOLO	154.4450 154.8000 FB/FB2 191 W ERP -0.2 AAT 136.1 MSL 39 AGL. ADDS 6 SITES TO EXIST SYS. PW/APCO.
16	400296	APPD	MANTECA	MANTECA	458.0375 MO 6 W ERP 5K60F2D. PW/FCCA/EWA.
17	400546	APPD	ST CA: CAL FIRE	GARDEN VLY (ELD)	159.2250 .3300 FX1 40 W ERP -7.8 AAT 577.6 MSL 6.1 AGL. PW/FCCA.
18	400547	APPD	ST CA: CAL FIRE	BEIBER (LASSEN)	159.2700 .4050 M.2250 .3000 .3300 FX1 40 W ERP 24.8 AAT 1307.9 MSL 10.7 AGL. CORRECT DATA, ADD FREQS. PW/FCCA.
19	000564	APPD	CITY OF ANGELS	ANGELS CAMP	156.2250 FXO/MO 10 W ERP 47.1 AAT 557.9 MSL 6.1 AGL. MULTIPLE SITES. PW/FCCA
20	402011A	DENIED	ST CA: ??	SOLEDAD PICENES (MONT)	453/458.7750 FXO 20 W ERP 1194.8 AAT 1362 MSL 10.7 AGL. NEED LOC CI MONTEREY. PW/FCCA.
21	400513	DENIED	SJ EVERGREEN COMM COLL	SAN JOSE	460.5875 453.2000 .3750 .7750 FB8/MO8 200 W ERP -36.2 AAT 42 MSL 24 AGL. YW/EWA. 40 MOs! CONFLICT W/453/458.7750 STATE OF CA. PW/IMSA.
22	400636	APPD	ST CA: ??	PAICINES - PALO ESCRITO (MON)	453/458.7750 FXO 25 W ERP 1194.8 AAT 1362 MSL 10.7 AGL. PW/FCCA.
23	234877	CONCUR	OREGON ST POLICE	LAKE CO (OREGON)	158.8500 FB/FB2/MO 155.4600 MO 115 W ERP 453/458.1500 FXO 90 W ERP. 790 AAT 2406 MSL 30.5 AGL. PW/APCO.
24	122345	COND APPD	NATIONAL SKI PATROL	S LK TAHOE	460.5750 FB2/MO 60 W ERP VTAC1-3, VCALL, UTAC1-3,UCALL MO 25 W ERP. 705 AAT 2688.4 MSL 9 AGL. PW/IMSA.
25	400513	APPD	SJ EVERGREEN COMM COLL	SAN JOSE	460.5875 453.2000 .4250.6250 FB8/MO8 40 W ERP -36.2 AAT 42 MSL 24 AGL. YW/EWA. 40 MOs! PW/IMSA.
26	300805	APPD	PG&E	NEVADA CI	451.2000 FB/FB2/MO 398 W ERP 173.36250 FXO 20 W ERP. -197.2 AAT 1033 MSL 13.7 AGL. IG/AAA
27	122350	APPD	CO SAN JOAQUIN	STOCKTON	453.76250 .1000 FB2/MO/FX1 100 W ERP 19.4 AAT 5 MSL 22 AGL. PW/IMSA.
28	300558	APPD	CAMPBELL	CAMPBELL	154.8250 FB2/MO 50 W ERP 158.9250 MO 5 W ERP. -89.3 AAT 60 MSL 6.7 AGL. PW/AASHTO.
29	400124	DENIED	SANTA CRUZ CO SAN DIST	CO SANTA CRUZ	159.1050 156.0750 FXO 20 W ERP 616.9 AAT 978.4 MSL 6.1 AGL. CALCORD & MONTREY CO ISSUES. PW/FCCA.
30	400418	COND APPD	SANTA CRUZ CO SAN DIST	BIELAWSKI & OTHERS	460.1125 453.8125 460.6125 .5875 FXO 35 W @135° 616.9 AAT 978.4 MSL 6.1 AGL. INTERFERENCE ISSUES. PW/FCCA.
31	400473	APPD	SANTA CRUZ CO SAN DIST	BONNIE DOON SPRECKLES	458/458.3750 FXO TO 35 W ERP @133° 453.8125 460.6125 460.1125 .5875 FXO 35 W ERP @335° 625.1 AAT 933 MSL 15 AGL. PW/FCCA.
32	400475	COND APPD	SANTA CRUZ CO SAN DIST	SANTA CRUZ APTOS MULTIPLE SITES	460.1125 453.8125 460.6125 .5875 FXO 2 W @?° -53.3 AAT 102.8 MSL 6.1 AGL. PW/FCCA.
33	400508	APPD	SANTA CRUZ CO SAN DIST	SANTA CRUZ	460.1125 .5875 .6125 453.8125 FXO 2 W ERP -73.9 AAT 18.2 MSL 6.1 AGL. PW/FCCA.
34	400868	APPD	SF PUB UTIL COMM	SAN MATEO	453.4375 FXO 5 W ERP -16 AAT 96.2 MSL 6.1 AGL. 3 LOCATIONS. PW/FCCA. ADDS FREQ TO EXIST SYS.
35	235251	APPD	ROSEVILLE	ROCKLIN ROSEVILLE	M453/458.6500 .8250 FXO TO 20 W ERP 38.2 AAT 133 MSL 6 AGL. PW/APCO
36	235163	APPD	CO SANTA CRUZ	APTOS WATSONVILLE SANTA CRUZ	154.3850 155.1750 .2500 .5500 FB/FB2 75.5 W ERP -103 AAT 82 MSL 28 AGL. 3 SITES. PW/APCO.
37	00627	APPD	MERCED CO REG WASTE MANAGEMENT AUTH	MERCED	155.1000 153.8825 MO 5 W ERP PW/AASHTO

Actions taken from March 20 to April 17.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
------	-------	--------	--------	---------	--

This spectrum is currently under freeze orders by the FCC. Waivers are required for certain license modifications.

700 Mhz PUBLIC SAFETY (SG, SY)

800 Mhz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

38	235151	APPD	CO SAN BENITO	SCHOOL HL/CALL MTN	857/858.96250 FB/FB2/FX1/MO 100 W ERP 1227.8 AAT 1185.1 MSL 42.7 AGL. F3E F1D. GE/APCO.
39	235197	APPD	WM LOVLEY	DUNLAP (FRS)	858.31250 FB2C 809.000 MO 50 W ERP 1907 AAT 1415 MSL 15 AGL. GX/UTC. NON-STD PAIRING NOTED.

10/26/10 note: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ
12/15/10 note: Any applications involving WB will not be accepted by the FCC without additional submissions.
1/21/13 note: Use of 4K60FXE/D emission will result in a reduction of your analog ERP.
ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.
Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION
Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.