

LOG FOR AUGUST 2013

THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from July 12.

COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
We now are seeing over ninety day FCC processing times.				
228039	IN PROG	CO SUTTER	CO SUTTER	151.1525 FB/FB2/MO 159.3075 FX1/MO 210 W ERP 586.0 AAT 591.0 MSL 46 AGL. PW/APCO.
229381	IN PROG	CHICO	CHICO	155.3700 FB2/MO 154.7700 MO 100 W ERP -27 AAT 130 MSL 30 AGL. PW/APCO. ADDS 2ND CHNL.
233547	APPD	CO MONTEREY	SOLEDAD ROYAL OAKS SAN ARDO	151.3400 154.3550 155.5950 151.1000 155.2500 FB8 46.8 W ERP 84 AAT 152.6000 154.3850 151.0700 154.995 156.2400 FB8 0.5 W ERP 45.8 AAT 154.4300 155.3100 155.6100 155.6850 FB8 85.1 W ERP 500.8 AAT 159.2100 155.7450 156.0600 158.8950 158.9850 153.9500 158.7450 155.7550 158.5200 159.1050 154.8450 156.1950 158.8650 159.0150 MO8/FX1 50 W ERP. YW/APCO
233548	APPD	CO MONTEREY	CO MONTEREY	150.9950 151.0025 153.8600 155.9250 156.0150 158.9625 159.1725 MO. 10 W ERP PW/APCO.
235448	IN PROG	MANTECA	MANTECA	155.8650 FB/FB2 79W ERP 158.9550 M0 35.3 AAT 9 MSL 36.5 AGL. PW/APCO. AASHTO OBJECTION.
235726	APPD	CO LASSEN	SUSANVILLE	155.5950 154.8750 FB/FB2 16.8 W ERP 595.3 AAT 2186.5 MSL 10.5 AGL. PW/APCO.
235879	APPD	WILLIAMS	WILLIAMS	154.7625 FB/MO 50 W ERP 0.0 AAT 21 MSL 12.6 AGL. PW/APCO.
235906	IN PROG	CO MONTEREY	CO MONTEREY	1-155.6250 2-155.93250 3-151.4600 155.940 458.91250 FB/FB2 (25 W) 458.96250 (25 w) FX1 4-156.1650 154.0400 161.5275 161.5125 5-161.4225 161.48250. ALL 250 W ERP. 90.205 ISSUES. LR COORDINATOR LETTER. THE UHF CHANNELS ARE LOW-POWER POOL AND UTAC5. PW/APCO.
401352	APPD	PLEASANTON	PLEASANTON	453.58750 .56250 FB8/MO8/FX1 40 W ERP -14.7 AAT 192.9 MSL 12.2 AGL. F1D, F3E, 7K60FXE. YW/EWA.
400886	APPD	VISALIA	VISALIA	153.9350 FB/MO (IS NOW FB2) 120 W ERP 35.1 AAT 98 MSL 37 AGL. PW/AASHTO
401326	APPD	SHASTA CO OF	SHASTA LAKE	158.9250 FB2/MO (NOW FB2T) 150 W ERP -84 AAT 371.5 MSL 4.3 AGL. PW/FCCA.
401425	APPD	ST CA: CAL FIRE	COVELO (MENDO)	151.1600 .4450 FB 40 W ERP -248.1 AAT 426.1 MSL 19.8 AGL. PW/FCCA
236021	APPD	CO SAN JOAQUIN	RIPON, STOCKTON, CLEMENTS, F'CAMP, TRACY	453.66250 FB/FB2/MO 100 W ERP 54.9 AAT 41.2 MSL 55 AGL. PW/APCO.
236022	IN PROG	CO SAN JOAQUIN	TRACY	463.0250 FB/FB2 225 W ERP 148.4 AAT 454 MSL 21 AGL. NEEDS EMSA LETTER. PW/APCO.
401431	APPD	BUTTE CO SAR	CO BUTTE	156.000 FB2T 16 W ERP. EXISTS AS FB2 NOW. PW/IMSA.
401441	APPD	ST CA: CAL FIRE	BOONVILLE (MENDO)	151.1900 FB 50 W ERP -262.8 AAT 153.3 MSL 11 AGL. PW/FCCA.
125697	APPD	SAN MATEO PRE-HOSP	E PALO ALTO	155.8900 154.3700 FB/FB2 150 W ERP -16.8 AAT 4 MSL 30 AGL. PW/IMSA.
236053	APPD	SANTA ROSA	SANTA ROSA	453.7875 FB2/MO 8 W ERP 453/458.0875 MO 6 W ERP -52.6 AAT 26 MSL 2.5 AGL. FREQS EXIST. PW/APCO
236104	APPD	CO SAN MATEO	SAN MATEO	453.3250 FB2 20 W ERP -60.2 AAT 20 MSL 15 AGL. ADD SITE TO SYSTEM. PW/APCO.
235936	APPD	CO KINGS	CO KINGS	LICENSE CONSOLIDATION. NO CHANGES.
000963	APPD	SANITATION DIST 5	TIBURON	453.91250 FXO 10 W ERP -10.7 AAT 15.2 MSL 6.1 AGL. PW/AASHTO.
000942	APPD	MOUNTAIN VIEW	MOUNTAIN VIEW	453/458.86250 MO 5 W ERP. ADDS 5K60F2D. PW/AASHTO. NOTE UTAC43 & CURRENTLY LICENSED.
126417	APPD	CO TRINITY	WEAVERVILLE	155.1150 FB2 100 W ERP -262.3 AAT 577.1 MSL 4.6 AGL. PW/AASHTO.
400621	APPD	ST CA: ?	ANGLES CAMP COPPEROPOLIS	453.1375 .6875 458.1375 .6875 FXO 6 W ERP @287°/242° PW/FCCA

This spectrum is currently under freeze orders by the FCC. Waivers are required for most license modifications.

TBD	APPD	SVRIA	CI + CO SANTA CLARA	NEW SY
TBD	IN PROG	SVRIA	SAN JOSE	NEW SY
TBD	IN PROG	SVRIA	MOUNTAIN VIEW	NEW SY

10/26/10 note: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ

12/15/10 note: Any applications involving WB will not be accepted by the FCC without additional submissions.

1/21/13 note: Use of 4K60FXE/D emission will result in a reduction of your analog ERP.

ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.