

LOG FOR SEPTEMBER 2013

THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from August 8 to September 12.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
We now are seeing over ninety day FCC processing times.					
1	228039	IN PROG	CO SUTTER	CO SUTTER	151.1525 FB/FB2/MO 159.3075 FX1/MO 210 W ERP 586.0 AAT 591.0 MSL 46 AGL. PW/APCO.
2	229381	IN PROG	CHICO	CHICO	155.3700 FB2/MO 154.7700 MO 100 W ERP -27 AAT 130 MSL 30 AGL. PW/APCO. ADDS 2ND CHNL.
3	233547	APPD	CO MONTEREY	SOLEDAD ROYAL OAKS SAN ARDO	151.3400 154.3550 155.5950 151.1000 155.2500 FB8 46.8 W ERP 84 AAT 152.6000 154.3850 151.0700 154.995 156.2400 FB8 0.5 W ERP 45.8 AAT 154.4300 155.3100 155.6100 155.6850 FB8 85.1 W ERP 500.8 AAT 159.2100 155.7450 156.0600 158.8950 158.9850 153.9500 158.7450 155.7550 158.5200 159.1050 154.8450 156.1950 158.8650 159.0150 MO8/FX1 50 W ERP. YW/APCO
4	233548	APPD	CO MONTEREY	CO MONTEREY	150.9950 151.0025 153.8600 155.9250 156.0150 158.9625 159.1725 MO. 10 W ERP PW/APCO.
5	235448	INACTIVE	MANTECA	MANTECA	155.8650 FB/FB2 79W ERP 158.9550 MO 35.3 AAT 9 MSL 36.5 AGL. PW/APCO. AASHTO OBJECTION.
6	235879	APPD	WILLIAMS	WILLIAMS	154.7625 FB/MO 50 W ERP 0.0 AAT 21 MSL 12.6 AGL. PW/APCO.
7	235906	IN PROG	CO MONTEREY	CO MONTEREY	1-155.6250 2-155.93250 3-151.4600 155.940 458.91250 FB/FB2 (25 W) 458.96250 (25 w) FX1 4-156.1650 154.0400 161.5275 161.5125 5-161.4225 161.48250. ALL 250 W ERP. 90.205 ISSUES. LR COORDINATOR LETTER. THE UHF CHANNELS ARE LOW-POWER POOL AND UTAC5. PW/APCO.
8	236022	APPD	CO SAN JOAQUIN	TRACY	463.0250 FB/FB2 225 W ERP 148.4 AAT 454 MSL 21 AGL. NEEDS EMSA LETTER. PW/APCO.
9	126417	APPD	CO TRINITY	WEAVERVILLE	155.1150 FB2 100 W ERP -262.3 AAT 577.1 MSL 4.6 AGL. PW/AASHTO.
10	400621	APPD	ST CA: ?	ANGLES CAMP COPPEROPOLIS	453.1375 .6875 458.1375 .6875 FXO 6 W ERP @287°242° PW/FCCA
11	236292	APPD	CO MARIN	BOLINAS	155.1000 FB/FB2 120 W ERP 101.2 AAT 226.6 MSL 14 AGL. ADD TO EXIST SYS. HOLDING FOR ADDNL DARA. PW/APCO.
12	236293	APPD	CO MARIN	NOVATO	156.2400 FB/FB2 29 W ERP 456.3 AAT 575.8 MSL 13.7 AGL. ADD TO EXIST SYS. HOLDING FOR ADDNL DATA. PW/APCO
13	01005	APPD	LINCOLN USD	LODI	453.15000 FB2 45 W ERP 28.8 AAT 1 MSL 33.5 AGL. RELOCATE. PW/IMSA
14	236360	APPD	CO SAN JOAQUIN	TRACY	453.6625 FB/FB2 160 W ERP 148.4 AAT 454 MSL 21 AGL. ADD TO EXIST SYS. PW/APCO.
15	236399	APPD	SANTA CRUZ	SANTA CRUZ	155.1300 FB2/FB2S 180 W ERP -2 AAT 91 MSL 31 AGL. D155.8800 (RETAIN FOR TACTICAL) PW/APCO
16	236400	IN PROG	CO TRINITY	TRINITY	154.8600 FB/FB2 200 W ERP -38.2 AAT 1313.4 MSL 17.6 AGL. ADD STN TO EXIST SYS. PW/APCO.
17	236401	IN PROG	CO TRINITY	WEAVERVILLE	159.2100 FX1/154.8600 FB 200 W ERP -186.9 AAT 740 MSL 6 AGL. ADD EOC. PW/APCO.
18	236440	APPD	MERCED	MERCED	155.5200 FB2 160 W ERP 29 AAT 54 MSL 47.7 AGL. ADD TO EXIST SYS. PW/APCO.
19	236439	PROBLEM	SUISUN	SUISUN	460/465.5375 FXO/FXOT 6 W ERP 12.8 AAT 18.2 MSL 6.9 AGL. 9K65F1D. NEW. PW/APCO.
20	401667	APPD	THE HUMBOLDT COUNTY DA OFFICE	KNEELAND	453/458.6875 FXO 10 W ERP 155.5875 FB2/MO 159.1650 MO 100 W ERP 444.5 AAT 856.6 MSL 18.2 AGL. PW/FCCA
21	236434	IN PROG	SANTA CRUZ	SANTA CRUZ	D155.8800 FB2 A155.1300 FB2/MO 150 W ERP -93 AAT 6 MSL 17 AGL. PW/APCO
22	236429	IN PROG	CO SANTA CRUZ	DAVENPORT	154.3850 155.1750 .2500 .5500 FB/FB2 75.5 W ERP@150° -138 AAT 605 MSL 28 AGL. PW/APCO
23	001080	APPD	BRISBANE	BRISBANE	158.96250 MO 5 W ERP. ADDED FXO STNS 155.8200 10 W ERP. 11K2F1D. PW/AASHTO.
24	236451	IN PROG	CALAVERAS CO ROAD	SAN ANDREAS	156.1350 FX1 21.4 W ERP -57 AAT 350.5 MSL 36.6 AGL. PW/APCO. NEED LOC TUOLUMNE CO FB/MO USE AT 54 KM.
25	236452	IN PROG	CALAVERAS CO SO	SAN ANDREAS	155.7600 157.6050 159.8850 .9300 .7300 MO INCR ERP TO 45 W. 157.6050 FB 21.4 W ERP -57 AAT 350.5 MSL 36.6 AGL. PW/APCO. NEED FURTHER STUDY ON 157.6050. 7.5 KHZ ADJACENCY MO8 9 KM AWAY. NOTE IB FREQ
26	236456	APPD	CALAVERAS CO SO	SAN ANDREAS	159.000 FX1/FX1S 21.4 W ERP -57 AAT 350.5 MSL 36.6 AGL. PW/APCO.
27	236457	APPD	CALAVERAS CO SO	SAN ANDREAS	47.0000 FX1/FX1S 23 W ERP -57 AAT 350.5 MSL 36.6 AGL. PW/APCO.
28	236459	APPD	CALAVERAS CO SO	SAN ANDREAS	453.2500 FB 78.5 W ERP -57 AAT 350.5 MSL 36.6 AGL. 20K0F1D. PW/APCO.
29	236473	APPD	CO AMADOR	SAN ANDREAS	156.0450 FX1 21.4 W ERP -57 AAT 350.5 MSL 36.6 AGL. PW/APCO.
30	236498	APPD	MID-PENINSULA WATER DIST	BELMONT	460.03750 FXO/FXOT 20 W ERP -87.7 AAT 3 MSL 6 AGL. 11K2F1D . PW/APCO
31	001086	APPD	VISALIA	VISALIA	453.5500 FB2/MO 50 W ERP 453.61250 MO 5 W ERP 458.61250 MO 2 W ERP 27.9 AAT 100 MSL 17 AGL. PW/AASHTO
32	126926	APPD	MAMMOTH COMM WATER DIST	MAMMOTH LAKES	159.1050 155.78250 FXO/MO 2/5 W ERP. 11K2F1D. PW/IMSA.
33	236661	APPD	CO GLENN	WILLOWS	460.2500 FXO 16 W ERP@068° 224.5 AAT 556 MSL 18 AGL. PW/APCO.
34	580016	APPD	COUNTY OF SHASTA	JONES VLY *(SHA LAKE)	154.47125 FXO 24 W ERP 9 AAT 382 MSL 15 AGL. SCADA. 6K00F1D. IG/PCIA.
35	580016	APPD	COUNTY OF SHASTA	JONES VLY *(SHA LAKE)	154.47125 FXO 24 W ERP 30 AAT 404 MSL 15 AGL. SCADA. 6K00F1D. IG/PCIA.
36	401761	IN PROG	FOOTHILL-DeANZA COLL	PALO ALTO	A155.72250 FB/FB2/MO 50 W ERP 580.5 AAT 853.3 MSL 7 AGL. ADDS TO EXIST. 7K60FXE, 8K10F1E. PW/FCCA.
37	401677	IN PROG	LODI MEM HOSP	LODI	A453.58750 FB2/MO 51 W ERP 28 AAT 12 MSL 30 AGL. NEW. 11K2F1E, 7K60FXE. PW/FCCA.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
------	-------	--------	--------	---------	--

470-512 MHz POOL

This spectrum is currently under freeze orders by the FCC. Waivers are required for most license modifications.

700 Mhz PUBLIC SAFETY (SG, SY)

800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

?	REVIEW	BARTD	SAN FRANCISCO	ADDS NEW SITE TO EXIST SYS. YE/APCO.
---	--------	-------	---------------	--------------------------------------

10/26/10 note: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ
 12/15/10 note: Any applications involving WB will not be accepted by the FCC without additional submissions.
 1/21/13 note: Use of 4K60FXE/D emission will result in a reduction of your analog ERP.
 ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.
 Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION
 Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.