

LOG FOR JANUARY 2014

THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from December 12

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
228039		IN PROG	CO SUTTER	CO SUTTER	151.1525 FB/FB2/MO 159.3075 FX1/MO 210 W ERP 586.0 AAT 591.0 MSL 46 AGL. PW/APCO.
229381		IN PROG	CHICO	CHICO	155.3700 FB2/MO 154.7700 MO 100 W ERP -27 AAT 130 MSL 30 AGL. PW/APCO. ADDS 2ND CHNL.
233547		APPD	CO MONTEREY	SOLEDAD ROYAL OAKS SAN ARDO	151.3400 154.3550 155.5950 151.1000 155.2500 FB8 46.8 W ERP 84 AAT 152.6000 154.3850 151.0700 154.995 156.2400 FB8 0.5 W ERP 45.8 AAT 154.4300 155.3100 155.6100 155.6850 FB8 85.1 W ERP 500.8 AAT 159.2100 155.7450 156.0600 158.8950 158.9850 153.9500 158.7450 155.7550 158.5200 159.1050 154.8450 156.1950 158.8650 159.0150 MO8/FX1 50 W ERP. YW/APCO
235448		INACTIVE	MANTECA	MANTECA	155.8650 FB/FB2 79W ERP 158.9550 MO 35.3 AAT 9 MSL 36.5 AGL. PW/APCO. AASHTO OBJECTION.
235906		IN PROG	CO MONTEREY	CO MONTEREY	1-155.6250 2-155.93250 3-151.4600 155.940 FX1 4-156.1650 154.0400 161.5275 161.5125 5-161.4225 161.48250. ALL 250 W ERP. (UHF CHANNELS HAVE BEEN REMOVED) PW/APCO.
236400		IN PROG	CO TRINITY	TRINITY	154.8600 FB/FB2 200 W ERP -38.2 AAT 1313.4 MSL 17.6 AGL. ADD STN TO EXIST SYS. PW/APCO.
236439		APPD	SUISUN	SUISUN	460/465.6375 FXO/FXOT 6 W ERP 12.8 AAT 18.2 MSL 6.9 AGL. 9K65F1D. NEW. PW/APCO.
236434		IN PROG	SANTA CRUZ	SANTA CRUZ	D155.8800 FB2 A155.1300 FB2/MO 150 W ERP -93 AAT 6 MSL 17 AGL. PW/APCO
236429		IN PROG	CO SANTA CRUZ	DAVENPORT	154.3850 155.1750 .2500 .5500 FB/FB2 75.5 W ERP@150° -138 AAT 605 MSL 28 AGL. PW/APCO
236451		IN PROG	CALAVERAS CO ROAD	SAN ANDREAS	156.1350 FX1 21.4 W ERP -57 AAT 350.5 MSL 36.6 AGL. PW/APCO. NEED LOC TUOLUMNE CO FB/MO USE AT 54 KM.
236452		IN PROG	CALAVERAS CO SO	SAN ANDREAS	155.7600 157.6050 159.8850 .9300 .7300 MO INCR ERP TO 45 W. 157.6050 FB 21.4 W ERP -57 AAT 350.5 MSL 36.6 AGL. PW/APCO. NEED FURTHER STUDY ON 157.6050. 7.5 KHZ ADJACENCY MO8 9 KM AWAY. NOTE IB FREQ
237074		IN PROG	CO SANTA CRUZ	SANTA CRUZ	155.0100 FB2 50 W ERP -91.9 AAT 8 MSL 17 AGL - 11K2F3E PW/APCO
237084		IN PROG	CO MONTEREY	CARMEL, BIG SUR, WATSONVILLE	153.9500 FB2 100 W ERP 328.4 AAT 685.8 MSL 21.3 AGL / 155.9100 .8950 FB2 100 W ERP -75.6 AAT 92.3 MSL 24.4 AGL / 154.8150 FB2 100 W ERP 56.9 AAT 146.3 MSL 12.2 AGL 11K2F3E PW/APCO
237167		IN PROG	CO MONTEREY	SALINAS, SEASIDE, CARMEL, CARMEL VALLEY	152.0300 .1200 .1500 .1800 .6300 .7200 .8100 154.7250 .7850 .8600 155.1000 FB8 74 W ERP 199 AAT 241 MSL 45 AGL / 155.6400 .8650 156.0450 .2250 158.0700 4900 .5800 .6100 .6400 157.8900 .9800 MO8/FX1 50W ERP -74 AAT 21 MSL 38 AGL - 11K2F3E/8K1F1D/8K1F1E PW/APCO
001383		APPD	ST CA: CAL FIRE	TWAIN HEART	151.415 FB 560 W ERP 460/465.38750 FXO 6 W ERP 461.4 AAT 1498 MSL 11 AGL. PW/AASHTO.
001390		APPD	ST CA: ?	COLUMBIA ARNOLD (TUO)	453/458.31250 .36250 FXO 76 W ERP 437.8 AAT 1585 MSL 18.3 AGL. NEW. PW/AASHTO.
001376		APPD	ST CA: ?	LEWISTON TRINITY CNTR WEAVERVILLE CALLAHAN YREKA	460/465.08750 .06250 .13750 .16250 169 W ERP 781.7 AAT 2103 MSL 42.7 AGL. OREGON OK. PW/AASHTO.
237373		APPD	BROOKTRAILS TNSHP CSD	WILLITS	453/458.11250 .9375 FXOT 10 W ERP. DATA. REPLACES EXPIRED LICENSE. PW/APCO.
237417		APPD	CO YUBA	MARYSVILLE	453.28750 FB/FB2/FX1/MO 45 W ERP 15.6 AAT 23 MSL 13.3 AGL. NEW. PW/APCO.
237416		APPD	CO SANTA CRUZ	SALINAS	154.1900 FB2 200 W @176° ERP 662 AAT 914 MSL 13 AGL.ADD SITE TO EXIST SYS. PW/APCO.
237337		APPD	CO SAN JOAQUIN	CO SAN JOAQUIN	458.66250 MO 100 W ERP. NEW. PW/APCO.
001446		APPD	CO MARIN	SAN RAFAEL	155.8350 FX1 44.7 W ERP -56.5 AAT 11 MSL 24 AGL. ADD STN TO EXIST 3 COUNTY SYSTEM. PW/AASHTO.
237503		APPD	EUREKA	EUREKA	154.9500 FB/FB2/MO 250 W ERP 16.2 AAT 44 MSL 39.6 AGL. INCR MO #. ADD 2ND STN ON EXIST FREQ. PW/APCO
237512		IN PROG	CO SUTTER	SUTTER BUTTE PLEASANT GROVE	???.???? FB/FB2/MO ????.???? FX1/MO 544.8 AAT 591 MSL 46 AGL. NEW. PW/APCO.
001468		APPD	ST CA: VET	YOUNTVILLE	155.73750 FX1 100 W ERP 155.3400 .3550 FB/MO 75 W ERP 157.4500 FB 30 W ERP -145.8 AAT 47.9 MSL 11.3 AGL. (2 LOCATIONS) PW/AASHTO.
402084		APPD	CO SONOMA	MT JACKSON SLEEPY ROHNERT PARK	460.28750 453.9250 FB/FB2/MO 50 W ERP 360.7 AAT 497.5 MSL 30.5 AGL. ADD SITES ON EXIST FREQ. INCR #MOS. PW/IMSA.
402371		APPD	CO KINGS	CO KINGS	153.9800 458.48750 MO 5 W ERP. PW/IMSA.
001482		IN PROG	ST CA: DOT	WILLITS REDWOOD VLY HOPLAND	453.26250 FXO 200 W ERP @131° 460.46250 FXO 13 W ERP @131° 458.2650 FXO 200 W ERP @310° 465.46250 FXO 26 W ERP @354° 534.1 AAT 972 MSL 45.7 AGL. PW/AASHTO.
001488		APPD	ST CA: DOT	FT BRAGG	453.96250 FXO 5 W ERP -29.8 AAT 18.3 MSL 5.5 AGL. IRRIG SYS. PW/AASHTO.
237619		APPD	CO MONTEREY	SAN SIMEON	151.0850 FB/FB2 200 W ERP @322° -66.8 AAT 15.9 MSL 14 AGL. NEW.PW/APCO.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
237622		APPD	SANTA ROSA	SANTA ROSA (6 LOCNS)	465.31250 FXO 40 W ERP @X° -47.3 AAT 26 MSL 4 AGL. EXISTS AS FXOT IN ERROR. PW/APCO.
237624		APPD	SANTA ROSA	SANTA ROSA RH PARK	465.31250 FXO 40 W ERP @X° -47.6 AAT 35 MSL 5 AGL. EXISTS AS FXOT IN ERROR. PW/APCO.
237625		APPD	SANTA ROSA	SANTA ROSA (6 LOCNS)	465.31250 FXO 40 W ERP @X° -49.8 AAT 24 MSL 4 AGL. EXISTS AS FXOT IN ERROR. PW/APCO.
237626		APPD	SANTA ROSA	SANTA ROSA (2 LOCNS)	465.31250 FXO 40 W ERP @X° -47.1 AAT 26 MSL 4.6 AGL. EXISTS AS FXOT IN ERROR. PW/APCO.
237627		APPD	SANTA ROSA	S ROSA RH PARK SEBASTOPOL	465.61250 FXO 40 W ERP @X° -38.7 AAT 30 MSL 17 AGL. EXISTS AS FXOT IN ERROR. PW/APCO.
237628		APPD	SANTA ROSA	SANTA ROSA (6 LOCNS)	465.61250 FXO 40 W ERP @X° -47.1 AAT 37 MSL 5 AGL. EXISTS AS FXOT IN ERROR. PW/APCO.
237629		APPD	SANTA ROSA	SANTA ROSA (2 LOCNS)	465.3000 FXO 40 W ERP @X° -38.7 AAT 26 MSL 17 AGL. PW/APCO.
237610		WDRN	BROOKTRAILS TNSHP CSD	WILLITS	453/458.11250 .9375 FXOT 10 W ERP. DATA. REPLACES EXPIRED LICENSE. PW/APCO. <i>App may duplicate a current license WQSX626.</i>
001478		APPD	ST CA: DOT	COBB, LELSEYVILLE, LAKEPORT	453/458.26250 458.3000 FXO 40 W ERP 811.2 AAT 1415 MSL 36.6 AGL. PW/AASHTO.

470-512 MHz POOL

This spectrum is currently under freeze orders by the FCC. Waivers are required for most license modifications.

700 Mhz PUBLIC SAFETY (SG, SY)

800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

?	APPD	BARTD		SAN FRANCISCO	851.03750 .31250 .56250 .88750 852.03750 .23750m.56250 .81250 853.03750 .36250 FB/FB2 478 W ERP 121.2 AAT 121.2 MSL 12.1 AGL. 16K09DW. ADD SITE TO EXIST SYS. YE/APCO.
?	APPD	SUNNYVALE		SUNNYVALE	<i>A851.6250 MO 25 W ERP. ADDS TALK-AROUND FOR MOS IN EXIST SYS. GE/FCCA.</i>
001371	APPD	ST CA: DOT		HORSE. JUNE CI, WEITCHPEC	856.98750 859.98750 857.76250 FB/FB2/FX1 175 W ERP 825.2 AAT 1509.1 MSL 44.5 AGL. VARIOUS AZ AND ERPS. GE/AASHTO
14441	IN PROG	MAMMOTH MTN SKI AREA LLC		MAMMOTH LAKE	854.93750 855.68750 .83750 856.51250 858.81250 860.28750 FB2/FX1/MO 50 W ERP 666.7 AAT 3369 MSL 14 AGL. YB/EWA.
001380	APPD	ST CA: DOT		TRINITY CNTR, WEAVERVILLE	857.7375 .76250 FB/FB2/FX1 135 W ERP 525.4 AAT 36.6 AGL. ADD TO EXIST SYS. GE/AASHTO
001391	APPD	ST CA: DOT		WEED	857.76250 FB/FX1 25 W ERP 64.3 AAT 1545.3 MSL 9.2 AGL. ADD STN TO EXIST SYS. GE/AASHTO.
101359	APPD	LRS COMM			860.78750 FB2/FX1/MO 1000 W ERP 72 AAT 369 MSL 30 AGL. GB/EWA.
001447	APPD	CO SANTA CRUZ		SANTA CRUZ APTOS	854.06250 .28750 .13750 FB/FB2/MO 59.8 W ERP -73.3 AAT 101 MSL 29 AGL. NEW. GP/AASHTO.
001460	APPD	ST CA; DOT		COLFAX	858.48750 FB/FB2 30 W ERP 50 AAT 723 MSL 12.2 AGL. GE/FCCA.
001466	APPD	ST CA: DOT		IONE	859.76250 856.73750 858.73750 FB 814.98750 FX1 175 W ERP -48.7 AAT 87 MSL 18.3 AGL. RELOCATE. GP/AASHTO
001498	IN PROG	ST CA: DOT		COBB, KELSEYVILLE, LAKEPORT, CLEAR LAKES OAKS, CLEARLAKE	859.98750 FB/FB2 78 W ERP 856.76250 FB/FB2 78 W ERP 859.98750/814.78750 FB/FX1 175 W ERP, 857.73750 FB/FB2 555 W ERP @214° & 060° 857.73750 FB/FB2 555 W ERP @280° & 105°. 811.2 AAT 1415 MSL 36.6 AGL. ADDS STNS TO EXIST STATEWIDE SYS. GE/AASHTO.

10/26/10 note: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.