

LOG FOR FEBRUARY 2014

THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from January 9.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
228039		IN PROG	CO SUTTER	CO SUTTER	151.1525 FB/FB2/MO 159.3075 FX1/MO 210 W ERP 586.0 AAT 591.0 MSL 46 AGL. PW/APCO.
229381		IN PROG	CHICO	CHICO	155.3700 FB2/MO 154.7700 MO 100 W ERP -27 AAT 130 MSL 30 AGL. PW/APCO. ADDS 2ND CHNL.
235448		INACTIVE	MANTECA	MANTECA	155.8650 FB/FB2 79W ERP 158.9550 M0 35.3 AAT 9 MSL 36.5 AGL. PW/APCO. AASHTO OBJECTION.
235906		IN PROG	CO MONTEREY	CO MONTEREY	1-155.6250 2-155.93250 3-151.4600 155.940 FX1 4-156.1650 154.0400 161.5275 161.5125 5-161.4225 161.48250. ALL 250 W ERP. (UHF CHANNELS HAVE BEEN REMOVED) PW/APCO.
236400		APPD	CO TRINITY	TRINITY	154.8600 FB/FB2 200 W ERP -38.2 AAT 1313.4 MSL 17.6 AGL. ADD STN TO EXIST SYS. PW/APCO.
236434		IN PROG	SANTA CRUZ	SANTA CRUZ	D155.8800 FB2 A155.1300 FB2/MO 150 W ERP -93 AAT 6 MSL 17 AGL. PW/APCO
236429		IN PROG	CO SANTA CRUZ	DAVENPORT	154.3850 155.1750 .2500 .5500 FB/FB2 75.5 W ERP@150° -138 AAT 605 MSL 28 AGL. PW/APCO
236451		APPD	CALAVERAS CO ROAD	SAN ANDREAS	156.1350 FX1 21.4 W ERP -57 AAT 350.5 MSL 36.6 AGL. PW/APCO. NEED LOC TUOLUMNE CO FB/MO USE AT 54 KM.
236452		APPD	CALAVERAS CO SO	SAN ANDREAS	155.7600 157.6050 159.8850 .9300 .7300 MO INCR ERP TO 45 W. 157.6050 FB 21.4 W ERP -57 AAT 350.5 MSL 36.6 AGL. PW/APCO. NOTE 157.605 IS AN IB FREQ
237074		IN PROG	CO SANTA CRUZ	SANTA CRUZ	155.0100 FB2 50 W ERP -91.9 AAT 8 MSL 17 AGL - 11K2F3E PW/APCO
237084		IN PROG	CO MONTEREY	CARMEL, BIG SUR, WATSONVILLE	153.9500 FB2 100 W ERP 328.4 AAT 685.8 MSL 21.3 AGL / 155.9100 .8950 FB2 100 W ERP -75.6 AAT 92.3 MSL 24.4 AGL / 154.8150 FB2 100 W ERP 56.9 AAT 146.3 MSL 12.2 AGL 11K2F3E PW/APCO
237167		IN PROG	CO MONTEREY	SALINAS, SEASIDE, CARMEL, CARMEL VALLEY	152.0300 .1200 .1500 .1800 .6300 .7200 .8100 154.7250 .7850 .8600 155.1000 FB8 74 W ERP 199 AAT 241 MSL 45 AGL / 155.6400 .8650 156.0450 .2250 158.0700 4900 .5800 .6100 .6400 157.8900 .9800 MO8/FX1 50W ERP -74 AAT 21 MSL 38 AGL - 11K2F3E/8K1F1D/8K1F1E PW/APCO
001383		APPD	ST CA: CAL FIRE	TWAIN HEART	151.415 FB 560 W ERP 460/465.38750 FXO 6 W ERP 461.4 AAT 1498 MSL 11 AGL. PW/AASHTO.
237512		IN PROG	CO SUTTER	SUTTER BUTTE PLEASANT GROVE	???-???? FB/FB2/MO ???-???? FX1/MO 544.8 AAT 591 MSL 46 AGL. NEW. PW/APCO.
001468		APPD	ST CA: VET	YOUNTVILLE	155.73750 FX1 100 W ERP 155.3400 .3550 FB/MO 75 W ERP 157.4500 FB 30 W ERP -145.8 AAT 47.9 MSL 11.3 AGL. (2 LOCATIONS) PW/AASHTO.
402084		APPD	CO SONOMA	MT JACKSON SLEEPY ROHNERT PARK	460.28750 453.9250 FB/FB2/MO 50 W ERP 360.7 AAT 497.5 MSL 30.5 AGL. ADD SITES ON EXIST FREQ. INCR #MOS. PW/IMSA.
402371		APPD	CO KINGS	CO KINGS	153.9800 458.48750 MO 5 W ERP. PW/IMSA.
001482		APPD	ST CA: DOT	WILLITS REDWOOD VLY HOPLAND	453.26250 FXO 200 W ERP @131° 460.46250 FXO 13 W ERP @131° 458.2650 FXO 200 W ERP @310° 465.46250 FXO 26 W ERP @354° 534.1 AAT 972 MSL 45.7 AGL. PW/AASHTO.
001488		APPD	ST CA: DOT	FT BRAGG	453.96250 FXO 5 W ERP -29.8 AAT 18.3 MSL 5.5 AGL. IRRIG SYS. PW/AASHTO.
237619		APPD	CO MONTEREY	SAN SIMEON	151.0850 FB/FB2 200 W ERP @322° -66.8 AAT 15.9 MSL 14 AGL. NEW. PW/APCO.
237622		APPD	SANTA ROSA	SANTA ROSA (6 LOCNS)	465.31250 FXO 40 W ERP @X° -47.3 AAT 26 MSL 4 AGL. EXISTS AS FXOT IN ERROR. PW/APCO.
237624		APPD	SANTA ROSA	SANTA ROSA RH PARK	465.31250 FXO 40 W ERP @X° -47.6 AAT 35 MSL 5 AGL. EXISTS AS FXOT IN ERROR. PW/APCO.
237625		APPD	SANTA ROSA	SANTA ROSA (6 LOCNS)	465.31250 FXO 40 W ERP @X° -49.8 AAT 24 MSL 4 AGL. EXISTS AS FXOT IN ERROR. PW/APCO.
237626		APPD	SANTA ROSA	SANTA ROSA (2 LOCNS)	465.31250 FXO 40 W ERP @X° -47.1 AAT 26 MSL 4.6 AGL. EXISTS AS FXOT IN ERROR. PW/APCO.
237627		APPD	SANTA ROSA	S ROSA RH PARK SEBASTOPOL	465.61250 FXO 40 W ERP @X° -38.7 AAT 30 MSL 17 AGL. EXISTS AS FXOT IN ERROR. PW/APCO.
237628		APPD	SANTA ROSA	SANTA ROSA (6 LOCNS)	465.61250 FXO 40 W ERP @X° -47.1 AAT 37 MSL 5 AGL. EXISTS AS FXOT IN ERROR. PW/APCO.
237629		APPD	SANTA ROSA	SANTA ROSA (2 LOCNS)	453.3000 FXO 40 W ERP @X° -38.7 AAT 26 MSL 17 AGL. PW/APCO.
001478		APPD	ST CA: DOT	COBB, KELSEYVILLE, LAKEPORT	453/458.26250 458.3000 FXO 40 W ERP 811.2 AAT 1415 MSL 36.6 AGL. PW/AASHTO.
237585		APPD	CO TULARE	PORTERVILLE	453.8000 FB/FB2 -47.8 AAT 132 MSL 10.6 AGL. RADIAX INTERNAL TO BLDG. PW/APCO.
237748		IN PROG	SANTA ROSA	SANTA ROSA	460/465.31250 FB/FB2/FXO (5) 40 W ERP. DATA MISSING. PW/APCO.
001497		APPD	TRUKEE DONNER REC	TRUCKEE	156.14250 MO 5 W ERP. PW/AASHTO.
000039		APPD	MANTECA	MANTECA	453.13750 MO 2 W ERP. IRRIGATION SYS. F2. PW/AADHTO.
000037		APPD	ST CA: F&G	WILLITS - WILLOWS	151.4300 FB/FB2 INCR TO 100 W ERP. 453/458.78750 FXO 101 W ERP @256/076°. 955.5 AAT 972 MSL 15.2 AGL. PW/AASHTO
000015		APPD	ST CA: DOT	KONOCTI PK COBB KELSEYVILLE CLEAR LAKE OAKS (2)	453/458.16250 FXO 200 W ERP 1415 MSL 808.1 AAT 33.5 AGL 458.76250 10 W ERP -4.9 AAT 526 MSL 10.7 AGL 465.41250 FXO 200 W ERP 121.5 AAT 607.9 MSL 10.7 AGL. PW/AASHTO.
000016		APPD	ST CA: DOT	TWAIN HEART COLUMBIA	460/465.38750 FXO 461.4 AAT 1498 MSL 11 AGL. REVERSE EXISTING PAIR. PW/AASHTO.
237830		APPD	GRIDLEY USD	GRIDLEY (BUTTE)	153.7400 MO 10 W ERP. NEW. AOP=10KM. PW/APCO.
237837		APPD	FRESNO	FRESNO	460.4750 FB/FB2 30 AAT 92 MSL 37 AGL. ADD SITE TO EXIST SYS. PW/APCO.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
	000063	APPD	MAMMOTH LAKES WATER DISTRICT	MAMMOTH LAKES	159.1050 155.78250 154.00250 FXO/FXOT/MO 20 W ERP -122.3 AAT 2530 MSL 12 AGL. DATA. PW/IMSA
	402085	APPD	CO SONOMA	GUERNEVILLE LAKEVILLE SANTA ROSA	453.22500 .6500 460.63750 FB/FB2/FX1/MO 16 W ERP 360.7 AAT 497.5 MSL 30.5 AGL. PW/FCCA
	400043	APPD	CO TRINITY	TRINITY	173.33750 MO/MO3 5 W PW/FCCA.
	000016	APPD	ST CA: DOT	TWAIN HEART COLUMBIA	D460/465.38750 A 460/465.78750 FXO 6 W2 ERP 465.6 AAT 1498 MSL 18.2 AGL. REPLACE UNSATISFACTORY FREQ. PW/AASHTO.
	000037	APPD	ST CA:	WILLOWS WILLITS	453/458.78750 FXO 101 W ERP 256/076° 955.5 AAT 1996 MSL 15.2 AGL. . PW/AASHTO
	3001403	APPD	ST CA: CHP	CORDELIA (SCALES)	M42.020 .1800 .3400 .6000 FB TO 103 W ERP. 176 AAT 1320 MSL 10.7 AGL. PW/AASHTO.

470-512 MHz POOL

This spectrum is currently under freeze orders by the FCC. Waivers are required for most license modifications.

700 MHz PUBLIC SAFETY (SG, SY)

1/8/2014 IN PROG EL DORADO HLS FD EL DORADO HILLS 770.04375 .53125 771.66875 772.35625 .38125 FB/FB2/FX1/MO 100 W ERP 196.0 AAT 446.0 MSL 24.4 AGL. SY/APCO.

800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

14441 IN PROG MAMMOTH MTN SKI AREA LLC MAMMOTH LAKE 854.93750 855.68750 .83750 856.51250 858.81250 860.28750 FB2/FX1/MO 50 W ERP 666.7 AAT 3369 MSL 14 AGL. YB/EWA.

001466 APPD ST CA: DOT IONE 859.76250 856.73750 858.73750 FB 814.98750 FX1 175 W ERP -48.7 AAT 87 MSL 18.3 AGL. RELOCATE. GP/AASHTO

001498 IN PROG ST CA: DOT COBB, KELSEYVILLE, LAKEPORT, CLEAR LAKES OAKS, CLEARLAKE 859.98750 FB/FB2 78 W ERP 856.76250 FB/FB2 78 W ERP 859.98750/814.78750 FB/FX1 175 W ERP, 857.73750 FB/FB2 555 W ERP @214° & 060° 857.73750 FB/FB2 555 W ERP @280° & 105°. 811.2 AAT 1415 MSL 36.6 AGL. ADDS STNS TO EXIST STATEWIDE SYS. GE/AASHTO.

01392A APPD ST CA: DOT YREKA (GUNSITE PK) 860.98750 858.5125 FB/FB2 35 W ERP 770.1 AAT 1874.1 MSL 24.4 AGL. CORR COORDS. GE/AASHTO.

237825 IN PROG OAKLAND OAKLAND 855.46250 FB/FB2/MO 150 W ERP -7.1 AAT 7.6 MSL 50 AGL. REINSTATEMENT. GE/APCO.

000060 APPD ST CA: DOT PATINA (SHASTA) 858.76250 859.76250 FB/FB2 120 W ERP 176 AAT 1320 MSL 10.7 AGL. GE/AASHTO.

000083 APPD OFFICE ST CA: DOT TWIN PEAKS & SF (LOW) 851.01250 .200 .5125 .0125 853.01250 852.0125 851.91250 FB/FB2/MO 246 W ERP 298.6 AAT 259.1 MSL 36.6 AGL. GE/AASHTO.

10/26/10 note: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.
 Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION
 Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.