

LOG FOR MARCH 2014

THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from February 12.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
228039		IN PROG	CO SUTTER	CO SUTTER	????? FB/FB2/MO 159.3075 FX1/MO 210 W ERP 586.0 AAT 591.0 MSL 46 AGL. PW/APCO.
229381		IN PROG	CHICO	CHICO	155.3700 FB2/MO 154.7700 MO 100 W ERP -27 AAT 130 MSL 30 AGL. PW/APCO. ADDS 2ND CHNL.
235448		INACTIVE	MANTECA	MANTECA	155.8650 FB/FB2 79W ERP 158.9550 M0 35.3 AAT 9 MSL 36.5 AGL. PW/APCO. AASHTO OBJECTION.
235906		IN PROG	CO MONTEREY	CO MONTEREY	1-155.6250 2-155.93250 3-151.4600 155.940 FX1 4-156.1650 154.0400 161.5275 161.5125 5-161.4225 161.48250. ALL 250 W ERP. (UHF CHANNELS HAVE BEEN REMOVED) PW/APCO.
236434		APPD	SANTA CRUZ	SANTA CRUZ	D155.8800 FB2 A155.1300 FB2/MO 150 W ERP -93 AAT 6 MSL 17 AGL. PW/APCO
236429		APPD	CO SANTA CRUZ	DAVENPORT	154.3850 155.1750 .2500 .5500 FB/FB2 75.5 W ERP@150° -138 AAT 605 MSL 28 AGL. PW/APCO
237074		IN PROG	CO SANTA CRUZ	SANTA CRUZ	155.0100 FB2 50 W ERP -91.9 AAT 8 MSL 17 AGL - 11K2F3E PW/APCO
237084		IN PROG	CO MONTEREY	CARMEL, BIG SUR, WATSONVILLE	153.9500 FB2 100 W ERP 328.4 AAT 685.8 MSL 21.3 AGL / 155.9100 .8950 FB2 100 W ERP -75.6 AAT 92.3 MSL 24.4 AGL / 154.8150 FB2 100 W ERP 56.9 AAT 146.3 MSL 12.2 AGL 11K2F3E PW/APCO
237167		IN PROG	CO MONTEREY	SALINAS, SEASIDE, CARMEL, CARMEL VALLEY	152.0300 .1200 .1500 .1800 .6300 .7200 .8100 154.7250 .7850 .8600 155.1000 FB8 74 W ERP 199 AAT 241 MSL 45 AGL / 155.6400 .8650 156.0450 .2250 158.0700 4900 .5800 .6100 .6400 157.8900 .9800 MO8/FX1 50W ERP -74 AAT 21 MSL 38 AGL - 11K2F3E/8K1F1D/8K1F1E PW/APCO
237512		IN PROG	CO SUTTER	SUTTER BUTTE PLEASANT GROVE	??? ????? FB/FB2/MO ??? ????? FX1/MO 544.8 AAT 591 MSL 46 AGL. NEW. PW/APCO.
001497		APPD	TRUCKEE DONNER REC	TRUCKEE	156.14250 MO 5 W ERP. PW/AASHTO.
000039		APPD	MANTECA	MANTECA	453.13750 MO 2 W ERP. IRRIGATION SYS. F2. PW/AASHTO.
000037		APPD	ST CA: F&G	WILLITS - WILLOWS	151.4300 FB/FB2 INCR TO 100 W ERP. 453/458.78750 FXO 101 W ERP @256/076°. 955.5 AAT 972 MSL 15.2 AGL. PW/AASHTO
000015		APPD	ST CA: DOT	KONOCTI PK COBB KELSEYVILLE CLEAR LAKE OAKS (2)	453/458.16250 FXO 200 W ERP 1415 MSL 808.1 AAT 33.5 AGL 458.76250 10 W ERP -4.9 AAT 526 MSL 10.7 AGL 465.41250 FXO 200 W ERP 121.5 AAT 607.9 MSL 10.7 AGL. PW/AASHTO.
000016		APPD	ST CA: DOT	TWAIN HEART COLUMBIA	460/465.38750 FXO 461.4 AAT 1498 MSL 11 AGL. REVERSE EXISTING PAIR. PW/AASHTO.
237830		APPD	GRIDLEY USD	GRIDLEY (BUTTE)	153.7400 MO 10 W ERP. NEW. AOP=10KM. PW/APCO.
237837		APPD	FRESNO	FRESNO	460.4750 FB/FB2 30 AAT 92 MSL 37 AGL. ADD SITE TO EXIST SYS. PW/APCO.
000063		APPD	MAMMOTH LAKES WATER DISTRICT	MAMMOTH LAKES	159.1050 155.78250 154.00250 FXO/FXOT/MO 20 W ERP -122.3 AAT 2530 MSL 12 AGL. DATA. PW/IMSA
402085		APPD	CO SONOMA	GUERNEVILLE LAKEVILLE SANTA ROSA	453.22500 .6500 460.63750 FB/FB2/FX1/MO 16 W ERP 360.7 AAT 497.5 MSL 30.5 AGL. PW/FCCA
400043		APPD	CO TRINITY	TRINITY	173.33750 MO/MO3 5 W PW/FCCA.
000016		APPD	ST CA: DOT	TWAIN HEART COLUMBIA	D460/465.38750 A 460/465.78750 FXO 6 W2 ERP 465.6 AAT 1498 MSL 18.2 AGL. REPLACE UNSATISFACTORY FREQ. PW/AASHTO.
000037		APPD	ST CA:	WILLOWS WILLITS	453/458.78750 FXO 101 W ERP 256/076° 955.5 AAT 1996 MSL 15.2 AGL. . PW/AASHTO
3001403		APPD	ST CA: CHP	CORDELIA (SCALES)	M42.020 .1800 .3400 .6000 FB TO 103 W ERP. 176 AAT 1320 MSL 10.7 AGL. PW/AASHTO.
238126		APPD	CO LASSEN	SUSANVILLE	156.1650 FB2 460.4750 FB2 (EXISTS) 12.5/16.1 W ERP 690 AAT 2053.7 MSL 15 AGL. RELOCATE 0.05 KM. PW/APCO
000156		DENIED	LATHROP-MANTECA FIRE DIST	LATHROP	155.8350 FB2/MO 153.8000 MO 39.3 AAT 4 MSL 43 AGL. NEW. PW/IMSA.
000076		DENIED	RIPON	RIPON	155.8350 FB/MO 90 W ERP 15.7 AAT 18.8 MSL 15 AGL. NEW. PW/IMSA.
000138		APPD	ST CA:	SUSANVILLE (SHAFTER & FREDONYA	460/465.13750 FXO 176 W ERP 176 W ERP@310/323° 770.1 AAT 1175 MSL 36.6 AGL. PW/AASHTO
000139		APPD	ST CA:DOT	GARBERVILLE-WEOTT	460/465.1500 FXO 41 W ERP @310/130° 770.1 AAT 1175 MSL 36.6 AGL. PW/AASHTO.
000139		APPD	ST CA:DOT	GARBERVILLE-PIERCY	460/465.3875 FXO 41 W ERP @206/026° 770.1 AAT 1175 MSL 36.6 AGL. PW/AASHTO
000110		CONCUR	ST CA: chp	PEAVINE (RENO, NV)	45.6000 FB 100 W ERP 805.5 AAT 2506 MSL 9 AGL. PW/AASHTO.
000231		APPD	BUTTE CO SO S&R	OROVILLE	156.000 FB2 40 W ERP 319.7 AAT 659.3 MSL 20 AGL. ADD STN TO EXIST SYS. PW/FCCA.
000076		APPD	RIPON	RIPON	154.0850 FB/MO 90 W ERP 15.7 AAT 18.8 MSL 15 AGL. NEW. PW/IMSA.(REPLACES 155.8350 ABOVE)
000146		COND APVL	ST CA:	RIO DELL GARBERVILLE HAYFORK GARBERVILLE	453/458.56250 41 W ERP 460/465.21250 21 W ERP 460/465.56250 46 W ERP FXO 618.8 AAT 1753 MSL 6.1 AGL. NOTE: 460/465.56250 LIMITED BY 90.267 TO 6 W ERP. PW/AASHTO.
000160		APPD- CONCERNS	SUTTER WEST BAY HOSPALS	SANTA ROSA	155.3400 FB/MO 155.3550 FB 140 W ERP -67.8 AAT 78 MSL 16.2 AGL. RELOCATE & ADDS 8K30F1E. PW/AASHTO.
238224		APPD	MARSVILLE	MARYSVILLE	453 & 458.7500 MO 25 W ERP. PW/APCO.
238229		APPD	AMERICAN NAT RED CROSS	SACRAMENTO	47.4600 MO 100 W ERP (FB IS CURRENTLY LICENSED). PW/APCO.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
------	-------	--------	--------	---------	--

470-512 MHz POOL

This spectrum is currently under freeze orders by the FCC. Waivers are required for most license modifications.

238265	APPD	SANTA CLARA VALLEY TRANSPORTATION AUTHORITY	MTN VIEW	488.41250 .66250 489.1250 FB/FB8 75 W ERP -44.4 AAT 9 MSL 17.7 AGL. RELOCATES 10 KM S OF CURRENT LOCATION. NO SYSTEM FOOTPRINT CHANGE. PW/APCO
238265	APPD	SANTA CLARA VALLEY TRANSPORTATION AUTHORITY	MTN VIEW	482.58750 .63750 489.03750 FB/FB8 210 W ERP -44.4 AAT 9 MSL 17.7 AGL. RELOCATES 10 KM S OF CURRENT LOCATION. NO SYSTEM FOOTPRINT CHANGE. PW/APCO
000157	APPD	ST CA: CHP	HAPPY CAMP (SIS)	M42.3400 .4000 FB 100 W ERP 617.4 AAT 1362 MSL 36.6 AGL. REARRANGE ANTENNAS. PW/AASHTO.
402164	APPD	S TRINITY HEALTH SVCS	BRIDGEVILLE (HUM)	151.1000 FB2/MO 155.8050 MO 200 W ERP 22 AAT 982.4 MSL 24.3 AGL. NEW. PW/FCCA.

700 MHz PUBLIC SAFETY (SG, SY)

1/8/2014	IN PROG	EL DORADO HLS FD	EL DORADO HILLS	770.04375 .53125 771.66875 772.35625 .38125 FB/FB2/FX1T/MO 50 W ERP 196.0 AAT 446.0 MSL 24.4 AGL. 2 locations. SY/APCO.
----------	---------	------------------	-----------------	---

800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

01392A	APPD	ST CA: DOT	YREKA (GUNSITE PK)	860.98750 858.5125 FB/FB2 35 W ERP 770.1 AAT 1874.1 MSL 24.4 AGL. CORR COORDS. GE/AASHTO.
237825	IN PROG	OAKLAND	OAKLAND	855.46250 FB/FB2/MO 150 W ERP -7.1 AAT 7.6 MSL 50 AGL. REINSTATEMENT. GE/APCO.
000060	APPD	ST CA: DOT	PATINA (SHASTA)	858.76250 859.76250 FB/FB2 120 W ERP 176 AAT 1320 MSL 10.7 AGL. GE/AASHTO.
000083	APPD	ST CA: OES (INTER OP)	TWIN PEAKS & SFO	851.01250 .200 .5125 .0125 853.01250 852.0125 851.91250 FB/FB2/MO 246 W ERP 298.6 AAT 259.1 MSL 36.6 AGL. GE/AASHTO.
000107	APPD	ST CA: CDF	OROVILLE PULGAS	460/465.41250 FXO 11 W ERP 455 AAT 944.9 MSL 15.2 AGL. NEW. PW/AASHTO.
000108	APPD	ST CA: DOT	HAPPY CAMP (SYS)	857.98750 FB/FB2 90 W ERP 614.7 AAT 1326 MSL 36.6 AGL. ADD STN TO EXIST SYS. GP/AASHTO.
000144	APPD	ST CA: DOT	GARBERVILLE & WEOTT	859.98750 857.73750 858.98750 FB/FB2 81 W ERP 859.98750 FB/FX1 176 W ERP 770.1 AAT 1175 MSL 36.6 AGL. GE/AASHTO.
000163	APPD	MODESTO CITY SCHOOLS	WORLD (MT OSO)	858.03750 857.03750 858.08750 FB2/FX1/MO 300 W ERP 567.6 AAT 1007 MSL 5 AGL. YE/AASHTO.
000089	APPD	ST CA: DOT	MODESTO	856.96250 857.16250 FB/FX1 189 W ERP 10.4 AAT 24.4 MSL 9.1 AGL. ADDS TO EXIST SYS. GE/AASHTO
000202	APPD	CO SAN BENITO	PAICINES SAN JUAN BAUTISTA HOLLISTER	858.96250 857.96250 FB/FB2/FX1/6.1/MO 100 W ERP 1227.8 AAT 1185.1 MSL 42.7 AGL. FREQ RESELECT. F1D. GE/AASHTO.

10/26/10 note: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.
 Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION
 Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.