

LOG FOR JUNE 2014

THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from May 15.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
228039		IN PROG	CO SUTTER	CO SUTTER	????? FB/FB2/MO 159.3075 FX1/MO 210 W ERP 586.0 AAT 591.0 MSL 46 AGL. PW/APCO.
229381		IN PROG	CHICO	CHICO	155.3700 FB2/MO 154.7700 MO 100 W ERP -27 AAT 130 MSL 30 AGL. PW/APCO. ADDS 2ND CHNL.
235906		IN PROG	CO MONTEREY	CO MONTEREY	1-155.6250 2-155.93250 3-151.4600 155.940 FX1 4-156.1650 154.0400 161.5275 161.5125 5-161.4225 161.48250. ALL 250 W ERP. (UHF CHANNELS HAVE BEEN REMOVED) PW/APCO.
237074		APPD	CO SANTA CRUZ	SANTA CRUZ	155.0100 FB2 50 W ERP -91.9 AAT 8 MSL 17 AGL - 11K2F3E PW/APCO
237084		IN PROG	CO MONTEREY	CARMEL, BIG SUR, WATSONVILLE	153.9500 FB2 100 W ERP 328.4 AAT 685.8 MSL 21.3 AGL / 155.9100 .8950 FB2 100 W ERP -75.6 AAT 92.3 MSL 24.4 AGL / 154.8150 FB2 100 W ERP 56.9 AAT 146.3 MSL 12.2 AGL 11K2F3E PW/APCO
237167		IN PROG	CO MONTEREY	SALINAS, SEASIDE, CARMEL, CARMEL VALLEY	152.0300 .1200 .1500 .1800 .6300 .7200 .8100 154.7250 .7850 .8600 155.1000 FB8 74 W ERP 199 AAT 241 MSL 45 AGL / 155.6400 .8650 156.0450 .2250 158.0700 4900 .5800 .6100 .6400 157.8900 .9800 MO8/FX1 50W ERP -74 AAT 21 MSL 38 AGL - 11K2F3E/8K1F1D/8K1F1E PW/APCO
237512		IN PROG	CO SUTTER	SUTTER BUTTE PLEASANT GROVE	????? FB/FB2/MO ????.??? FX1/MO 544.8 AAT 591 MSL 46 AGL. NEW. PW/APCO.
237416		WDRN	CO SANTA CRUZ	SALINAS (MT TORO)	154.1900 FB/FB2 400 W ERP 591 AAT 900 MSL 13 AGL. 90.205 ISSUES W/ WAIVER INVOLVED. PW/APCO.
238583		APPD	CO INYO	BISHOP INDEPENDENCE LONE PINE (INYO)	154.310 FB2/MO 155.8650 FX1/MO 154.3775 FB2/MO 159.0000 FX1/MO 40 W ERP (FB2) 200 W ERP (MO) PW/APCO.
132681		APPD	NATNL SKI PATROL	TWIN BRIDGES (EL D)	453.56250 FB2/MO 49.4 W ERP. 453/458.21250 .46250 .71250 .86250 151.13750 154.45250 155.75250 158.73750 159.47250 MO 25 W ERP. 397.5 AAT 2701 MSL 15 AGL. PW/IMSA.
000279		APPD	ST CA:?	MARIPOSA (MT BULLION) LOS BANOS	460/465.36250 FXO 30 W ERO (244°/064°) 621.2 AAT 1294.2 MSL 24.3 AGL. 8K10F1E. PW/AASHTO.
001400		APPD	FREMONT	FREMONT	453/458.28750 465.63750 MO 15 W ERP (VOICE ONLY - SURVEYING). PW/AASHTO.
000156		APPD	LATHROP-MANTECA FIRE DIST	LATHROP	151.09250 FB2/MO 153.8000 MO 170 W ERP 39.3 AAT 4 MSL 43 AGL. PW/IMSA. RESELECTED FREQS.
000307		APPD	ST CA: CHP	HAYFORK (HORSE RDG) GARBERVILLE	42.4400 44.9800 FB 170 W ERP 460/465.4750 .61250 FXO 21 W ERP 643.3 AAT 1750 MSL 41.4 AGL. PW/AASHTO..
238788		APPD	CO KINGS	HANFORD	453.58750 MO 5 W ERP. PW/APCO.
000253		APPD	ST CA: DFV	RANA CREEK MONTEREY	460/465.21250 FXO 31 W ERP (284°/104°) 47.2 AAT 1049 MSL 24.4 AGL. PW/AASHTO.
000540		APPD	KINGS CO AREA TRANSIT AUTH	HANFORD	453.0500 FB/MO 55 W ERP 7.5 AAT 76 MSL 6 AGL. PW/IMSA.
000352		APPD	ST CA: CHP	LIKELY (LASSEN)	42.0800 FB 100 W ERP 597.8 AAT 2248 MSL 27.4 AGL. UPDATE SITE DATA, REARRANGE ANTENNAS. PW/AASHTO.
238859		APPD	CO PLACER	GOLD RUN (PLA)	154.3550 FB2 444 W ERP 227.4 AAT 1120 MSL 42.1 AGL. RELOCATE TO NEW TOWER, SAME SITE. PW/APCO.
238830		APPD	CO PLACER	GOLD RUN (PLA)	39.8400 FB2 100 W ERP 227.4 AAT 1120 MSL 42.1 AGL. RELOCATE TO NEW TOWER, SAME SITE. PW/APCO.
238828		APPD	CO PLACER	GOLD RUN (PLA)	156.2400 FB2 108 W ERP 227.4 AAT 1120 MSL 42.1 AGL. RELOCATE TO NEW TOWER, SAME SITE. PW/APCO.
238829		APPD	CO PLACER	GOLD RUN (PLA)	453.4250 FB2 119 W ERP 227.4 AAT 1120 MSL 42.1 AGL. RELOCATE TO NEW TOWER, SAME SITE. PW/APCO.
400575		APPD	SIERRA COMM COLL DIST	ROCKLIN	453 & 458.28750 MO 25 W ERP. ANALOG & 7K60FXE. PW/IMSA.
238864		APPD	CO GLENN	FRUTO (GLN)	D460.2500 A465.2500 FXO 16 W ERP 224.5 AAT 556 MSL 3 AGL. PW/APCO.
000365		APPD	ST CA: OES	LIKELY (LASSEN)	155.7000 FB/FB2 143 W ERP 569.7 AAT 2226 MSL 21.3 AGL. RELOCATE 200 M TO NEW TOWER. PW/AASHTO.
000367		APPD	ST CA: OES	LIKELY (LASSEN)	153.7550 FB/FB2 143 W ERP 569.7 AAT 2226 MSL 21.3 AGL. RELOCATE 200 M TO NEW TOWER. PW/AASHTO.
000372		APPD	ST CA: CHP	LIKELY (LASSEN)	42.3400 44.9800 FB178 W ERP 569.7 AAT 2226 MSL 21.3 AGL. RELOCATE 200 M TO NEW TOWER. PW/AASHTO.
238763		APPD	CO LASSEN	CO LASSEN	154.8750 FBT/FB2T 50 W ERP. ON EXSIST SYS. PW/APCO.
239018		APPD	DOMINICAN HOSPITAL	SANTA CRUZ	MED 1-10 FB/FX1 150 W ERP -67.9 AAT 35 MSL 27 AGL. RESTORE. PW/APCO.
000146		DENIED	ST CA:	RIO DELL GARBERVILLE HAYFORK GARBERVILLE	453/458.56250 41 W ERP 460/465.21250 21 W ERP 460/465.56250 46 W ERPFXO 618.8 AAT 1753 MSL 6.1 AGL. NOTE: 460/465.56250 LIMITED BY 90.267 TO 6 W ERP and <= 7 AGL. PW/AASHTO.
000421		APPD	ST CA: OES	GREANADA (SIS)	155.7000FB/FB2 235 W ERP 709.3 AAT 1790 MSL 30.5 AGL. OES LG. PW/AASHTO.
000414		APPD	ST CA: CHP	SAN FRANCISCO	42.1600 FB 100 W ERP 39.3 AAT 61 MSL 15.2 AGL. PW/AASHTO.
000418		APPD	ST CA:	BRADLEY - BITTERWATER (MON)	453/458.56250 FXO 50 W ERP 526.5 AAT 853.1 MSL 12.2 AGL. PW/AASHTO.
000415		APPD	ST CA:CHP	HAPPY CAMP (SIS)	44.9800 45.2000 FB 100 W ERP 564.4 AAT 1362 MSL 36.6 AGL. PW/AASHTO.
000428		APPD	CALIVERAS CO SHERIFF	MTN RANCH (CALIV)	45.2200 FB/FB2 75.8 W ERP 284.5 AAT 793 MSL 18.3 AGL. PW/AASHTO. ADDS TO EXIST SYS.
000412		APPD	ST CA:	COLUMBIA TO JAMESTOWN & TWAIN HEART	453/458.26250 FXO 15 W ERP 453/458.98750 FXO 6 W ERP 430.4 AAT 1139 MSL 9.1 AGL. PW/AASHTO.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
	000420	APPD	ST CA: OES	GRENADA (SIS)	M153.7550 FB/FB2 200 W ERP 709.3 AAT 1790 MSL 30.5 AGL. OES LG.RELOCATE TO NEW TOWER.
	400704	APPD	CO SONOMA	PT ARENA (MENDO)	154.3100 .1750 155.26250 FB/FB2/MO 159.41250 .45750 MO 100 W ERP 234.2 AAT 376.7 MSL 24.4 AGL. ADD SITE. PW/IMSA.
	134666	APPD	RED-SCOTIA, LLC.	SCOTIA (HUM)	153.7250 FB/MO 60 W ERP. -248.8 AAT 33 MSL 24 AGL. REINSTATE. IG/UTC.
	000394	APPD	ST CA:	INVERNESS TO FOREST KNOWLES & BOLINAS (MARIN)	460/465.41250 .1000 FXO 40 W ERP (109/289, 083/263) 283.4 AAT 439 MSL 6.1 AGL. PW/AASHTO.
	000439	APPD	ST CA: CHP	HAMMAKER MTN (OREGON) K'FALLS	460.56250 FXO 13 W ERP 656.8 AAT 1979 MSL 36.6 AGL. PW/AASHTO.RELOCATE TO NEW TOWER.
	000440	APPD	ST CA: CHP	HAMMAKER MTN (OREGON) K'FALLS	42.3400 .4000 44.9800 45.4200 FB 135 W ERP 656.8 AAT 1979 MSL 36.6 AGL. PW/AASHTO. RELOCATE TO NEW TOWER.
	239042	APPD	OREGON STATE POLICE	ADEL, OR	154.0250 FB/MO 155.4600 FX1 200 W ERP. 149.3 AAT 1893 MSL 20.7 AGL. PW/APCO.
	400734	APPD	CO TEHAMA	CORNING	154.7400 FB2 120 W ERP 67.8 AAT 251.8 MSL 22.9 AGL. ADDS NEW STN ON EXIST SYS. PW/FCCA.
	000416	APPD	ST CA:	TWAIN HEART DARDANELLE	460/465.3000 (226/057) 458.0500 458.6000 FXO 80 W ERP. 454.3 AAT 2277 MSL 12.2 AGL. PW/AASHTO.
	000427	APPD	ST CA: CAL FIRE	ST CA	155.1750 .2050 .2200 156.2950 FBT/MO 100 W ERP. STATEWIDE. PW/AASHTO.
	000437	APPD	ST CA: DOJ	FRESNO	154.6800 FB 155.4600 FX1 32 W ERP 17.5 AAT 86 MSL 9.1 AGL. PW/AASHTO.
	000435	APPD	ST CA: DOJ	OROVILLE	154.6800 FB 155.4600 FX1 64 W ERP -21.5 AAT 57.6 MSL 7.6 AGL. PW/AASHTO.
	000436	APPD	ST CA: DOJ	UKIAH	154.6800 FB 155.4600 FX1 90 W ERP -305 AAT 183.8 MSL 6.1 AGL. PW/AASHTO.
	000457	APPD	ST CA: CHP	WILLITS PT ARENA (MENDO)	42.3400 44.9800 FB 213 W ERP 580 AAT 1016.5 MSL 12.1 AGL. PW/AASHTO.
	400706	COND APPD	CO SONOMA	NOVATO (MARIN)	453.7250 .5750 .4000 .5500 .4750 154.3100 155.2650 154.1750 FB/FB2 45 W ERP 416.2 AAT 481.6 MSL 22.8 AGL. PW/IMSA.
	000439	APPD	ST CA: CHP	KLAMATH FALLS (OREGON)	WNUR786 (MULTIPLE FREQS) EXISTING FREQS. TOWER CHANGE OUT. 626.3 AAT 1976 MSL 6.1 AGL. PW/AASHTO.
	000455	APPD	ST CA: OES	KLAMATH FALLS (OREGON)	155.7000 FB/FB2 178 W ERP 650.2 AAT 1978.5 MSL 30.5 AGL. TOWER CHANGE OUT. PW/AASHTO.
	000451	APPD	CO SANTA CRUZ	SALINAS (MT TORO)	154.1900 FB/FB2 400 W ERP 591 AAT 900 MSL 13 AGL. 90.205 ISSUES W/ WAIVER INVOLVED. PW/AASHTO.
	000479	APPD	ST CA: CAL FIRE	DUNSMUIR (SIS)	M151.3250 .3550 153.7550 FB/FB2 166 W ERP (FROM 200 W) 256.6 AAT 1404 MSL 36.6 AGL. PW/AASHTO.
	000480	APPD	ST CA: CAL FIRE	HAYFORK (TRI)	159.2700 .3000 .3300 FX1 40 W ERP (NO CHANGE) -329.3 AAT 700 MSL 8 AGL. CORRECT COORDS. PW/AASHTO.
	239121	WDRN	CALIVERAS CO SHERIFF	SAN ANDREAS	155.5800 FB/FB2/MO 40 W ERP 158.9025 MO 5 W ERP -83.2 AAT 353 MSL 16.8 AGL. PW/APCO.
	000486	APPD	ST CA: CHP	LOS BANOS	44.9800 42.2200 .9400 FB 170 W ERP -55 AAT 50.3 MSL 8.5 AGL. PW/AASHTO.
	400706	APPD	CO SONOMA	NOVATO (MARIN)	453.7250 .5750 .4000 .5500 .4750 154.3100 155.2650 154.1750 FB/FB2 45 W ERP 416.2 AAT 481.6 MSL 22.8 AGL. NOW PROVIDES DIRECTIONAL ANTENNAS TO 315° FROM NEW SITE. PW/IMSA.

470-512 MHz POOL

This spectrum is currently under freeze orders by the FCC. Waivers are required for most license modifications.

700 Mhz PUBLIC SAFETY (SG, SY)

1/8/2014 APPD EL DORADO HLS FD EL DORADO HILLS 770.04375 .53125 771.66875 772.35625 .38125 FB/FB2/FX1T/MO 50 W ERP 196.0 AAT 446.0 MSL 24.4 AGL. 2 locations. SY/APCO. Held for FAA/ASR and 106 review.

800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

000343 APPD ST CA: DOT COLUMBIA (AMA) 851.03750 859.98750 FB/FB2 475 W ERP 442.3 AAT 1139 MSL 24.4 AGL. GE/AASHTO.
000397 APPD ST CA: P&R GRENADA (SIS) 856.73750 FB/FB2 50 W ERP 691.7 AAT 1757 MSL 45.7 AGL. MOVE TO NEW TOWER, SAME SITE. GP/AASHTO
000404 APPD ST CA: DOT UKIAH 806.2000 808.51250 FX1 851.2000 853.51250 FB 71 W ERP -290.9 AAT 182.9 MSL 18.3 AGL GE/AASHTO
000405 APPD ST CA: DOT SALINAS 853/808.5125 FB/FX1 55 W ERP -101.7 AAT 18.4 MSL 24.4 AGL. GE/AASHTO.
000406 APPD ST CA: DOT RANCHO CORDOVA (SAC) 806.2000 FX1 853.51250 851.2000 853.5125 (ANT 2) FB 55 W ERP 112,8 AAT 37.2 MSL 36.6 AGL. GE/AASHTO
000416 APPD ST CA: DOT MIDPINES (MARIP),EL PORTAL, MARIPOSA 858.03750 856.73750 858.98750 FB/FB2 278 W ERP 29.6 AAT 894 MSL 9.1 AGL. GE/AASHTO.
000417 APPD ST CA: DOT MIDPINES (MARIP) 856.73750 FB/FB2 78 W ERP -129.4 AAT 741 MSL 12.2 AGL. GE/AASHTO.
000451 APPD ST CA: DOT GRENADA (SIS) 856.76250 FB/FB2 50 W ERP 691.7 AAT 1757 MSL 45.7 AGL. MOVE TO NEW TOWER, SAME SITE. GP/AASHTO
000482 APPD ST CA: SAN JUAN BAUTISTA 857.08750 858.48750 FB/FB2/FX1 80 W ERP 671.3 AAT 937.8 MSL 42.7 AGL. GE/AASHTO.

10/26/10 note: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.
Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION
Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.