

LOG FOR AUGUST 2014

THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from July 10.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
228039		IN PROG	CO SUTTER	CO SUTTER	????? FB/FB2/MO 159.3075 FX1/MO 210 W ERP 586.0 AAT 591.0 MSL 46 AGL. PW/APCO.
229381		IN PROG	CHICO	CHICO	155.3700 FB2/MO 154.7700 MO 100 W ERP -27 AAT 130 MSL 30 AGL. PW/APCO. ADDS 2ND CHNL.
235906		IN PROG	CO MONTEREY	CO MONTEREY	1-155.6250 2-155.93250 3-151.4600 155.940 FX1 4-156.1650 154.0400 161.5275 161.5125 5-161.4225 161.48250. ALL 250 W ERP. (UHF CHANNELS HAVE BEEN REMOVED) PW/APCO.
237084		IN PROG	CO MONTEREY	CARMEL, BIG SUR, WATSONVILLE	153.9500 FB2 100 W ERP 328.4 AAT 685.8 MSL 21.3 AGL / 155.9100 .8950 FB2 100 W ERP -75.6 AAT 92.3 MSL 24.4 AGL / 154.8150 FB2 100 W ERP 56.9 AAT 146.3 MSL 12.2 AGL 11K2F3E PW/APCO
237167		IN PROG	CO MONTEREY	SALINAS, SEASIDE, CARMEL, CARMEL VALLEY	152.0300 .1200 .1500 .1800 .6300 .7200 .8100 154.7250 .7850 .8600 155.1000 FB8 74 W ERP 199 AAT 241 MSL 45 AGL / 155.6400 .8650 156.0450 .2250 158.0700 4900 .5800 .6100 .6400 157.8900 .9800 MO8/FX1 50W ERP -74 AAT 21 MSL 38 AGL - 11K2F3E/8K1F1D/8K1F1E PW/APCO
237512		IN PROG	CO SUTTER	SUTTER BUTTE PLEASANT GROVE	????? FB/FB2/MO ??? ??? FX1/MO 544.8 AAT 591 MSL 46 AGL. NEW. PW/APCO.
000395		APPD	ST CA:	TWAIN HEART DARDANELLE	460/465.3000 (226/057) D458.0500 458.6000 FXO 80 W ERP. 454.3 AAT 2277 MSL 12.2 AGL. A460.5125 6 W ERP (sub freq) PW/AASHTO.
400734		APPD	CO TEHAMA	CORNING	154.7400 FB2/MO (IS FB) 120 W ERP 154.7400 FB2 100 W ERP 419.9 AAT 908 MSL 34 AGL. NOW ADDS FB2 TO HIGH LEVEL SITE AND CORRECTS ELEVATION. (INSKIP). PW/FCCA.
400836		CONCURR	HALL AMBULANCE	KERN CO & STATE WIDE	ALL 12-1/2 KHZ MED CHANNELS. MO. 45 W ERP. PW/IMSA.
239472		APPD	LOYALTON	LOYALTON (SIERRA)	154.2350 .2800 FB/MO 275 W ERP 158.93750 MO. -200 AAT 1510 MSL 14 AGL. CORRECT COORDS, ADDS MO TAC CHNL. PW/APCO.
400848		APPD	CARMEL AREA WWD	CARMEL	M453/458.2500 FB/MO 4 W ERP. ADD 7K60FXE. PW/FCCA.
400546		APPD	ST CA:	COBB (LAKE)	159.3150 FB 25 W ERP 139.8 AAT 789 MSL 7.3 AGL. RELOCATE 0.05 KM. PW/AASHTO.
400548		APPD	ST CA:	OROVILLE	M159.2250 FX1 A151.2350 FB 60 W ERP -2.9 AAT 280 MSL 7.6 AGL. PW/AASHTO.
400704		APPD	CO SONOMA	, POINT ARENA (MENDO)	154.3100 .1750 155.2650 FB/FB2 100 W ERP 159.41250 .4575 MO 100 W ERP. 234.2 AAT 376.7 MSL 24.4 AGL. PW/IMSA.
400560		APPD	CO CALAVERAS SHERIFF	SAN ANDREAS	155.8650 FB/FB2 40 W ERP -81.4 AAT 346 MSL 13 AGL. NOTE FX1s ON FREQ @7 KM. PW/AASHTO.
400877		APPD	CO SONOMA	CO SONOMA	460.2750 FBT/FB2T 50 W ERP. FREQ EXISTS IN CURRENT SYS. PW/FCCA.
400878		APPD	CO SONOMA	CO SONOMA	460.4250 FBT/FB2T 20 W ERP. DITTO. PW/FCCA.
400879		APPD	CO SONOMA	CO SONOMA	460.23750 FBT/FB2T 50 W ERP. DITTO. PW/FCCA.
239625		APPD	OROVILLE	OROVILLE	153.8150 154.7850 FB2S. 100 W ERP -88.7 AAT 50 MSL 22.9 AGL. FREQS EXSIST IN SYS. PW/APCO.
400566		APPD	CO STANISLAUS	MODESTO	153.7700 154.4300 .3250 FB 100 W ERP 21.6 AAT 31 MSL 18.3 AGL. PW/AASHTO.
401092		APPD	CO SONOMA	SEBASTAPOL S'ROSA	453.06250 460.51250 FB/FT/FB2/FB2T/FX1 6 W ERP -13.5 AAT 69.6 MSL 7 AGL. PW/IMSA.
400857		WDRN	AMER RED CROSS SI VLY CHAPTER	SAN JOSE (CRYSTAL PK)	460.43750 FB2/FX1/MO 15 W ERP 716.1 AAT 1063.2 MSL 5.4 AGL. PW/IMSA
400630		APPD	ST CA	OROVILLE PULGA BELDEN STORRIE TOBIN (BUTTE)	453./458.48750 (021/232°)453/458.23750 (201/052°) 453/458.68750 (225/045°) FXO 169 W ERP 476.4 AAT 1873 MSL 36.6 AGL. PW/AASHTO..
401165		APPD	S SANTA CLARA F DIST	MORGAN HILL	151.12250 FB2 100 W ERP -52.8 AAT 301 MSL 9.1 AGL. ADD STN TO EXIST SYS. PW/IMSA.
239842		APPD	SELMA	SELMA (FRS)	155.64000 FB/FB2/MO 100 W ERP 158.8500 MO 40 W ERP -51 AAT 94 MSL 23 AGL. PW/APCO.
400644		APPD	ST CA: DOJ	REDDING	154.6800 FB 155.4600 FX1 50 W ERP -55 AAT 199 MSL 26.8 AGL. PW/AASHTO.
239933		INPROG	CO MONTEREY	CO MONTEREY	460/465.06250 .08750 .16250 .18750 .26250 .31250 MO3/MO 5 W ERP. PW/APCO.
239947		INPROG	CO MONTEREY	CARMEL VLY	154.4000 FB2 85 W ERP 246.7 AAT 630.3 MSL 6.1 AGL. PW/APCO.
400684		APPD	ST CA: DOJ	COBB (LAKE)	M453.16250 FXO 200 W ERP. CORRECTS COORDS & SITE DATA. PW/AASHTO.

470-512 MHz POOL

This spectrum is currently under freeze orders by the FCC. Waivers are required for most license modifications.

700 MHz PUBLIC SAFETY (SG, SY)

1/8/2014	APPD	EL DORADO HLS FD	EL DORADO HILLS	770.04375 .53125 771.66875 772.35625 .38125 FB/FB2/FX1T/MO 50 W ERP 196.0 AAT 446.0 MSL 24.4 AGL. 2 locations. SY/APCO. Held for FAA/ASR and 106 review.
----------	------	------------------	-----------------	--

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users					
400592		APPD	ST CA:	MT DIABLO	855.96250 FB 30 W ERP 958 AAT 1172 MSL 15 AGL. ADDS FB TO EXSISTING FB2. GP/AASHTO.
400603		APPD	EBRCS	LIVERMORE	852.6250 853.9500 FB/FB2/MO 92 W ERP 410 AAT 899 MSL 9.1 AGL. YE/AASHTO.
400609		APPD	ST CA:	PLUMAS & BUTTE COS	855.98750 859.76250 856.98750 856.76250 FB/FB2 112 W ERP 577 AAT 1873 MSL 21 AGL. GP/AASHTO.
400633		APPD	ST CA:	BRIDGEPORT (LAKE)	814.16250 FX1 55 W ERP -379.5 AAT 2104.6 MSL 9.1 AGL. GP/AASHTP
400629		APPD	ST CA:	WILLITS UKIAH	858.98750 FB/FB2 124 W ERP 813.98750 FX120 W ERP (340°) 858.98750 FB 175 W ERP 858.73750 FB/FB2 312 W ERP
				REDWOOD VLY (MENDO)	525 AAT 972 MSL 36.6 AGL. GE/AASHTO.
239938	INPROG		TWIN RIVERS USD	SAC RIO LINDA	? FB2/FX1/MO ? FB2/FX1/MO 100 W ERP 44.1 AAT 11 MSL 48.8 AGL. YE/APCO.

10/26/10 note: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ

7/1/14 note: The FCC is currently returning all applications (renewals and modifications) containing WB emissions where NB use is required.

A WB removal tool is being implemented. See the NAPCO website for further information.

ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.