

LOG FOR JANUARY 2015

THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from December 10 to January 6..

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
1	228039	IN PROG	CO SUTTER	CO SUTTER	????? FB/FB2/MO 159.3075 FX1/MO 210 W ERP 586.0 AAT 591.0 MSL 46 AGL. PW/APCO.
2	229381	IN PROG	CHICO	CHICO	154.8300 FB2/MO 158.8650 MO 100 W ERP -27 AAT 130 MSL 30 AGL. PW/APCO. ADDS 2ND CHNL.
3	237512	IN PROG	CO SUTTER	SUTTER BUTTE PLEASANT GROVE	????? FB/FB2/MO ??? FB2/MO ??? FX1/MO 544.8 AAT 591 MSL 46 AGL. NEW. PW/APCO.
4	240647	IN PROG	CO TULARE	VISALIA	154.79250 FB2/MO 159.03750 MO 27 W ERP 7.9 AAT 97 MSL 11 AGL. PW/APCO. FREQ NEEDS RESELECTION.
5	241637	APPD	SELMA	SELMA (FRS)	154.7250 FB/FB2/MO 100 W ERP 158.8500 MO 40 W ERP -51 AAT 94 MSL 23 AGL. PW/APCO.
6	240503	APPD	CI/CO SF	SAN FRANCISCO	46.4600 FB/FB2 200 W ERP 154.2800 FB/FB2 75 W ERP 40.6 AAT 3.2 MSL 62 AGL. ADDS TO EXIST SYS. PW/APCO
7	400957	APPD	ST CA: CHP	COULTEVILLE ATWATER	453/458.18750 FXO 20 W ERP @216/036° 323.9 AAT 868.7 MSL 21.3 AGL. PW/AASHTO.
8	400951	APPD	ST CA: DWR	OROVILLE	453.8500 FB/FB2/MO 13 W ERP -65.8 AAT 29.9 MSL 6 AGL 453.43750 .68750 .30000 .85000 MO 5 W ERP. UG PWR STN. PW/AASHTO.
9	400963	APPD	ST CA: DOT	PINE GROVE IONE	460/465.51250FXO 6 W ERP 256/113° 465.41250 FXO 6 W ERP 076° 215.6 AAT 854 MSL 6.1 AGL. PW/AASHTO
10	400950	APPD	ST CA: DWR	FIVE PTS (FRS)	D WB ALL FREQS CORRECT COORDS. -30 AAT 98 MSL 18 AGL. PW/AASHTO.
11	400957	APPD	ST CA: CHP	ATWATER (MERC) COULTEVILLE (MARAP)	458.18750 FXO 20 W ERP @036° 453.18750 FXO 20 W ERP @216° 323.9 AAT 868.7 MSL 21.3 AGL. PW/AASHTO.
12	240869	APPD	CO MONTEREY	SAN ARDO	156.1050 FB 22 W ERP 517 AAT 860 MSL 12.2 AGL. ADDS SITE TO SYSTEM. PW/APCO.
13	401927	APPD	CO SONOMA	GRATON	155.2650 FB 159.4575 159.41250 FX1 25 W ERP 0.8 AAT 69.9 MSL 21.3 AGL. ADD SITE ON EXIST FREQS. PW/IMSA
14	401883	APPD	WALNUT CREEK	WALNUT CREEK	154.7850 .1150 MO 60 W ERP. PW/IMSA.
15	401745	APPD	CO SONOMA	CO SONOMA	158.76750 MO/FX1 100 W ERP. PW/IMSA.
16	401015	APPD	ST CA: CAL FIRE	ARNOLD	159.4500 FX1 40 W ERP 49.5 AAT 998 MSL 9.1 AGL. PW/AASHTO.
17	402091	APPD	SHASTA CO SO	REDDING	453.3750 FB2/FX1/MO 40 W ERP -65.1 AAT 144.7 MSL 4.5 AGL. PW/FCCA. JUV HALL FACILITY.
18	240505	APPD	CO MODOC	CO MODOC	D159.0900 A158.85750 FX1/FX1T/MO 45 W ERP. PW/APCO.
19	240506	APPD	CO MODOC	CO MODOC	D159.0900 A158.85750 FX1/FX1T/MO 45 W ERP. PW/APCO.
20	240507	APPD	CO MODOC	CO MODOC	D159.0900 A158.85750 FX1/FX1T/MO 45 W ERP. PW/APCO.
21	400693A	APPD	ROSEVILLE	ROSEVILLE	M158.8350 FX1 25 W ERP 159.1200 FX1/MO 110 W ERP 156.2400 FB/FB2/MO 175 W ERP 154.1750 FB/FB2 175 W ERP 158.8050 FB/MO 110 W ERP. 50.1 AAT 48.6 MSL 60 AGL. PW/AASHTO.

470-512 MHz POOL

This spectrum is currently under freeze orders by the FCC. Waivers are required for most license modifications.

700 Mhz PUBLIC SAFETY (SG, SY)

800 Mhz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

22	400964	APPD	ST CA: DOT	WEST POINT (CALAV)	858.98750 FB/FB2 312 W ERP -14.6 AAT 105.2 MSL 9.1 AGL. GP/AASHTO.
23	401013	CONC	ST CA: DOT	SLO ATASCADERO	858.7350 857.76250 856.43750 FB/FB2/FX1/MO 305 W ERP 497.9 AAT 1092 MSL 36.6 AGL. GE/AASHTO. CPRA
24	400998	APPD	ST CA: P&R	SANTA MARGURITA PILOT HILL FOLSOM RANCHO CORDOVA	CONCURENCE. 854.08750 FB/FB2/FX1/MO 140 W ERP (EXISTING SITE & FREQ) ADDS 8K10F3E EMISSION. NO OTHER TECH CHNGS. GP/AASHTO.
25	401029	CONC	ST CA: DOT	TAFT (KERN)	857.98750 FB/FX1 814.73750 FX1 175 W ERP -104.5 AAT 320.7 MSL 7.6 AGL. ADD STN. GE/AASHTO.
	000482	APPD	ST CA: P&R	FREMONT PK	857.08750 858.48750 FB/FB2/FX1 80W ERP 671.3 AAT 937.8 MSL 42.7 AGL. GE/AASHTO.

10/26/10: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ SPECTRUM.

7/1/14 : The FCC is currently returning all applications (renewals and modifications) containing WB emissions where NB use is required.

12/1/14: A WB removal tool has been implemented and available on the ULS home page.

ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.