

# LOG FOR MARCH 2015

THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from February 19.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
	228039	IN PROG	CO SUTTER	CO SUTTER	????? FB/FB2/MO 159.3075 FX1/MO 210 W ERP 586.0 AAT 591.0 MSL 46 AGL. PW/APCO.
	237512	IN PROG	CO SUTTER	SUTTER BUTTE	???..??? FB/FB2/MO ???..??? FX1/MO 544.8 AAT 591 MSL 46 AGL. NEW. PW/APCO.
	240647	IN PROG	CO TULARE	VISALIA	<b>154.79250</b> FB2/MO 159.03750 MO 27 W ERP 7.9 AAT 97 MSL 11 AGL. PW/APCO. FREQ NEEDS RESELECTION.
	400845A	APPD	ST CA:	RED BLUFF	465.06250 458.43750 .30000 460.06250 453.43750 .3000 FX0 40 W ERP @055°, 084°, 235°, 264° 170 W ERP @077°, 257°. 593.2 AAT 2088 MSL 36.6 AGL. PW/AASHTO.
	400897	APPD	ST CA: DWR	LOS BANOS	D458.6250 A453/458.8500 A453.6250 MO 5 W ERP. UNDERGROUND PUMPING PLANT. PW/AASHTO.
	241179	APPD	CO LASSEN	SUSANVILLE	154.0100 FX1 154.4450 FB/FB2 9.7 W ERP -262.6 AAT 1278 MSL 16.6 AGL. PW/APCO.
	401063	CONCURR	ST CA: CAL FIRE	ATASCADERO	155.0700 FB/FB2/MO 159.0450 100 W ERP -56.3 AAT 295 MSL 27.4 AGL. PW/AASHTO.
	140334	APPD	SAN BRUNO	SAN BRUNO	159.8850 FB(EXISTS) ADD FB2 150 W ERP A155.91750 MO 40 W ERP 102 AAT 168 MSL 6 AGL. CONV TO FB2. PW/AASHTO.
	400957A	APPD	ST CA: CHP	COULTERVILLE	460/465.4875 FX0 6W ERP @216/036° 323.9 AAT 868.7 MSL 21.3 AGL. PW/AASHTO.
	400884	APPD	ST CA: DOT	ATWATER	
				GARBERVILLE (HUM)-HAYFORK (TRI)	453/458.28750 FX0 15 W ERP (048/228°) 773.1 AAT 1754 MSL 39.6 AGL. PW/AASHTO.
	00086	APPD	ST CA: CHP	MARKLEEVILLE (ALP)	45.6000 FB 178 W ERP 757.6 AAT 2994 MSL 13.7 AGL. PW/AASHTO.
	402005	APPD	CO HUMBOLDT	ORICK (HUM)	151.1900 FB2 155.7900 MO 100 W ERP 574.4 AAT 1174 MSL 18.2 AGL. WAIVER SUBMITTED. PW/IMSA.
	241278	APPD	SANTA ROSA	SANTA ROSA	453.2875 .8000 .??? FB/FB2/FX1/MO 352 W ERP 145 AAT 166 MSL 23 AGL. PW/APCO.
	241333	IN PROG	SANTA ROSA	SANTA ROSA	???? FB/FB2/FX1/MO 352 W ERP 145 AAT 166 MSL 23 AGL. ADD THIRD PAIR MULTI SITES. PW/APCO.
	141081	APPD	PORTERVILLE	PORTERVILLE	156.0000 154.1900 155.0865 154.2800 155.8650 FB 50 W ERP -28 AAT 137 MSL 9 AGL. ADD NEW STATION. PW/IMSA.
	241329	APPD	CO KINGS	CO KINGS	453/458.31250 MO 120 W ERP. PW/APCO.
	500132	APPD	ST CA: CAL FIRE	DOBBINS	M159.3300 .3900 TO 40 W ERP A151.1600 .2500 .3850 FB 40 W ERP -11.4 AAT 561.4 MSL 10.7 AGL. PW/AASHTO.
	401247	APPD	ATWATER	ATWATER	A154.2800 .2650 .2950 .2050 156.1050 MO 110 W ERP. PW/IMSA.
	140335	APPD	MOUNTIAN MEDICS	CO SISKIYOU	155.0550 MO 110 W ERP. PW/IMSA.
	500139	APPD	NAPA SANIT DIST	NAPA	INVERTS 153.9050 FX1/MO ADDS 155.8650 FB2/MO (2 LOCNS) 68.9 W ERP -21.2 AAT 117 MSL 3 AGL. PW/AASHTO.
	500157	APPD	ST CA:CAL FIRE	PLACERVILLE	M159.2250 ,3000 .3300 FX1 15.7 AAT 464 MSL 10.7 AGL. CORRECTS CORDS & SITE DATA. PW/AASHTO.
	500140	CONCURR	CO KERN	NR BAKERSFIELD	151.22500 .46750 FB2/MO 156.2250 .1950 FX1/MO 35 W ERP 265.2 AAT 1347 MSL 18.2 AGL. CAL FIRE USE NOTED ON 151.46750. PW/AASHTO.
	500202	APPD	CO BUTTE	OROVILLE	153.8600 FB2/MO 158.8350 MO 5 W ERP. -83.4 AAT 98 MSL 13.7 AGL. ADDS 2ND SITE TO EXIST SYS. PW/AASHTO

## 470-512 MHz POOL

This spectrum is currently under freeze orders by the FCC. Waivers are required for most license modifications.

## 700 Mhz PUBLIC SAFETY (SG, SY)

3/5/15	IN PROG	CO MONTEREY	CO MONTEREY	773.4375 .44375 .64375 ,99375 774.19375 .39375 .74375 FB2/FX1/MO 436.5 ERP 28 AAT 117.3 MSL 26 AGL. SY./APCO.
--------	---------	-------------	-------------	---

## 800 Mhz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

**10/26/10: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ SPECTRUM.**  
**7/1/14 : The FCC is currently returning all applications (renewals and modifications) containing WB emissions where NB use is required.**  
**12/1/14: A WB removal tool has been implemented and available on the ULS home page.**

ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.  
 Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION  
 Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.