

LOG FOR SEPTEMBER 2015

THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from August 12.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
228039		IN PROG	CO SUTTER	CO SUTTER	????? FB/FB2/MO 159.3075 FX1/MO 210 W ERP 586.0 AAT 591.0 MSL 46 AGL. PW/APCO.
237512		IN PROG	CO SUTTER	SUTTER BUTTE PLEASANT GROVE	??? .???? FB/FB2/MO ??? .???? FX1/MO 544.8 AAT 591 MSL 46 AGL. NEW. PW/APCO.
240647		IN PROG	CO TULARE	VISALIA	154.79250 FB2/MO 159.03750 MO 27 W ERP 7.9 AAT 97 MSL 11 AGL. PW/APCO. FREQ NEEDS RESELECTION.
241333		IN PROG	SANTA ROSA	SANTA ROSA	???? FB/FB2/FX1/MO 352 W ERP 145 AAT 166 MSL 23 AGL. ADD THIRD PAIR MULTI SITES. PW/APCO.
241469		IN PROG	FRESNO	FRESNO	159.7950 FB? 350 W ERP 92.3 AAT 91 MSL 92.9 AGL. PW/APCO.
241581		IN PROG	CO GLENN	CO GLENN	D153.7850 A???.???? MO. REPLACE EXIST INPUT FREQ. INTERFERENCE ISSUES PW/APCO.
242176		IN PROG	CO KERN	RANDBURG (GOVT PEAK)	153.7850 155.8800 155.6250 151.1000 153.9950 453.2250 .3750 .9250 .300 .4500 .4000 .7000 460.7000 .1500 .5750 .1750 .1000 .1250 .2250 FB/FB2 150 W ERP, 488.9 AAT 1435 MSL 30.5 AGL. MOD: INCR ERP, CONV TO FB2. . PW/APCO.
242242		APPD	SANTA ROSA	SANTA ROSA	465.31250 FXO 40 W ERP -50 AAT 26.5 MSL 3.6 AGL. F2D. ADDS 3 STNS TO SYS. PW/APCO.
30011		APPD	AMADOR RES CARE	JACKSON	462.7500 465.0000 FB 6 W ERP -12 AAT 372 MSL 8 AGL. PAGING. IG/PCIA.
14026		APPD	SAC REG FIRE EMS	THORNTON ELK GROVE	A154.1900 FB 300 W ERP 460.5750 FB 350 W ERP 42.3 AAT 20 MSL 31.9 AGL. ADDS STN TO EXIST. PW/IMSA.
400863		IN PROG	CO SHASTA	SHASTA BALLY	158.7300 FB/FB2 150 W ERP 1063.8 AAT 1860 MSL 12.3 AGL. ADDS STN TO EXIST SYS. PW/FCCA. FAILS 90.205
680023		APPD	FRESNO ADVENTIST ACADEMY	FRESNO	465.000 FB 25 W ERP 13 AAT 101 MSL 4 AGL. IG/PCIA
400863		DENIED	CO SHASTA	SHASTA BALLY	158.7300 FB/FB2 150 W ERP. 1036.8 AAT 1860 MSL 12.2 AGL. PW/FCCA. EXCEEDS 90.205 (5.6 W ERP)
500573		APPD	ST CA	GARBerville (HUM)	M453.23750 .31250 FXO 10 W PO (NO CHANGE TO ERP). 550.1 AAT 1754 MSL 36.6 AGL. PW/AASHTO
242408		APPD	ROSEVILLE	ROSEVILLE ROCKLIN	453/458.6500 .8250 FB2/FXO 50 W ERP DIR ANTS AT 46 LOCATIONS. 10 AAT 107 MSL 7 AGL. SCADA F1D. PW/APCO.
TO				GRANITE BAY	
242415					
242405		CONCUR	CO KERN	CO KERN	154.0850 154.8300 .8900 .9500 155.7000 .7450 158.7450 159.1050 MO 40 W ERP. ALL EMISSIONS. PW/APCO.
242449		APPD	CSU MONTEREY	SEASIDE	453.5750 FB/FXOT/MO 30 W ERP 1.1 AAT 50 MSL 7.2 AGL. ALERT SYSTEM. PW/APCO.
242540		APPD	CO MONTEREY	PRUNEDALE (MON)	154.8900 FB2 150 W ERP 43.3 AAT 124 MSL 8 AGL. PW/APCO.
000977		COND APPD	CO SONOMA	BODEGA BAY	155.2650 154.3100 .1750 .2800 155.37750 FB 100 W ERP 159.9150 .45750 .41250 .1500 FX1 100 W ERP -15.3 AAT 27 MSL 15 AGL. PW/IMSA.
242472		APPD	S FEATHER RIVER WAT & PWR	OROVILLE (BUT)	173.2100 FXO (ADD 4 STNS) 5 W ERP 35.6 AAT 354 MSL 8 AGL. ADDS TO SYS. 3K00F9W. PW/APCO.
242508		APPD	CO MONTEREY	KING CITY	154.8600 .9950 .7250 FB8 150 W ERP 158.9850 .9250 156.2250 FX1/MO 100 W ERP 11K2F3E, 8K10F1D. -107.2 AAT 101.8 MSL 9.1 AGL. YW/APCO.
242215		APPD	CO MONTEREY	WATSONVILLE	154.0850 .7550 155.7750 .1000 FB8 235 W ERP @180° 159.1800 156.2400 .0600 158.9400 FX1/MO 100 W ERP. 48.2 AAT 127 MSL 18.3 AGL. 11K2F3E 8K10F1D. YW/APCO.
242593		APPD	CO LAKE	CLEARLAKE	453.3000 FB/FB2/MO 458.3000 MO 10 W ERP -10.1 AAT 520 MSL 6.1 AGL. NEW, LAND FILL SITE. PW/APCO.
000668		APPD	LAYTON FIRE DEPT	LAYTON (FRS)	159.0450 FB2 50 W ERP 55.5 AAT 73 MSL 45.7 AGL. PW/AASHTO.
401068		CONDIT APP	DELANO	DELANO	M155.9550 FB TO FB2 120 W ERP 150.8050 MO 25 W ERP 21.9 AAT 95.4 MSL 21.9 AGL. DIR ANT NULL VISALIA. PW/IMSA.
242068		APPD	BERKELEY	BERKELEY	154.0700 FB 100 W ERP -8.7 AAT 58 MSL 29.5 AGL. ALCO FIRE CHNL. PW/APCO.
242683		APPD	CO MONTEREY	SOLEDAD	154.3550 155.1900 154.7850 155.5350 FB8 86 W ERP 158.8350 159.2100 158.8950 159.1800 FX1/MO8 156.1 AAT 449.6 MSL 33.5 AGL. YW/APCO.
500704		APPD	ST CA: CAL FIRE	KELSEYVILLE (LAKE)	159.3000 FX1 153.7550 151.2200 FB 40 W ERP 709.3 MSL 80.9 AAT 17 AGL. PW/AASHTO.
000696		APPD	DOWNIEVILLE FPD	DOWNVILLE (SIERRA)	154.9650 FB2/MO 125 W ERP 158.97750 FX1/MO 400.9 AAT 1731 MSL 30 AGL. PW/IMSA.
401050		APPD	NEWMAN	NEWMAN (STAN)	153.9650 158.8050 154.8600 156.2250 MO 50 W ERP 153.9650 158.8050 154.8600 FB2 10.4 AAT 29 MSL 30.5 AGL. PW/IMSA.
001076		APPD	CO SONOMA	CO SONOMA	465.2250 159.1800 458.1250 465.1250 465.1500 458.7750 465.3750 465.0500 465.2000 465.0750 465.3500 465.5250 156.0450 159.0225 FX1/MO 50 W ERP. -81.9 AAT 48.7 MSL 9.1 AGL. PW/IMSA. ADDS ALL FREQS IN USE BY CITIES.
401161		DENIED	AMADOR FPD	KYBURZ (EL D)	153.9350 FB2 30 W ERP 451.1 AAT 2321.1 MSL 9.1 AGL. INTERFERENCE TO SUTTER CO FIRE. PW/IMSA.
401168		APPD	FRANKLIN-McKINLEY SD	SAN JOSE	453.48750 FB2 40 W ERP /MO 4 W ERP. -114.4 AAT 37.5 MSL 7 AGL. PW/IMSA.
114024		APPD	WALNUT CREEK	LAFAYETTE	155.3100 MO 460.3250 .4250 FB2/MO 122 W ERP 78.8 AAT 224.0 MSL 16.8 AGL. ADDS SITE TO EXIST SYS. PW/IMSA.
401231		APPD	CO SONOMA	NOVATO (BIG ROCK)	453.0250 FB/FB2 45 W ERP @315° 415.7 AAT 481.5 MSL 22.3 AGL. PW/IMSA. LOC FROM CO CONTRA COSTA?
242922		IN PROG	UC SF	SAN FRANCISCO	6 UHF PAIRS FB2/FB8 MO8 173.4 AAT 152.4 MSL 44.7 AGL. YW/IMSA.

470-512 MHz POOL

This spectrum is currently under freeze orders by the FCC. Waivers are required for most license modifications.

700 MHz PUBLIC SAFETY (SG, SY)

800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

500527	APPD	DURHAM SCH SVCS	OAKLAND	854.48750 FB2/MO 125 W ERP 312 AAT 413 MSL 24 AGL. GE/AASHTO.
500528	APPD	DURHAM SCH SVCS	OAKLAND	854.58750 FB2/MO 125 W ERP 312 AAT 413 MSL 24 AGL. GE/AASHTO.
500529	APPD	DURHAM SCH SVCS	OAKLAND	856.08750 FB2/MO 125 W ERP 312 AAT 413 MSL 24 AGL. GJ/AASHTO.
500529A	APPD	DURHAM SCH SVCS	OAKLAND SAN RAMON	856.08750 FB2/MO 125 W ERP 372.1 AAT 560 MSL 8.1 AGL. ADD 2ND SITE. GJ/AASHTO.
500498	APPD	ST CA:	SCOTTS BAR SOMES BAR SEIAD VALLEY (SIS)	859.98750 856.2125 FB/FB2 73 W ERP 812.98750 857.98750 FX1/FB 197 W ERP. 627.7 AAT 1619 MSL 12.2 AGL. GE/AASHTO.
500500	APPD	ST CA	PORTERVILLE (TUL)	DEL FREQS, CORRECT COORDINATES. GE/AASHTO.
500506	APPD	ST CA	VISALIA (TUL)	812.98750 .73750 .7550 FX1 350 W ERP @269°. 097°. 152°. 16.3 AAT 108 MSL 9.8 AGL. GE/AASHTO.
500499	APPD	ST CA	IONE(EI D)	858.26250 859.26250 856.16250 851.36250 852.28750 853.06250 FB2 23 W ERP. -27.2 AAT 103.3 MSL 25.9 AGL. YE/AASHTO.
000596	APPD	ST CA	GARBERVILLE (HUM)	M813.73750 FX1 858.73750 FB 15 W ERP 770.1 AAT 1175 MSL 36.6 AGL. GE/AASHTO.
500589	APPD	ST CA:CSU-SAC	SACRAMENTO	857.23750 FB/FB2/MO 50 W ERP 31.7 AAT 10.7 MSL 35.9 AGL. RESTORE LIC. GE/AASHTO.
500744	APPD	ST CA: P&R	COLOMA	858.48750 FB/FB2 5 W ERP -269.7 AAT 234.7 MSL 9.1 AGL. GP/AASHTO.

10/26/10: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ SPECTRUM.

7/1/14 : The FCC is currently returning all applications (renewals and modifications) containing WB emissions where NB use is required.

12/1/14: A WB removal tool has been implemented and available on the ULS home page.

ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.