

LOG FOR NOVEMBER 2015

THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from October 11.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
	228039	IN PROG	CO SUTTER	CO SUTTER	????? FB/FB2/MO 159.3075 FX1/MO 210 W ERP 586.0 AAT 591.0 MSL 46 AGL. PW/APCO.
	237512	IN PROG	CO SUTTER	SUTTER BUTTE	????? FB/FB2/MO ????.???? FX1/MO 544.8 AAT 591 MSL 46 AGL. NEW. PW/APCO.
				PLEASANT GROVE	
	240647	IN PROG	CO TULARE	VISALIA	154.79250 FB2/MO 159.03750 MO 27 W ERP 7.9 AAT 97 MSL 11 AGL. PW/APCO. FREQ NEEDS RESELECTION.
	241333	IN PROG	SANTA ROSA	SANTA ROSA	???? FB/FB2/FX1/MO 352 W ERP 145 AAT 166 MSL 23 AGL. ADD THIRD PAIR MULTI SITES. PW/APCO.
	241469	IN PROG	FRESNO	FRESNO	159.7950 FB? 350 W ERP 92.3 AAT 91 MSL 92.9 AGL. PW/APCO.
	241581	IN PROG	CO GLENN	CO GLENN	D153.7850 A???.???? MO. REPLACE EXIST INPUT FREQ. INTERFERENCE ISSUES PW/APCO.
	114024	APPD	WALNUT CREEK	LAFAYETTE	155.3100 MO 460.3250 .4250 FB2/MO 122 W ERP 78.8 AAT 224.0 MSL 16.8 AGL. ADDS SITE TO EXIST SYS. PW/IMSA.
	242922	IN PROG	UC SF	SAN FRANCISCO	6 UHF PAIRS FB2/FB8 MO8 173.4 AAT 152.4 MSL 44.7 AGL. YW/APCO.
	500751	APPD	ST CA:	LAYTONVILLE	460.03750 FXO 40 W ERP @382°, 453.16250 @218°, 465.03750 @102°, 458.16250 @037° 738.1 AAT 1282.9 MSL 42.7 AGL. PW/AASHTO.
				ROCKPORT FT BRAGG	
	401266	APPD	EAST PALO ALTO PD	EAST PALO ALTO	453.7378, 458.7375, 460.4125, 465.4125 FB8, MO8 56W ERP, -21.7 AAT, 7 MSL, 17.1 AGL PW/AASHTO
	146671	APPD	UC REGENTS	MOUNT HAMILTON	460.4875 FB2/FB/MO 5 W ERP, 573 AAT, 1232 MSL, 9 AGL PW/AASHTO
	401408	APPD	CO SAN JOAQUIN	FRENCH CAMP	453.6875 / 458.6875 MO 2 W ERP PW/IMSA
	400863	APPD	CO SHASTA	REDDING	158.7300 FB/FB2/MO 110 W ERP, 1036 AAT, 1860 MSL, 9 AGL PW/FCCA
	243218	APPD	DOWNIEVILLE PUD	DOWNIEVILLE	453.31250 16.6 W ERP 290/210° -467 AAT 1019 MSL 6.1 AGL.PW/APCO.
	401467	APPD	YOSIMITE COMM COLL	MODESTO	453.5000 FB2/MO 100 W ERP 17.4 AAT 23.3 MSL 18.2 AGL, PW/IMSA.
	401468	APPD	CO SONOMA	GURNEVILLE (MT JACKSON)	M453.0250 FB/FB2 58 W ERP 367 AAT 498.6 MSL 35.7 AGL. PW/IMSA.
				GURNEVILLE (MT JACKSON)	
	401471	APPD	CO SONOMA	GURNEVILLE (MT JACKSON)	M453.1750 FB/FB2 58 W ERP 367 AAT 498.6 MSL 35.7 AGL. PW/IMSA.
				GURNEVILLE (MT JACKSON)	
	401472	APPD	CO SONOMA	GURNEVILLE (MT JACKSON)	M453.6250 FB/FB2 58 W ERP 367 AAT 498.6 MSL 35.7 AGL. PW/IMSA.
				GURNEVILLE (MT JACKSON)	
	401467	APPD	CO SONOMA	GURNEVILLE (MT JACKSON)	M453.5750 .4000 FB/FB2 58 W ERP 367 AAT 498.6 MSL 35.7 AGL. PW/IMSA.
				GURNEVILLE (MT JACKSON)	
	500934	APPD	ST CA:	MARKLEVILLE	453/458.78750 FXO 80 W ERP@267/083° 458.56250 FXO 50 W ERP@055° 453/458.66250 FXO 40 W ERP @290/110°
				KIRKWOOD	749.8 AAT 2730.4 MSL 16.3 AGL. PW/AASHTO.
	500753A	APPD	ST CA:	UKIAH	453/458.06250 .56250 FXO 6 W ERP 340.5 AAT 768.1 MSL 6.1 AGL. PW/AASHTO.
	243315	APPD	BEAR VLY CSD	TEHACHAPI ARVIN	453.2750 .06250 FB/FB2/FX1/MO 100 W ERP 573.2 AAT 1784 MSL 15 AGL. RESTORE PREVIOUS. PW/APCO.
	243310	APPD	BD REGENTS UC	BERKELEY	453/458.43750 MO 30 W ERP (BOMB ROBOT). PW/APCO.

470-512 MHz POOL

This spectrum is currently under freeze orders by the FCC. Waivers are required for most license modifications.

700 MHz PUBLIC SAFETY (SG, SY)

800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

500864	APPD	ST CA:	CLEARLAKE OAKS	812.0875 FX1, 176 W ERP, -88 AAT, 451 MSL, 10.7 AGL GE/AASHTO
500862	APPD	ST CA:	WILLITS, REDWOOD	858.9875 .7375 FB/FB2, 619 W ERP, 813.9875 FX1 175 W ERP, 525 AAT, 972 MSL, 42 AGL GE / AASHTO
500947	APPD	ST CA:	KIRKWOOD	858.76250 FB/FB2 70 W ERP 43.6 AAT 2407.9 MSL 18.3 AGL. GP/AASHTO.

7/1/14 : The FCC is currently returning all applications (renewals and modifications) containing WB emissions where NB use is required.
12/1/14: A WB removal tool has been implemented and available on the ULS home page.

ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.