

LOG FOR DECEMBER 2015

THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from November 11 to current.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
1	228039	IN PROG	CO SUTTER	CO SUTTER	????? FB/FB2/MO 159.3075 FX1/MO 210 W ERP 586.0 AAT 591.0 MSL 46 AGL. PW/APCO.
2	237512	IN PROG	CO SUTTER	SUTTER BUTTE PLEASANT GROVE	??? .??? FB/FB2/MO ??? .??? FX1/MO 544.8 AAT 591 MSL 46 AGL. NEW. PW/APCO.
3	240647	IN PROG	CO TULARE	VISALIA	154.79250 FB2/MO 159.03750 MO 27 W ERP 7.9 AAT 97 MSL 11 AGL. PW/APCO. FREQ NEEDS RESELECTION.
4	241333	IN PROG	SANTA ROSA	SANTA ROSA	???? FB/FB2/FX1/MO 352 W ERP 145 AAT 166 MSL 23 AGL. ADD THIRD PAIR MULTI SITES. PW/APCO.
5	241469	IN PROG	FRESNO	FRESNO	159.7950 FB? 350 W ERP 92.3 AAT 91 MSL 92.9 AGL. PW/APCO.
6	241581	IN PROG	CO GLENN	CO GLENN	D153.7850 A??? .??? MO. REPLACE EXIST INPUT FREQ. INTERFERENCE ISSUES PW/APCO.
7	242922	IN PROG	UC SF	SAN FRANCISCO	6 UHF PAIRS FB2/FB8 MO8 173.4 AAT 152.4 MSL 44.7 AGL. YW/APCO.
8	500751	APPD	ST CA:	LAYTONVILLE ROCKPORT FT BRAGG	460.03750 FXO 40 W ERP @382°, 453.16250 @218°, 465.03750 @102°, 458.16250 @037° 738.1 AAT 1282.9 MSL 42.7 AGL. PW/AASHTO.
9	401266	APPD	EAST PALO ALTO PD	EAST PALO ALTO	453.7378, 458.7375, 460.4125, 465.4125 FB8, MO8 56W ERP, -21.7 AAT, 7 MSL, 17.1 AGL PW/AASHTO
10	146671	APPD	UC REGENTS	MOUNT HAMILTON	460.4875 FB2/FB/MO 5 W ERP, 573 AAT, 1232 MSL, 9 AGL PW/AASHTO
11	401408	APPD	CO SAN JOAQUIN	FRENCH CAMP	453.6875 / 458.6875 MO 2 W ERP PW/IMSA
12	400863	APPD	CO SHASTA	REDDING	158.7300 FB/FB2/MO 110 W ERP, 1036 AAT, 1860 MSL, 9 AGL PW/FCCA
13	243218	APPD	DOWNIEVILLE PUD	DOWNIEVILLE	453.31250 16.6 W ERP 290/210° -467 AAT 1019 MSL 6.1 AGL. PW/APCO.
14	401467	APPD	YOSIMITE COMM COLL	MODESTO	453.5000 FB2/MO 100 W ERP 17.4 AAT 23.3 MSL 18.2 AGL, PW/IMSA.
15	401468	APPD	CO SONOMA	GURNEVILLE (MT JACKSON)	M453.0250 FB/FB2 58 W ERP 367 AAT 498.6 MSL 35.7 AGL. PW/IMSA.
16	401471	APPD	CO SONOMA	GURNEVILLE (MT JACKSON)	M453.1750 FB/FB2 58 W ERP 367 AAT 498.6 MSL 35.7 AGL. PW/IMSA.
17	401472	APPD	CO SONOMA	GURNEVILLE (MT JACKSON)	M453.6250 FB/FB2 58 W ERP 367 AAT 498.6 MSL 35.7 AGL. PW/IMSA.
18	401467	APPD	CO SONOMA	GURNEVILLE (MT JACKSON)	M453.5750 .4000 FB/FB2 58 W ERP 367 AAT 498.6 MSL 35.7 AGL. PW/IMSA.
19	500934	APPD	ST CA:	MARKLEVILLE KIRKWOOD	453/458.78750 FXO 80 W ERP @267/083° 458.56250 FXO 50 W ERP @055° 453/458.66250 FXO 40 W ERP @290/110° 749.8 AAT 2730.4 MSL 16.3 AGL. PW/AASHTO.
20	500753A	APPD	ST CA:	UKIAH	453/458.06250 .56250 FXO 6 W ERP 340.5 AAT 768.1 MSL 6.1 AGL. PW/AASHTO.
21	243315	APPD	BEAR VLY CSD	TEHACHAPI ARVIN	453.2750 .06250 FB/FB2/FX1/MO 100 W ERP 573.2 AAT 1784 MSL 15 AGL. RESTORE PREVIOUS. PW/APCO.
22	243310	APPD	BD REGENTS UC	BERKELEY	453/458.43750 MO 30 W ERP (BOMB ROBOT). PW/APCO.
23	401635	OFFICE	SANTA CLARA CO DA	CRYSTAL PK PALO ALTO	460.33750 FB8/MO8 460.28750 FB8/MO814 W ERP 726 AAT 1076 MSL 21.3 AGL. PW/IMSA
24	243344	APPD	CO MONTEREY	MONTEREY	155.0250 FB2 158.8050 MO 11 W ERP -50.3 AAT 23.2 MSL 20 AGL. PW/APCO.
25	243343	APPD	CO MONTEREY	SALINAS -TORO MTN	453/458.26250 FXO 50 W ERP @350 & 170°. 50.2 AAT 1049 MSL 6 AGL. PW/APCO.
26	401588	OFFICE	CO SOMOMA	SEA RANCH	453.0250 .7250 .5750 .5500 .4000 154.3100 155.2650 154.1750 FB/FB2 100 W ERP 415 AAT 481.6 MSL 22.8 AGL. PW/IMSA.
27	500696A	APPD	DOWNIEVILLE PUD	DOWNIEVILLE	ADD 154.96250 100 W ERP 400.9 AAT 1731 MSL 30 AGL.. PW/FCCA.
28	401582	APPD	UCSF PLANT OPS	SAN FRANCISCO (LOW)	460.08750 .46250 .43750 .31250 FB8 @100 W ERP /MO8@4 W ERP. 6.3 AAT 11 MSL 22.5 AGL. YW/IMSA.
29	401068	CONCUR	DELANO	DELANO (KER)	155.9350 FB2/MO 150.805 MO21.9 AAT 95.4 MSL 30.3 AGL. PW/IMSA.
30	243506	IN PROG	PLACERVILLE	PLACERVILLE	154.9650 FB (2 SITES)/MO 100 W ERP 109.6 AAT 684 MSL 18.2 AGL. CONFLICT W/500696A.
31	401473	OFFICE	CO SONOMA	GURENEVILLE SONOMA	151.4950 FB/FB2 125 W ERP 156.1800 50 W ERP FX1 M155.5350 A155.61750 FB/FB2. 368.8 AAT 498.6 MSL 37.7 AGL. PW/IMSA..CONFLICTS.

470-512 MHz POOL

This spectrum is currently under freeze orders by the FCC. Waivers are required for most license modifications.

700 Mhz PUBLIC SAFETY (SG, SY)

800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

32	500864	APPD	ST CA:	CLEARLAKE OAKS	812.0875 FX1, 176 W ERP, -88 AAT, 451 MSL, 10.7 AGL GE/AASHTO
33	500862	APPD	ST CA:	WILLITS, REDWOOD	858.9875 .7375 FB/FB2, 619 W ERP, 813.9875 FX1 175 W ERP, 525 AAT, 972 MSL, 42 AGL GE / AASHTO
34	500947	APPD	ST CA:	KIRKWOOD	858.76250 FB/FB2 70 W ERP 43.6 AAT 2407.9 MSL 18.3 AGL. GP/AASHTO.

7/1/14 : The FCC is currently returning all applications (renewals and modifications) containing WB emissions where NB use is required.

12/1/14: A WB removal tool has been implemented and available on the ULS home page.

ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.