



LOG FOR MARCH 17, 2016

THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from February 11, 2016 to current.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
1	215672	IN PROG	CO SANTA CLARA	CUPERTINO	154.2500 155.7000 156.2100 FB2/FB/MO 158.3550 156.2100 155.4150 MO 200 W ERP -55 AAT 70.4 MSL 41 AGL PW/APCO
2	228039	APPD / HOLD	CO SUTTER	CO SUTTER	153.7750 FB/FB2,FX1/MO 159.3075 MO 100 W ERP 586 AAT 591 MSL 46 AGL PW/APCO
3	237512	OFFICE	CO SUTTER	SUTTER BUTTE PLEASANT GROVE	??? ????? FB/FB2/MO ??? ????? FX1/MO 544.8 AAT 591 MSL 46 AGL. NEW. PW/APCO.
4	240647	IN PROG	CO TULARE	VISALIA	154.79250 FB2/MO 159.03750 MO 27 W ERP 7.9 AAT 97 MSL 11 AGL. PW/APCO. FREQ NEEDS RESELECTION.
5	241581	IN PROG	CO GLENN	CO GLENN	D153.7850 A???? MO. REPLACE EXIST INPUT FREQ. INTERFERENCE ISSUES PW/APCO,
6	401635	OFFICE	SANTA CLARA CO DA	CRYSTAL PK PALO ALTO	460.33750 FB8/MO8 460.28750 FB8/MO814 W ERP 726 AAT 1076 MSL 21.3 AGL. PW/IMSA
7	401588	OFFICE	CO SOMOMA	SEA RANCH	453.0250 .7250 .5750 .5500 .4000 154.3100 155.2650 154.1750 FB/FB2 100 W ERP 415 AAT 481.6 MSL 22.8 AGL. PW/IMSA.
8	243506	HOLD	PLACERVILLE	PLACERVILLE	154.9650 FB (2 SITES)/MO 100 W ERP 109.6 AAT 684 MSL 18.2 AGL. CONFLICT W/500696A. PW/APCO
9	401473	OFFICE	CO SONOMA	GURENEVILLE SONOMA	151.4950 FB/FB2 125 W ERP 156.1800 50 W ERP FX1 M155.5350 A155.61750 FB/FB2. 368.8 AAT 498.6 MSL 37.7 AGL.PW/IMSA..CONFLICTS.
10	243627	IN PROG	CERES USD	CERES	2 UHF PAIRS FB/FB8/MO 50 W ERP 566 AAT 975 MSL 24 AGL YW/APCO
11	243871	APPD	ROCKLIN	ROCKLIN	460.4375 465.4375 - MO only - UHF pair requested for bomb robot PW/APCO
12	243926	APPD	CO YUBA	MARYSVILLE	458.8750 FX1 125 W ERP 39.6 AAT 19.7 MSL 49.1 AGL PW/APCO
13	243989	APPD	ROSEVILLE	ROSEVILLE	460.3125 .6375 FXO 2 W ERP 154.0400 .1750 FB/FB2 110 W ERP 50 AAT 48.6 MSL 55 AGL PW/APCO
14	243962	APPD	CO BUTTE	CO BUTTE	460.5375 465.5375 MO/MO3 2 W ERP - PW/APCO
15	243966	HOLD	CO YUBA	MARYSVILLE	453.1875 .4875 FB2/MO 458.1875 MO 60 W ERP 29.6 AAT -19 MSL 43 AGL PW/APCO
16	243967	APPD	CO YUBA	MARYSVILLE	460.175 FB 465.4000 .3500 .6250 .2250 .0750 158.8800 .9850 154.1300 FX1 60 W ERP 39.6 AAT -19.7 MSL 49.1 AGL PW/APCO
17	243980	APPD	CO YUBA	MARYSVILLE	465.1000 FX1 180 W ERP 39.6 AAT -19.7 MSL 49.1 AGL PW/APCO
18	243981	APPD	FRENCH CAMP McKinLEY FPD	FRENCH CAMP	155.8425 FB 151.0775 FB2 155.8425 .5950 MO 100 W ERP -55.4 AAT 25 MSL 9.8 AGL PW/APCO
19	243986	APPD	CO DOUGLAS (NV)	TAHOMA (CA)	155.0250 FB2 200 ERP -12 AAT 2114 MSL 10 AGL PW/APCO
20	243987	APPD	CO DOUGLAS (NV)	TAHOMA (CA)	460.2250 50 W ERP -12 AAT 2114 MSL 10 AGL PW/APCO
21	400210	APPD	LIVINGSTON	LIVINGSTON	453.5375 FXO 458.5375 FXOT 20 W ERP 7 AAT 33 MSL 9 AGP PW/IMSA
22	600153	APPD	SOLANO IRRIGATION DIST	VACAVILLE	453.9625 FXO 10 W ERP -63.3 AAT 77 MSL 4.6 AGL PW/AAHTO
23	600154	APPD	SOLANO IRRIGATION DIST	VACAVILLE	453.9625 FXO 10 W ERP -28 AAT 74 MSL 6.1 AGL PW/AAHTO
24	600155	APPD	SOLANO IRRIGATION DIST	VACAVILLE	453.9625 FXO 10 W ERP 16.1 AAT 126 MSL 5.5 AGL PW/AAHTO
25	60080A	APPD	ST CA	POINT ARENA	458.7750 .9000 453.7750 .9000 10 W ERP 457 AAT 683 MSL 30.5 AGL PW/AAHTO
26	244061	IN PROG	CO HUMBOLDT	TRINIDAD	154.7400 FB2 40 W ERP 155.7900 MO 200 W ERP 27.8 AAT 110.3 MSL 12.2 AGL PW/APCO
27	244063	APPD	CITY/CO SAN FRANCISCO	SAN FRANCISCO	155.3400 FB 350 W ERP 38.1 AAT 9.1 MSL 51.8 AGL PW/APCO
28	146757A	APPD	PORTERVILLE	PORTERVILLE	151.1000 FB2/MO 300 W ERP 48.5 AAT 201 MSL 30.5 AGL add 159.0675 MO/FX1 50 W ERP PW/IMSA
29	400336	APPD	CO SHASTA	REDDING	155.6700 FB 45 W ERP -49.6 AAT 220 MSL 22.9 AGL PW/ FCCA
30	244159	APPD	CITY/CO SAN FRANCISCO	SAN FRANCISCO	462.9500 FB2 102 W ERP 275 AAT 259 MSL 55 AGL 467.9500 FX1 30 W ERP PW/APCO
31	600132	APPD	MILLBRAE	MILLBRAE	458.2375 MO 6 W ERP 8 km AOP 5K60F2D PW/AASHTO
32	400225	IN PROG	REDDING	REDDING	155.0325 FB2 150 W ERP MO 110 W ERP 159.2175 MO 110 W ERP 482 AAT 975 MSL 69.4 AGL PW/FCCA

470-512 Mhz POOL

This spectrum is currently under freeze orders by the FCC. Waivers are required for most license modifications.

700 Mhz PUBLIC SAFETY (SG, SY)

800 Mhz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.
 Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION
 Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.