

LOG FOR FEBRUARY 2014

THE INFORMATION HEREIN CONTAINED IS SOLELY FURNISHED FOR THE USE OF APCO MEMBERS. ANY OTHER USE MAY CONSTITUTE COPYRIGHT INFRINGEMENT.

Actions taken from January 9 to February 12.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
1	228039	IN PROG	CO SUTTER	CO SUTTER	151.1525 FB/FB2/MO 159.3075 FX1/MO 210 W ERP 586.0 AAT 591.0 MSL 46 AGL. PW/APCO.
2	229381	IN PROG	CHICO	CHICO	155.3700 FB2/MO 154.7700 MO 100 W ERP -27 AAT 130 MSL 30 AGL. PW/APCO. ADDS 2ND CHNL.
3	235448	INACTIVE	MANTECA	MANTECA	155.8650 FB/FB2 79W ERP 158.9550 M0 35.3 AAT 9 MSL 36.5 AGL. PW/APCO. AASHTO OBJECTION.
4	235906	IN PROG	CO MONTEREY	CO MONTEREY	1-155.6250 2-155.93250 3-151.4600 155.940 FX1 4-156.1650 154.0400 161.5275 161.5125 5-161.4225 161.48250. ALL 250 W ERP. (UHF CHANNELS HAVE BEEN REMOVED) PW/APCO.
5	236400	APPD	CO TRINITY	TRINITY	154.8600 FB/FB2 200 W ERP -38.2 AAT 1313.4 MSL 17.6 AGL. ADD STN TO EXIST SYS. PW/APCO.
6	236434	APPD	SANTA CRUZ	SANTA CRUZ	D155.8800 FB2 A155.1300 FB2/MO 150 W ERP -93 AAT 6 MSL 17 AGL. PW/APCO
7	236429	APPD	CO SANTA CRUZ	DAVENPORT	154.3850 155.1750 .2500 .5500 FB/FB2 75.5 W ERP@150° -138 AAT 605 MSL 28 AGL. PW/APCO
8	236451	APPD	CALAVERAS CO ROAD	SAN ANDREAS	156.1350 FX1 21.4 W ERP -57 AAT 350.5 MSL 36.6 AGL. PW/APCO. NEED LOC TUOLUMNE CO FB/MO USE AT 54 KM.
9	236452	APPD	CALAVERAS CO SO	SAN ANDREAS	155.7600 157.6050 159.8850 .9300 .7300 MO INCR ERP TO 45 W. 157.6050 FB 21.4 W ERP -57 AAT 350.5 MSL 36.6 AGL. PW/APCO. NOTE 157.605 IS AN IB FREQ
10	237074	IN PROG	CO SANTA CRUZ	SANTA CRUZ	155.0100 FB2 50 W ERP -91.9 AAT 8 MSL 17 AGL - 11K2F3E PW/APCO
11	237084	IN PROG	CO MONTEREY	CARMEL, BIG SUR, WATSONVILLE	153.9500 FB2 100 W ERP 328.4 AAT 685.8 MSL 21.3 AGL / 155.9100 .8950 FB2 100 W ERP -75.6 AAT 92.3 MSL 24.4 AGL / 154.8150 FB2 100 W ERP 56.9 AAT 146.3 MSL 12.2 AGL 11K2F3E PW/APCO
12	237167	IN PROG	CO MONTEREY	SALINAS, SEASIDE, CARMEL, CARMEL VALLEY	152.0300 .1200 .1500 .1800 .6300 .7200 .8100 154.7250 .7850 .8600 155.1000 FB8 74 W ERP 199 AAT 241 MSL 45 AGL / 155.6400 .8650 156.0450 .2250 158.0700 4900 .5800 .6100 .6400 157.8900 .9800 MO8/FX1 50W ERP -74 AAT 21 MSL 38 AGL - 11K2F3E/8K1F1D/8K1F1E PW/APCO
13	001383	APPD	ST CA: CAL FIRE	TWAIN HEART	151.415 FB 560 W ERP 460/465.38750 FXO 6 W ERP 461.4 AAT 1498 MSL 11 AGL. PW/AASHTO.
14	237512	IN PROG	CO SUTTER	SUTTER BUTTE PLEASANT GROVE YOUNTVILLE	???-???? FB/FB2/MO ???-???? FX1/MO 544.8 AAT 591 MSL 46 AGL. NEW. PW/APCO.
15	001468	APPD	ST CA: VET	YOUNTVILLE	155.73750 FX1 100 W ERP 155.3400 .3550 FB/MO 75 W ERP 157.4500 FB 30 W ERP -145.8 AAT 47.9 MSL 11.3 AGL. (2 LOCATIONS) PW/AASHTO.
16	402084	APPD	CO SONOMA	MT JACKSON SLEEPY ROHNERT PARK CO KINGS	460.28750 453.9250 FB/FB2/MO 50 W ERP 360.7 AAT 497.5 MSL 30.5 AGL. ADD SITES ON EXIST FREQ. INCR #MOS. PW/IMSA.
17	402371	APPD	CO KINGS	CO KINGS	153.9800 458.48750 MO 5 W ERP. PW/IMSA.
18	001482	APPD	ST CA: DOT	WILLITS REDWOOD VLY HOPLAND FT BRAGG	453.26250 FXO 200 W ERP @131° 460.46250 FXO 13 W ERP @131° 458.2650 FXO 200 W ERP @310° 465.46250 FXO 26 W ERP @354° 534.1 AAT 972 MSL 45.7 AGL. PW/AASHTO.
19	001488	APPD	ST CA: DOT	FT BRAGG	453.96250 FXO 5 W ERP -29.8 AAT 18.3 MSL 5.5 AGL. IRRIG SYS. PW/AASHTO.
20	237619	APPD	CO MONTEREY	SAN SIMEON	151.0850 FB/FB2 200 W ERP @322° -66.8 AAT 15.9 MSL 14 AGL. NEW. PW/APCO.
21	237622	APPD	SANTA ROSA	SANTA ROSA (6 LOCNS)	465.31250 FXO 40 W ERP @X° -47.3 AAT 26 MSL 4 AGL. EXISTS AS FXOT IN ERROR. PW/APCO.
22	237624	APPD	SANTA ROSA	SANTA ROSA RH PARK	465.31250 FXO 40 W ERP @X° -47.6 AAT 35 MSL 5 AGL. EXISTS AS FXOT IN ERROR. PW/APCO.
23	237625	APPD	SANTA ROSA	SANTA ROSA (6 LOCNS)	465.31250 FXO 40 W ERP @X° -49.8 AAT 24 MSL 4 AGL. EXISTS AS FXOT IN ERROR. PW/APCO.
24	237626	APPD	SANTA ROSA	SANTA ROSA (2 LOCNS)	465.31250 FXO 40 W ERP @X° -47.1 AAT 26 MSL 4.6 AGL. EXISTS AS FXOT IN ERROR. PW/APCO.
25	237627	APPD	SANTA ROSA	S ROSA RH PARK SEBASTOPOL	465.61250 FXO 40 W ERP @X° -38.7 AAT 30 MSL 17 AGL. EXISTS AS FXOT IN ERROR. PW/APCO.
26	237628	APPD	SANTA ROSA	SANTA ROSA (6 LOCNS)	465.61250 FXO 40 W ERP @X° -47.1 AAT 37 MSL 5 AGL. EXISTS AS FXOT IN ERROR. PW/APCO.
27	237629	APPD	SANTA ROSA	SANTA ROSA (2 LOCNS)	453.3000 FXO 40 W ERP @X° -38.7 AAT 26 MSL 17 AGL. PW/APCO.
28	001478	APPD	ST CA: DOT	COBB, KELSEYVILLE, LAKEPORT	453/458.26250 458.3000 FXO 40 W ERP 811.2 AAT 1415 MSL 36.6 AGL. PW/AASHTO.
29	237585	APPD	CO TULARE	PORTERVILLE	453.8000 FB/FB2 -47.8 AAT 132 MSL 10.6 AGL. RADIAX INTERNAL TO BLDG. PW/APCO.
30	237748	APPD	SANTA ROSA	SANTA ROSA	460/465.31250 FB/FB2/FXO (5) 40 W ERP. SCADA. PW/APCO.
31	001497	APPD	TRUKEE DONNER REC	TRUCKEE	156.14250 MO 5 W ERP. PW/AASHTO.
32	000039	APPD	MANTECA	MANTECA	453.13750 MO 2 W ERP. IRRIGATION SYS. F2. PW/AADHTO.
33	000037	APPD	ST CA: F&G	WILLITS - WILLOWS	151.4300 FB/FB2 INCR TO 100 W ERP. 453/458.78750 FXO 101 W ERP @256/076°. 955.5 AAT 972 MSL 15.2 AGL. PW/AASHTO
34	000015	APPD	ST CA: DOT	KONOCTI PK COBB KELSEYVILLE CLEAR LAKE OAKS (2)	453/458.16250 FXO 200 W ERP 1415 MSL 808.1 AAT 33.5 AGL 458.76250 10 W ERP -4.9 AAT 526 MSL 10.7 AGL 465.41250 FXO 200 W ERP 121.5 AAT 607.9 MSL 10.7 AGL. PW/AASHTO.

ITEM	COORD	STATUS	AGENCY	TX CITY	FREQUENCY/STN CLASS/ERP/ELEVATIONS AND REMARKS
35	000016	APPD	ST CA: DOT	TWAIN HEART COLUMBIA	460/465.38750 FXO 461.4 AAT 1498 MSL 11 AGL. REVERSE EXISTING PAIR. PW/AASHTO.
36	237830	APPD	GRIDLEY USD	GRIDLEY (BUTTE)	153.7400 MO 10 W ERP. NEW. AOP=10KM. PW/APCO.
37	237837	APPD	FRESNO	FRESNO	460.4750 FB/FB2 30 AAT 92 MSL 37 AGL. ADD SITE TO EXIST SYS. PW/APCO.
38	000063	APPD	MAMMOTH LAKES WATER DISTRICT	MAMMOTH LAKES	159.1050 155.78250 154.00250 FXO/FXOT/MO 20 W ERP -122.3 AAT 2530 MSL 12 AGL. DATA. PW/IMSA
39	402085	APPD	CO SONOMA	GUERNEVILLE LAKEVILLE SANTA ROSA	453.22500 .6500 460.63750 FB/FB2/FX1/MO 16 W ERP 360.7 AAT 497.5 MSL 30.5 AGL. PW/FCCA
40	400043	APPD	CO TRINITY	TRINITY	173.33750 MO/MO3 5 W PW/FCCA.
41	000016	APPD	ST CA: DOT	TWAIN HEART COLUMBIA	D460/465.38750 A 460/465.78750 FXO 6 W2 ERP 465.6 AAT 1498 MSL 18.2 AGL. REPLACE UNSATISFACTORY FREQ. PW/AASHTO.
42	000037	APPD	ST CA:	WILLOWS WILLITS	453/458.78750 FXO 101 W ERP 256/076° 955.5 AAT 1996 MSL 15.2 AGL. . PW/AASHTO
43	3001403	APPD	ST CA: CHP	CORDELIA (SCALES)	M42.020 .1800 .3400 .6000 FB TO 103 W ERP. 176 AAT 1320 MSL 10.7 AGL. PW/AASHTO.
44	238126	APPD	CO LASSEN	SUSANVILLE	156.1650 FB2 460.4750 FB2 (EXSISTS) 12.5/16.1 W ERP 690 AAT 2053.7 MSL 15 AGL. RELOCATE 0.05 KM. PW/APCO
45	000156	IN PROG	LATHROP-MANTECA FIRE DIST	LATHROP	155.8350 FB2/MO 153.8000 MO 39.3 AAT 4 MSL 43 AGL. NEW. PW/IMSA.
46	000076	IN PROG	RIPON	RIPON	155.8350 FB/MO 90 W ERP 15.7 AAT 18.8 MSL 15 AGL. NEW. PW/IMSA.

470-512 MHz POOL

This spectrum is currently under freeze orders by the FCC. Waivers are required for most license modifications.

700 MHz PUBLIC SAFETY (SG, SY)

47	1/8/2014	IN PROG	EL DORADO HLS FD	EL DORADO HILLS	770.04375 .53125 771.66875 772.35625 .38125 FB/FB2/FX1/MO 100 W ERP 196.0 AAT 446.0 MSL 24.4 AGL. SY/APCO.
----	----------	---------	------------------	-----------------	--

800 MHz PUBLIC SAFETY (GE, GP, YP, GF, YF) & Comm Users

48	14441	IN PROG	MAMMOTH MTN SKI AREA LLC	MAMMOTH LAKE	854.93750 855.68750 .83750 856.51250 858.81250 860.28750 FB2/FX1/MO 50 W ERP 666.7 AAT 3369 MSL 14 AGL. YB/EWA.
49	001466	APPD	ST CA: DOT	IONE	859.76250 856.73750 858.73750 FB 814.98750 FX1 175 W ERP -48.7 AAT 87 MSL 18.3 AGL. RELOCATE. GP/AASHTO
50	001498	IN PROG	ST CA: DOT	COBB, KELSEYVILLE, LAKEPORT, CLEAR LAKES OAKS, CLEARLAKE	859.98750 FB/FB2 78 W ERP 856.76250 FB/FB2 78 W ERP 859.98750/814.78750 FB/FX1 175 W ERP, 857.73750 FB/FB2 555 W ERP @214° & 060° 857.73750 FB/FB2 555 W ERP @280° & 105°. 811.2 AAT 1415 MSL 36.6 AGL. ADDS STNS TO EXIST STATEWIDE SYS. GE/AASHTO.
51	01392A	APPD	ST CA: DOT	YREKA (GUNSITE PK)	860.98750 858.5125 FB/FB2 35 W ERP 770.1 AAT 1874.1 MSL 24.4 AGL. CORR COORDS. GE/AASHTO.
52	237825	IN PROG	OAKLAND	OAKLAND	855.46250 FB/FB2/MO 150 W ERP -7.1 AAT 7.6 MSL 50 AGL. REINSTATEMENT. GE/APCO.
53	000060	APPD	ST CA: DOT	PATINA (SHASTA)	858.76250 859.76250 FB/FB2 120 W ERP 176 AAT 1320 MSL 10.7 AGL. GE/AASHTO.
54	000083	APPD	ST CA: OES (INTER OP)	TWIN PEAKS & SFO	851.01250 .200 .5125 .0125 853.01250 852.0125 851.91250 FB/FB2/MO 246 W ERP 298.6 AAT 259.1 MSL 36.6 AGL. GE/AASHTO.
55	000107	APPD	ST CA: CDF	OROVILLE PULGAS	460/465.41250 FXO 11 W ERP 455 AAT 944.9 MSL 15.2 AGL. NEW. PW/AASHTO.
56	000108	APPD	ST CA: DOT	HAPPY CAMP (SYS)	857.98750 FB/FB2 90 W ERP 614.7 AAT 1326 MSL 36.6 AGL. ADD STN TO EXIST SYS. GP/AASHTO.

10/26/10 note: THE FCC WILL NO LONGER ACCEPT THE F9W EMISSION DESIGNATOR EXCEPT FOR HARRIS OPEN SKY SYSTEMS IN THE 700/800 MHZ ALL ELEVATIONS SHOWN ARE IN METERS.

Use of lower case indicates an informal action. Contact one of the advisors immediately if such action would impact your system.

Blue - Carried over from prior month. Black - Added up to meeting date. A= ADD FREQ, D=DELETE FREQ, M=MODIFICATION

Entries in italics are applications from other coordinators and not in the APCO standard numbering sequence.